ณัฐณิชา ทวีแสง. 2552. การลดค่าถึงกรรมของน้ำและความเป็นกรด - ด่าง ร่วมกับการจุ่มสารละลาย โพแทสเซียมซอร์เบทและการให้ความร้อนซ้ำหลังการบรรจุเพื่อลดการใช้ในไตรท์ในไส้กรอกเวียนนา. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาวิชา เทค โน โลยีการอาหาร บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.

อาจารย์ที่ปรึกษาวิทยานิพนธ์ : ผศ.คร. ธนกร โรจนกร

บทกัดย่อ

การศึกษานี้มีวัตถุประสงค์เพื่อตรวจวัดผลของปัจจัยการถนอมอาหารร่วมต่อลักษณะคุณภาพด้านต่าง ๆ ของใส้ครอกเวียนนา ในขั้นแรกได้ผลิตไส้กรอกเวียนนา 9 ตัวอย่างซึ่งมีปริมาณซอร์บิทอล(0, 2 and 4%) และ กลูโคโนเคลด้าแลกโตน (GDL)(0, 1500 and 3000 ppm) ในปริมาณต่างๆ พบว่า ปริมาณของซอร์บิทอลและGDL ไม่มีผลค่อค่าคุณสมบัติค้านเนื้อสัมผัสและคุณลักษณะทางประสาทสัมผัส (P>0.05) ของใส้กรอกสุก อย่างไรก็ ตาม การเติมซอร์บิทอลร้อยละ 4 และGDL 3000 ppm ทำให้ค่ากิจกรรมของน้ำ(a_) และค่าความเป็นกรคค่าง(pH) ในใส้กรอกสกลคลงอย่างมีนัยสำคัญจาก (P≤0.05) 0.973 เป็น 0.966 และจาก 6.02 เป็น 5.78 ตามลำคับเมื่อเทียบ กับตัวอย่างควบคุมที่ไม่เติมสารคังกล่าว ดังนั้นจึงเลือกใช้ซอร์บิทอลร้อยละ 4 และ GDL 3000 ppm สำหรับการ ทคลองขั้นต่อไป ต่อมาได้ศึกษาผลของปริมาณไนไตรท์ (100 75 และ 50 ppm) ต่อลักษณะคุณภาพด้านต่างๆของ ใส้กรอกที่ผ่านการลคค่า a, และค่า pH ซึ่งพบว่าตัวอย่างที่ลคค่า a, และค่า pH และใช้ในไตรท์ 100 และ 75 ppm มีค่าความเป็นสีแคง(a*) เพิ่มขึ้น(P≤0.05) เมื่อเทียบกับตัวอย่างควบคุมที่ใช้เฉพาะ ในไตรท์ 125 ppm นอกจากนั้น แล้วการลดปริมาณในไตรท์มีผลให้ปริมาณในไตรท์ตกค้างในไส้กรอกสุกลดลง(P≤0.05) ไส้กรอกสุกที่ใช้ ในไตรท์ 75 ppm มีคุณสมบัติด้านจุลชีววิทยาไม่ต่างจากตัวอย่างควบคุม (P≤0.05) ตลอด 21 วันของการเก็บที่ 10+2 °ซ อย่างไรก็ตามจำนวนจุลินทรีย์ในทุกตัวอย่างจะเพิ่มขึ้นตามระยะเวลาเก็บ เพื่อต้องการลดปริมาณในไตรท์ ที่ต้องใช้ให้เหลือ 50 ppm โดยไม่มีผลเสียต่อคุณภาพและความปลอดภัยของผลิตภัณฑ์จึงได้เพิ่มปัจจัยการถนอม อาหารอีก 2 ชนิคเข้าไปในระหว่างการผลิตซึ่งได้แก่ การจุ่มในสารละลายโพแทสเซียมซอร์เบทเข้มข้นร้อยละ 1 และการให้ความร้อนซ้ำหลังการบรรจุแบบสุญญากาศจนกระทั่งอุณหภูมิภายในเป็น 72°ซ พบว่าปัจจัยทั้งสองไม่มี ผลค่อค่าสีภายใน คุณสมบัติด้านเนื้อสัมผัสและคะแนนความชอบค้านเนื้อสัมผัส (P>0.05) จากนั้นได้ศึกษาการ เปลี่ยนแปลงคุณภาพค้านจุลินทรีย์และกายภาพของไส้กรอกที่ใช้ปัจจัยการถนอมต่าง ๆ ร่วมกันในระหว่างการเก็บ แบบแช่เย็นที่ 10±2 °ช พบว่าไส้กรอกที่ลคค่า a, และค่า pH และเคิมในไตรท์ 50 ppm รวมทั้งใช้ปัจจัยการถนอม อาหารอีก 2 ชนิคมีคุณภาพด้านจุลินทรีย์ในแง่ของปริมาณจุลินทรีย์ทั้งหมด Staphylococcus aureus และยิสต์รา ดีกว่าตัวอย่างควบคุมที่ใช้เฉพาะ ในไตรท์ 125 ppm เพียงอย่างเคียวตลอค 49 วันที่10±2°ซ (p≤0.05) นอกจากนี้ยังมี สมบัติด้านเนื้อสัมผัสไม่แตกต่างจากตัวอย่างควบคุมด้วย(p>0.05) ผลการทคลองแสดงให้เห็นว่าสามารถลด ปริมาณในใครท์จาก 125 ppm ให้เหลือเพียง 50 ppm โดยใช้ปัจจัยการถนอมอาหารร่วมซึ่งได้แก่การลดค่า a ค่า pH การจุ่มในสารละลายโพแทสเซียมซอร์เบทเข็มขึ้นร้อยละ 1 และการให้ความร้อนซ้ำหลังการบรรจุซึ่งไม่ ก่อให้เกิดผลในเสียต่อกุณภาพและความปลอดภัยของใส้กรอกเวียนนา

Natnicha Thawceseang. 2009. Combination of Reduced a_w and pH Potassium Sorbate Dipping and Post

Package Reheating for Nitrite Reduction in Vienna Sausage. Master of Science Thesis in Food

Technology, Graduate School, Khan Kaen University.

Thesis Advisor: Asst. Prof. Dr. Thanakorn Rojanakorn

ABSTRACT

This study aimed to investigate the effects of combined preservation factors on the quality characteristics of Vienna sausages. Initially, 9 treatments of Vienna sausages with different amounts of sorbitol (0, 2 and 4%) and glucono-delta-lactone, GDL (0, 1500 and 3000 ppm) were produced. It was found that the amounts of sorbitol and GDL did not affect the textural property and sensory attributes (P>0.05) of cooked sausages. As an addition of 4% sorbitol and 3000 ppm GDL significantly decreased (p < 0.05) the a,, and pH values of the cooked sausages from 0.973 to 0.966 and from 6.02 to 5.78 respectively, compared with the control sample without any addition of these two substances, therefore the referred amounts of sorbitol and GDL were chosen and used in the later steps of this study. The effect of nitrite levels (100, 75, 50 ppm) on the quality characteristics of the reduced a, and pH Vienna sausage was subsequently investigated. It was found that the reduced pH and a_w sausages with 100 and 75 ppm nitrite had higher redness (a*) (p≤0.05) than the control with only 125 ppm nitrite. Moreover, a reduction of nitrite significantly decreased the residual nitrite content (P≤0.05) of the cooked sausages. The microbiological quality of the reduced a_w and pH sample containing 75 ppm nitrite was comparable with the control (125 ppm nitrite) (p>0.05) throughout the 21 day storage period at 10±2°C. However, the microbial counts increased with time in all samples. In order to reduce the added nitrite level to 50 ppm without any negative effect on product quality and safety, two other preservation factors were incorporated during processing, namely dipping the cooked samples in 1 % potassium sorbate solution prior to vacuum packaging and post package reheating until an internal temperature of 72°C was reached. It was found that both extra preservation factors did not affect the internal color values, textural property and the sensory attributes of the products (p>0.05). The effect of all preservation factors employed in this study on microbiological and physical changes in Vienna sausages during chill temperature storage (10±2°C) was also examined. It was found that the 50 ppm nitrite-reduced aw and pH sausage treated with two other factors exhibited a better microbiological quality in term of total plate count, Staphylococcus aureus and yeast mold counts than the sausage with only 125 ppm nitrite (control) throughout the 49 days storage period at 10±2°C (p≤0.05). In addition, its textural property was similar to the control throughout the storage period (p>0.05). These results indicated that sodium nitrite added to Vienna sausages can be reduced from 125 ppm to 50 ppm by using combined preservation factors, including reduction of a and pH, dipping in 1% potassium sorbate solution and post package reheating without detrimental effect on quality and safety of Vienna sausage.