

บรรณานุกรม


บทที่ 2

- [2-1] H.S. Carslaw and J.C. Jaeger, 1959, "Conduction of Heat in Solid" 2nd Ed., Oxford University Press, London and New York, p. 283-353.
- [2-2] J.C. Muehlbauer and J.E. Sunderland, 1965, Heat Conduction with a Freezing or Melting. Appl. Mech. Rev. p.18, 1951.
- [2-3] L.I. Rubinstein, 1971, The Stefan Problem. Am. Math. Soc. Transl. Math. Monogr. 27.
- [2-4] John Crank, 1981, Numerical Methods in Heat Transfer, John Wiley & Sons Ltd, Chap. 9.
- [2-5] A.B. Taylor, 1974, The Mathematical Formulation of Stefan Problems. "Moving Boundary Problems in Heat Flow and Diffusion." Proc. Univ. Oxford, March p.25-27.
- [2-6] William D. Murray, Fred Landis, 1959, Numerical and Machine Solution of Transient Heat-Conduction Problems Involving Melting or Freezing, Trans. ASME, 106-112.
- [2-7] K. Mastanaiah, 1976, On the Numerical Solution of Phase Change Problems Transient non-linear Heat Conduction, International Journal for Numerical Method in Engineering, vol.10., 833-844.
- [2-8] B.V. SAUNDERS, 1995, A Boundary Conforming Grid Generation System for Interface Tracking, Computers Math. Applic. Vol. 29.
- [2-9] ZHEN-XIANG GONG and ARUN S. MUJUMDAR, 1997, Flow and heat transfer in convection-dominated melting in a rectangular cavity heated from below, International J. Heat and Mass Transfer. Vol. 41.
- [2-10] XIAOLI ZHANG and T. HUNG NGUYEN, 1990, Melting of ice in a porous medium heated from below, International J. Heat and Mass Transfer. Vol. 34.
- [2-11] B.J. Pangrle and K.G. Ayappa, 1991, "Microwave thawing of cylinders" AIChE J., vol.37, pp 1789-1800.

- [2-12] X. Zeng and A.Faghri,1994, "Experimental and numerical study of microwave thawing heat transfer for food materials" , ASME J. Heat Transfer, vol. 116 , pp 446-455.
- [2-13] T.Basak and K.G. Ayappa,1997, "Analysis of microwave thawing of slab with the effective heat capacity method" AIChE J., vol 43 , pp1662-1674.
- [2-14] T.Basak,2003 "Analysis of resonances during microwave thawing of slabs", International of Heat and Mass Transfer, 46(22), pp.4279-4301.
- [2-15] T.Basak,2004, "Role of resonances on microwave heating of oil-water emulsions", AIChE Journal, 50(11), pp2659-2675.
- [2-16] K.G. Ayappa,1997, "Resonant Microwave Power Absorption in slabs and Cylinders", AIChE Journal, 43(3), pp615-624.
- [2-17] Barringer,1994, S.A., Davis, E.A., Gordon, J., Ayappa, K.G., Davis, H.T. "Effect of sample size on the microwave heating rate: oil vs. water", *AIChE Journal* 40 (9), pp. 1433-1439.
- [2-18] F.Torres and B. Jecko,1997, "Complete FDTD analysis of microwave heating process in frequency-dependent and temperature dependent media" , IEEE Trans. Microwave Theory Tech, vol 45 , pp 108-117.
- [2-19] L. Feher , G. Link and M. Thumm ,1996, "The MiRa/THESIS-code package for resonator design and modeling of millimeter-wave material processing" , in Proc. Mater. Res.Soc.Spring Meeting Symp. , vol 430 , San Francisco , pp 363-368.
- [2-20] P. ratanadecho , K.Aoki and M.Akahori ,2002, "Influence of irradiation time particle sizes and initial moisture contents during microwave drying of multi-layered capillary porous materials" , ASME J.Heat Transf., vol. 124 , pp151-161.
- [2-21] P.Rattanadecho , K. Aoki , M. Akahori, 2002, "The Characteristics of Microwave Melting of Frozen Packed Beds Using a Rectangular Waveguide" IEEE Transactions on Microwave Theory and Techiques, vol.50 No.6 , pp.1495-1502.
- [2-22] P.Rattanadecho, 2004, "Theoretical and experimental investigation of microwave thawing of frozen layer using a microwave oven (effects of layered

configurations and layer thickness)", Int.J. Heat and Mass Transfer, 47 (5) , pp.937-945.

- [2-23] P.Rattanadecho, 2006, "The simulation of microwave heating of wood using a rectangular wave guide : Influence of frequency and sample size", Chemical Engineering Science 61, pp. 4798-4811.



บทที่ 3

- [3-1] Ratanadecho, P. et al.,1959, "Drying of Layered Pack Beds, The 6 th ASME-JSME Thermal Engineering Joint Conference", Hawaii, U.S.A., 16-20 March 2003.
- [3-2] William D. Murray , Fred Landis , Numerical and Machine Solution of Transient Heat-Conduction Problems Involving Melting or Freezing , Trans. ASME ,106-112.
- [3-3] John C. Tannehill ,1997, Dale A. Anderson and Richard H.Pletcher , Computational Fluid Dynamics and Heat Transfer , Taylor & Francis , USA.
- [3-4] M. Farrashkhalvat and J.P Miles,2003, Basic Structured Grid Generation with an Introduction to Unstructured Grid Generation , Butterworth – Heinemann , Oxford.
- [3-5] Ratanadecho, P., Aoki, K. and Akahori, M.,2001, "A Numerical and Experimental Study of Microwave Drying in Unsaturated Porous Material", Int. Commun. Heat Mass Transfer, Vol. 28 (5), pp 605-616.
- [3-6] Aoki, K., Hattori, M., Kitamura, M. and Shiraishi, N.,1991, "Characteristics of Heat Transport in Porous Media with Water Infiltration", ASME/JSME Thermal Engineering Proceedings, Vol. 4, pp. 303-308.
- [3-7] American Society for Testing and Materials,2002, "Standard Test Method for Static Modulus of Elasticity and Poisson's Ratio of Concrete in Compressive", Annual Book of ASTM Standard Vol. 4,No. 02, Philadephia, PA, USA.
- [3-8] Tangtermsirikul, S. and Kitticharoenkiat, P.,1998, "A Slump Prediction Model for Fresh Concrete Based on Water Retainability and Free Water Concepts", Research and Development Journal of the Engineering Institute of Thailand, Vol. 10, No. 10, pp. 50-56.
- [3-9] Jones, P.I. and Rowley, A.T.,1996, "Dielectric Drying", Drying Technology J., 14 (5), pp.1063-1098.
- [3-10] Von Hippel, AR.,1954, "Dielectric Materials and Applications", MIT Press, Boston.

- [3-11] Wang, J. and Schmugge, T.,1980, "An Empirical Model for the Complex Dielectric Permittivity of Soil as a Function of Water Content", IEEE Transactions on Geosciences and Remote Sensing, GE18, pp. 288-295.
- [3-12] Ratanadecho, P., Aoki, K. and Akahori, M.,2001, "A Numerical and Experimental Investigation of the Modeling of Microwave Drying Using a Rectangular Wave Guide", Drying Technology an International J., Vol. 19(9), pp. 2209-2234.
- [3-13] Barringer, S.A., Davis. EA., Gordon, J., Ayappa, K.G. and Davis, H.T.,1994, "Effect of Sample Size on the Microwave Heating Rate; Oil vs. Water", AIChE J., 40, pp. 1433-1439.
- [3-14] Metaxas, A.C. and Meridith, R.J.,1983, "Industrial Microwave Heating", Peter Pere-grinus, Ltd., London.
- [3-15] Ratanadecho, P., Aoki, K. and Akahori, M.,2002, "Influence of Irradiation Time, Particle Sizes and Initial Moisture Content During Microwave Drying of Multilayered Capillary Porous Materials", ASME J. Heat Transfer, Vol. 124 (1), pp. 151-161.
- [3-16] Voller et al.,1993, "Treatment of discontinuous thermal conductivity in control-volume solutions of phase-change problems ", *Numerical Heat Transfer, Part B: Fundamentals* 24 (2), pp. 161-180.
- [3-17] H.K. Versteeg and W.Malalasekera,1995, An introduction to computational fluid dynamics The finite volume method , Longman Scientific & Technical , England.

บทที่ 4

- [4-1] H.S. Carslaw and J.C. Jaeger, 1959, "Conduction of Heat in Solid" 2nd Ed., p. 283, 353. Oxford University Press, London and New York.
- [4-2] J.C. Muehlbauer and J.E. Sunderland, 1965, Heat Conduction with a Freezing or Melting. Appl. Mech. Rev. p.18, 951.
- [4-3] L.I. Rubinstein, 1971, The Stefan Problem. Am. Math. Soc. Transl. Math. Monogr. 27.
- [4-4] John Crank, 1981, Numerical Methods in Heat Transfer, Chap. 9, John Wiley & Sons Ltd.
- [4-5] A.B. Taylor, 1974, The Mathematical Formulation of Stefan Problems. "Moving Boundary Problems in Heat Flow and Diffusion." Proc. Univ. Oxford, March p.25-27.
- [4-6] T.R. Goodman, 1961, J. Heat Transfer, Trans. ASME (C), 83-86.
- [4-7] William D. Murray, 1959, Fred Landis, Numerical and Machine Solution of Transient Heat-Conduction Problems Involving Melting or Freezing, Trans. ASME, 106-112.
- [4-8] K. Mastanaiah, 1976, On the Numerical Solution of Phase Change Problems Transient non-linear Heat Conduction, International Journal for Numerical Method in Engineering, vol. 10, 833-844.

บทที่ 5

- [5-1] Hashemi, H.T., and Sliepcevich, C.M.,1973, "Effect of seepage stream and artificial soil freezing," ASCE Mech. Found. Div., Vol. 99: pp. 267-289.
- [5-2] Frivik, P.E., and Comini, G.,1982, "Seepage and heat flow in soil freezing," ASME J. Heat Transfer, 104: pp. 323-328.
- [5-3] Sparrow, E.M, and Broadbent, J.A.,1983, "Freezing in a vertical tube," ASME J. Heat Transfer, 105: pp. 217-225.
- [5-4] Weaver, J.A, and Viskanta, R.,1986, "Freezing of liquid-saturated porous media," ASME J. Heat Transfer, 108: pp. 654-659.
- [5-5] Chellaiah, S, and Viskanta, R.,1988, "Freezing of saturated and superheated liquid in porous media," Int. J. Heat Mass Transfer, 31: pp. 321-330.
- [5-6] Charn-Jung, K., and Kaviany, M.,1992, "Numerical method for phase-change problems with convection and diffusion," Int. J. Heat Mass Transfer, 35(2): pp. 457-467.
- [5-7] Murray, W.D, and Landis, F.,1959, "Numerical and machine solutions of transient heat conduction problem involving melting or freezing," ASME J. Heat Transfer, 81: pp. 106-112.
- [5-8] Ratanadecho, P., Aoki, K. and Akahori, M.,2002, "Influence of irradiation time, particle sizes and initial moisture content during microwave drying of multi-layered capillary porous materials," ASME J. Heat Transfer, 124 (1): pp. 151-16.
- [5-9] Rattanadecho, P.,2004, "Experimental and numerical study of solidification process in unsaturated granular packed bed," AIAA J. Thermophysics and Heat Transfer, 18 (1): pp. 87-93.
- [5-10] Rattanadecho, P.,2004, "The Theoretical and experimental Investigation of microwave thawing of frozen layer using microwave oven (Effects of layered configurations and layered thickness)," Int. J. Heat Mass Transfer, 47 (5) : pp. 937-945.
- [5-11] N.Shamsundar and E. M. Sparrow,1976, Effect of density change on multidimensional conduction phase change, J. Heat Transfer; 97: 550-557.

- [5-12] A.B. Crowley,1978, Numerical solution of Stefan problems,Int. J. Heat Mass Transfer , 21: 215-219.
- [5-13] C. Bonacina , G. Comini , A. Fasano and M. Primicerio,1973, Numerical solution of phase-change problems, Int.J. Heat Mass Transfer, 16: 1825-1832.
- [5-14] J. Crank and R.S. Gupta,1975, Isotherm migration method in two dimensions, Int. J. Heat mass Transfer, 18: 1101-1117.
- [5-15] E. M. Sparrow and W. Chuck,1984, An implicit/explicit numerical solution scheme for phase-change problems,Numer. Heat Transfer, 7: 1-15.
- [5-16] E. M. Sparrow , S. Ramadhyani and S.V. Patankar,1978, Effect of subcooling on cylindrical melting , J. Heat Transfer, 100: 395-402.
- [5-17] F.B. Cheung, T.C. Chawla and D.R. Pedersen,1984, The effect of heat generation and wall interaction on freezing and melting in a finite slab, Int.J. Heat Mass Transfer, 27: 29-37.
- [5-18] T. Saitoh,1978, Numerical method for multi-dimensional freezing problems in arbitrary domains, J. Heat Transfer, 100: 294-299.
- [5-19] J. L. Duda, M.F. Malone, R.H. Notter and J.S. Vrentas,1975, Analysis of two-dimensional diffusion controlled moving boundary problems, Int. J. Heat Mass Transfer, 18: 901-910.
- [5-20] C. F. Hsu, E. M. Sparrow and S. V. Patankar,1981, Numerical solution of moving boundary problems by boundary immobilization and a control-volume-based finite difference scheme, Int. J. Heat Mass Transfer, 24: 1335-1343.
- [5-21] Rattanadecho, P, "Simulation of Melting Process Using a Combined Transfinite Interpolation and PDE Methods" J. Porous Media, (Accept)

บทที่ 6

- [6-1] B.J. Pangrle and K.G Ayappa ,1991, "Microwave thawing of cylinders" *AIChE J.*, vol.37, pp 1789-1800.
- [6-2] X. Zeng and A.Faghri, 1994, "Experimental and numerical study of microwave thawing heat transfer for food materials" , *ASME J. Heat Transfer*, vol. 116 , pp 446-455.
- [6-3] T.Basak and K.G. Ayappa,1997, "Analysis of microwave thawing of slab with the effective heat capacity method" *AIChE J.*, vol 43 , pp1662-1674.
- [6-4] T.Basak, 2003, "Analysis of resonances during microwave thawing of slabs", *International of Heat and Mass Transfer*, 46(22), pp.4279-4301.
- [6-5] T.Basak, 2004, "Role of resonances on microwave heating of oil-water emulsions", *AIChE Journal*, 50(11), pp2659-2675.
- [6-6] K.G. Ayappa,1997, "ResonantMicrowave Power Absorption in slabs and Cylinders", *AIChE Journal*, 43(3), pp615-624.
- [6-7] Barringer, S.A., Davis, E.A., Gordon, J., Ayappa, K.G., Davis, H.T.,1994, "Effect of sample size on the microwave heating rate: oil vs. water", *AIChE Journal* 40 (9), pp. 1433-1439.
- [6-4] F.Torres and B. Jecko ,1997, "Complete FDTD analysis of microwave heating process in frequency-dependent and temperature dependent media" , *IEEE Trans. Microwave Theory Tech*, vol 45 , pp 108-117.
- [6-5] L. Feher , G. Link and M. Thumm,1996, "The MiRa/THESIS-code package for resonator design and modeling of millimeter-wave material processing" , in *Proc. Mater. Res.Soc.Spring Meeting Symp.* , vol 430 , San Francisco , pp 363-368.
- [6-6] P. ratanadecho , K.Aoki and M.Akahori ,2002, "Influence of irradiation time particle sizes and initial moisture contents during microwave drying of multi-layered capillary porous materials" , *ASME J.Heat Transf.*, vol. 124 , pp151-161.
- [6-7] A.R. Von Hippel,1954, *Dielectric Materials and Applications.* , Cambridge , MA: MIT Press.

- [6-8] G.Mur,1981, "Absorbing boundary conditions for the finite-difference approximation of the time domain electromagnetic-field equations" , IEEE Trans. Electromagn. Compat., vol. EMC-23, no. 4 , pp. 377-382.
- [6-9] P.Rattanadecho , K. Aoki , M. Akahori,2002, "The Characteristics of Microwave Melting of Frozen Packed Beds Using a Rectangular Waveguide" IEEE Transactions on Microwave Theory and Techiques, vol.50 No.6 , pp.1495-1502.
- [6-10] P.Rattanadecho,2004, "Theoretical and experimental investigation of microwave thawing of frozen layer using a microwave oven (effects of layered configurations and layer thickness)", Int.J. Heat and Mass Transfer, 47 (5) , pp.937-945.
- [6-11] P.Rattanadecho, 2006, "The simulation of microwave heating of wood using a rectangular wave guide : Influence of frequency and sample size", Chemical Engineering Science 61, pp. 4798-4811.

บทที่ 7

- [7-1] Hashemi, H.T., and Sliepcevich, C.M.,1973, "Effect of seepage stream and artificial soil freezing," ASCE Mech. Found. Div., Vol. 99: pp. 267-289.
- [7-2] Frivik, P.E., and Comini, G.,1982, "Seepage and heat flow in soil freezing," ASME J. Heat Transfer, 104: pp. 323-328.
- [7-3] Sparrow, E.M, and Broadbent, J.A.,1983, "Freezing in a vertical tube," ASME J. Heat Transfer, 105: pp. 217-225.
- [7-4] Charn-Jung, K., and Kaviany, M.,1992, "Numerical method for phase-change problems with convection and diffusion," Int. J. Heat Mass Transfer, 35(2): pp. 457-467.
- [7-5] Murray, W.D, and Landis, F.,1959, "Numerical and machine solutions of transient heat conduction problem involving melting or freezing," ASME J. Heat Transfer, 81: pp. 106-112.
- [7-6] Rattanadecho, P.,2004, Experimental and numerical study of solidification process in unsaturated granular packed bed," AIAA J. Thermophysics and Heat Transfer, 18 (1): pp. 87-93.
- [7-7] N.Shamsundar and E. M. Sparrow,1976, Effect of density change on multidimensional conduction phase change, J. Heat Transfer; 97: 550-557.
- [7-8] A.B. Crowley,1978, Numerical solution of Stefan problems,Int. J. Heat Mass Transfer , 21: 215-219.
- [7-9] C. Bonacina , G. Comini , A. Fasano and M. Primicerio,1973, Numerical solution of phase-change problems, Int.J. Heat Mass Transfer, 16: 1825-1832.
- [7-10] E. M. Sparrow and W. Chuck,1984, An implicit/explicit numerical solution scheme for phase-change problems,Numer. Heat Transfer, 7: 1-15.
- [7-11] F.B. Cheung, T.C. Chawla and D.R. Pedersen,1984, The effect of heat generation and wall interaction on freezing and melting in a finite slab, Int.J. Heat Mass Transfer, 27: 29-37.

- [7-12] J. L. Duda, M.F. Malone, R.H. Notter and J.S. Vrentas,1975, Analysis of two-dimensional diffusion controlled moving boundary problems, *Int. J. Heat Mass Transfer*, 18: 901-910.
- [7-13] K.Mastanaiah ,1976, On the Numerical Solution of Phase Change Problems Transient non-linear Heat Conduction, *International Journal for Numerical Method in Engineering* , vol.10.,833-844.
- [7-14] B.V.Saunders,1995, A Boundary Conforming Grid Generation System for Interface Tracking ,*Computers Math. Applic.* Vol. 29.
- [7-15] G.Zhen-Xiang and S. MUJUMDAR,1997, Flow and heat transfer in convection-dominated melting in a rectangular cavity heated from below, *International J. Heat and Mass Transfer*. Vol. 41.
- [7-16] X. Zhang and T.Hung Nguyen ,1990, Melting of ice in a porous medium heated from below, *International J. Heat and Mass Transfer*. Vol. 34.