

เอกสารอ้างอิง

- ภัทรชัย กิรติสิน. ตำราวิทยาแบคทีเรียการแพทย์. กรุงเทพฯ: ภาควิชาจุลชีววิทยา คณะแพทยศาสตร์ ศิริราชพยาบาล มหาวิทยาลัยมหิดล; 2549.
- ภาวิน ผดุงทศ. ระบาดวิทยาทางสัตวแพทย์. กรุงเทพฯ: หมอชาวบ้าน; 2550.
- วิภาวดี เขียวกุล และ ลดาภรณ์ โพธิ์ทนต์. การศึกษาความชุกและอัตราการต้านทานยาปฏิชีวนะของ เชื้อแคมไพโลแบคทีเรียและเชื้อที่เป็นสาเหตุของโรคท้องร่วงอื่นๆ [ออนไลน์] 2551 [อ้างเมื่อ 6 กันยายน 2551]. จาก <http://www.dmsc.moph.go.th/webroot/ubon/2008/wichakan/>
- ศุภชัย เนื่อนवलสุวรรณ. ความปลอดภัยของอาหาร. กรุงเทพฯ : ภาควิชาสัตวแพทย์สาธาณสุข คณะสัตวแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย; 2549.
- สำนักงานระบาดวิทยา. สรุปรายงานเฝ้าระวังโรค 2551. สำนักงานระบาดวิทยา กรมควบคุมโรค กระทรวงสาธารณสุข; 2552
- สำนักพัฒนาระบบและรับรองมาตรฐานสินค้าปศุสัตว์. คู่มือการปฏิบัติงานเกี่ยวกับโรงฆ่าสัตว์ โรงพักสัตว์และการฆ่าสัตว์สำหรับผู้ประกอบการ. กรุงเทพฯ: กรมปศุสัตว์ กระทรวง เกษตรและสหกรณ์. ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย; 2549
- Adak GK, Meakins SM, Yip H, Lopman BA, O'Brien SJ. Disease risks from foods, England and Wales, 1996-2000. **Emerg Infect Dis** 2005 Mar; 11(3): 365-72.
- Alban L, Nielsen EO, Dahl J. A human health risk assessment for macrolide-resistant *Campylobacter* associated with the use of macrolides in Danish pig production. **Prev Vet Med** 2008 Feb 1; 83(2): 115-29.
- Allos BM. *Campylobacter jejuni* Infections: update on emerging issues and trends. **Clin Infect Dis** 2001; 32: 1201-6.
- Alter T, Gaull F, Kasimir S, Gurtler M, Mielke H, Linnebur M, et al. Prevalences and transmission routes of *Campylobacter* spp. strains within multiple pig farms. **Vet Microbiol** 2005; 108: 251-61.
- Asai T, Harada K, et al. Association of antimicrobial resistance in *Campylobacter* isolated from food-producing animals with antimicrobial use on farms. **Jpn J Infect Dis** 2007; 60(5): 290-4.

- Black R, Levine M, Clement M, Hughs T, Blaser M. Experimental *Campylobacter jejuni* infections in humans. **J Infect Dis** 1988; 157: 472-80.
- Borch E, Nesbakken T, Christensen H. Hazard identification in swine slaughter with respect to foodborne bacteria. **Int J Food Microbiol** 1996 Jun; 30(1-2): 9-25.
- CDC. Preliminary FoodNet Data on the Incidence of Infection with Pathogens Transmitted Commonly Through Food -- 10 States, 2008. **MMWR** 2008. 2009; 58(13): 333-7.
- _____. **Campylobacter Picture** [online] 2008 [cited 2008 Sept 16]. Available from: <http://phil.cdc.gov/phil/home.asp> Public Health Image Library wijai_all/wijai02.html
- Cloak OM, Fratamico PM. A multiplex polymerase chain reaction for the differentiation of *Campylobacter jejuni* and *Campylobacter coli* from a swine processing facility and characterization of isolates by pulsed-field gel electrophoresis and antibiotic resistance profiles. **J Food Prot** 2002 Feb; 65(2): 266-73.
- Coker AO, Isokpehi RD, Thomas BN, Amisu KO, Obit CL. Human Campylobacteriosis in Developing Countries. **Emerg Infect Dis** 2002 March; 8: 237-41.
- Denis M, Chidaine B, Laisney MJ, Kempf I, Rivoal K, Megraud F, et al. Comparison of genetic profiles of *Campylobacter* strains isolated from poultry, pig and *Campylobacter* human infections in Brittany, France. **Pathol Biol (Paris)** 2009 Feb; 57(1): 23-9.
- Donnison A. **Isolation of Thermotolerant *Campylobacter*-Review & Methods for New Zealand Laboratories**: Ministry of Health; 2003.
- Eleni G. *Campylobacter* and bacterial gastroenteritis. **Cmaj**. 2007 september; 177(6): 570-1.
- Fosse J, Seegers H, Magras C. Prevalence and Risk Factors for Bacterial Food-Borne Zoonotic Hazards in Slaughter Pigs: A Review. **Zoonoses Public Health** 2009 Jan 17.
- Gaudio PA, Echeverria P, Hoge CW, Pitarangsi C, Goff P. Diarrhea Among Expatriate Residents in Thailand: Correlation Between Reduced *Campylobacter* Prevalence and Longer Duration of Stay. **J Travel Med** 1996 Jun 1; 3(2): 77-9.
- Ghafir Y, China B, Dierick K, De Zutter L, Daube G. A seven-year survey of *Campylobacter* contamination in meat at different production stages in Belgium. **Int J of food microbiol** 2007; 116: 111-20.

- Gillespie LA, O'Brien SJ, Frost JA, Adak GK, Horby P, Swan AV, et al. A case-case comparison of *Campylobacter coli* and *Campylobacter jejuni* infection: A Tool for Generating Hypothesis. **Emerg Infect Dis** 2002; 8(937-942).
- Gurtler M, Alter T, Kasimir S, Fehlhaver K. The importance of *Campylobacter coli* in human campylobacteriosis: prevalence and genetic characterization. **Epidemiol Infect** 2005 Dec; 133(6): 1081-7.
- Harvey RB, Young CR, Ziprin RL, Hume ME, Genovese KJ, Anderson RC, et al. Prevalence of *Campylobacter* spp isolated from the intestinal tract of pigs raised in an integrated swine production system. **J Am Vet Med Assoc** 1999 Dec 1; 215(11): 1601-4.
- Hurd HS, Brudyig J, Dickson J, Mirceta J, Poloyinski M, Matthew N, et al. Swine health impact on carcass contamination and human foodborne risk. **Public Health Rep** 2008 May-Jun; 3: 343-51.
- Jensen AN, Anderson MT, Dalsgaard A, Baggesen DL, Nielsen EM. Development of real-time PCR and hybridization methods for detection and identification of thermophilic *Campylobacter* spp. in pig faecal samples. **J of App Microbiol**. 2005; 99: 292-300.
- Kemp R, Leatherbarrow AJ, Williams NJ, Hart CA, Clough HE, Turner J, et al. Prevalence and genetic diversity of *Campylobacter* spp. in environmental water samples from a 100-square-kilometer predominantly dairy farming area. **Appl Environ Microbiol** 2005 Apr; 71(4): 1876-82.
- Little CL, Richardson JF, Owen RJ, Pinna Ed, Threlfall EJ. *Campylobacter* and *Salmonella* in raw red meats in the United Kingdom : Prevalence, characterization and antimicrobial resistance pattern, 2003 - 2005. **Food Microbiology** 2008; 25: 538-43.
- M. Mataragas, P.N. Skandamis, E.H. Drosinos. Risk profiles of pork and poultry meat and risk ratings of various pathogen / product combinations. **Int J Food Microbiol** 2008; 126: 1-12.
- Malakauskasa bM, Jorgensenb K, Nielsenc EM, Ojeniyib B, Olsenb JE. Isolation of *Campylobacter* spp. from a pig slaughterhouse and analysis of cross-contamination. **Int J of Food Microbiol** 2006; 108: 295-300.
- Maria F-A, Matthias G, Andreas S. High bacterial contamination of pig tonsils at slaughter. **Meat Science** 2009 October 2009; 83(2): 334-6.

- McMullen LM. Intervention Strategies to Improve the Safety of Pork. **Advances in Pork Production** 2000; 11: 165-73.
- Moore J, Barton M, Blair I, et al. The epidemiology of antibiotic resistance in *Campylobacter*. **Microbes Infect** 2006; 8: 1955-66.
- Nesbakken T, Eckner K, Rotterud OJ. The effect of blast chilling on occurrence of human pathogenic *Yersinia enterocolitica* compared to *Campylobacter* spp. and numbers of hygienic indicators on pig carcasses. **Int J Food Microbiol** 2008 Mar 31; 123(1-2): 130-3.
- Nielsen EM, Engberg J, Madsen M. Distribution of serotypes of *Campylobacter jejuni* and *C. coli* from Danish patients, poultry, cattle and swine. **FEMS Immunol Med Microbiol** 1997 Sep; 19(1): 47-56.
- Oosterom J, Dekker R, de Wilde GJ, van Kempen-de Troye F, Engels GB. Prevalence of *Campylobacter jejuni* and *Salmonella* during pig slaughtering. **Vet Q** 1985 Jan; 7(1): 31-4.
- Padungtod P, Kadohira M, Hill G. Livestock Production and Foodborne Diseases from Food Animals in Thailand. **J Vet Med Sci** 2008; 70(9): 873-9.
- _____, Kaneene JB. *Campylobacter* in food animals and humans in northern Thailand. **J Food Prot.** 2005 Dec; 68(12): 2519-26.
- _____, Kaneene J. *Campylobacter* spp. in human, chickens, pigs and their antimicrobial resistance. **J Vet Med Sci** 2003; 65: 161-70.
- Payot S, Dridi S, Laroche M, Federighi M, Magras C. Prevalence and antimicrobial resistance of *Campylobacter coli* isolated from fattening pigs in France. **Vet Microbiol** 2004 Jun 21; 101(2): 91-9.
- Pearce RA, Wallace FM, Call JE, Dudley RL, Oser A, Yoder L, et al. Prevalence of *Campylobacter* within a swine slaughter and processing facility. **J Food Prot** 2003 Sep; 66(9): 1550-6.
- Pezzotti G, Serafin A, Luzzi I, Mioni R, Milan M, Perin R. Occurrence and resistance to antibiotics of *Campylobacter jejuni* and *Campylobacter coli* in animals and meat in northeastern Italy. **Int J Food Microbiol** 2003 May 15; 82(3): 281-7.

- Pruksananonda P, Athirakul K, Worawattanakul M, Varavithya W, Pisithpun A, Kitayaporn D, et al. Diarrhea among children admitted to a private tertiary-care hospital, Bangkok, Thailand: a case series. **Southeast Asian J Trop Med Public Health** 2008 May; 39(3): 434-42.
- Serichantalergs O, Dalsgaard A, Bodhidatta L, Krasaesub S, Pitarangsi C, Srijan A, et al. Emerging fluoroquinolone and macrolide resistance of *Campylobacter jejuni* and *Campylobacter coli* isolates and their serotypes in Thai children from 1991 to 2000. **Epidemiol Infect** 2007 Nov; 135(8): 1299-306.
- Siemer BL, Nielsen EM, W. On SL. Identification and Molecular Epidemiology of *Campylobacter coli* Isolate from Human Gastroenteritis, Food, and Animal Sources by Amplified Fragment Length Polymorphism Analysis and Penner Serotyping. **Appl and Environ Microbiol** 2005; 71(4): 1953-8.
- Sopwith W, Ashton M, Frost JA, al. e. Enhanced surveillance of *Campylobacter* infection in the North West of England 1997-1999. **J Infect** 2003; 46: 35-45.
- Steinhauserova I, Nebola M, Mikulicova M. Prevalence of thermophilic *Campylobacter* spp. in slaughtered pigs in the Czech Republic, 2001-2003. **Vet MedCzech** 2005; 50(4): 171-4.
- Wardak S, Szych J. [Prevalence of pathogenic genes of *Campylobacter jejuni* isolated from humans in Poland between 2003-2005]. **Med Dosw Mikrobiol** 2006; 58(3): 217-22.
- Wehebrink T, Kemper N, grosse Beilage E, Krieter J. Prevalence of *Campylobacter* spp. and *Yersinia* spp. in the pig production. **Berl Munch Tierarztl Wochenschr** 2008 Jan-Feb; 121(1-2): 27-32.
- Weijtens MJ, Bijker PG, Van der Plas J, Urlings HA, Biesheuvel MH. Prevalence of *campylobacter* in pigs during fattening; an epidemiological study. **Vet Q** 1993 Dec; 15(4): 138-43.
- Wesley IV, Muraoka WT, Trampel DW, Hurd HS. Effect of preslaughter events on prevalence of *Campylobacter jejuni* and *Campylobacter coli* in market-weight turkeys. **Appl Environ Microbiol** 2005 Jun; 71(6) :2824-31.
- Yeh KS, Chen SP, Lin JH. One-year (2003) nationwide pork carcass microbiological baseline data survey in Taiwan. **J Food Prot.** 2005 Mar; 68(3): 458-61.