

ค. ผลการทดสอบอัลกอริทึมของวิธีการค้นหาแบบตาปู 30 รอบ

Seeds	29\$		30\$		31\$	
	Best Yield	CPU time(S)	Best Yield	CPU time(S)	Best Yield	CPU time(S)
1	0.9260068	13.89	0.9564250	60.00	0.9712223	27.39
2	0.9255445	60.00	0.9570433	13.68	0.9712223	42.57
3	0.9260068	48.32	0.9565750	60.00	0.9712223	49.39
4	0.9191254	60.00	0.9570433	30.68	0.9703535	60.00
5	0.9260068	17.66	0.9570433	36.24	0.9712223	25.47
6	0.9260068	14.48	0.9570433	30.79	0.9705383	60.00
7	0.9260068	36.40	0.9570433	17.84	0.9712223	37.52
8	0.9191254	60.00	0.9570433	39.35	0.9703535	60.00
9	0.9260068	43.80	0.9565750	60.00	0.9712223	46.38
10	0.9260068	15.83	0.9570433	31.68	0.9712223	16.47
11	0.9260068	9.46	0.9570433	33.03	0.9712223	6.51
12	0.9255445	60.00	0.9570433	44.62	0.9704462	60.00
13	0.9260068	20.56	0.9570433	38.32	0.9712223	34.77
14	0.9260068	22.65	0.9564250	60.00	0.9712223	8.81
15	0.9260068	47.13	0.9570433	30.54	0.9704462	60.00
16	0.9260068	34.66	0.9565750	60.00	0.9712223	29.80
17	0.9260068	13.50	0.9570433	46.19	0.9712223	13.99
18	0.9255445	60.00	0.9570433	32.29	0.9712223	23.50
19	0.9260068	18.49	0.9564250	60.00	0.9703511	60.00
20	0.9260068	35.83	0.9570433	24.77	0.9704462	60.00
21	0.9260068	16.04	0.9570433	18.64	0.9712223	11.19
22	0.9260068	20.03	0.9570433	45.38	0.9704462	60.00
23	0.9260068	29.14	0.9570433	17.57	0.9712223	37.36
24	0.9260068	35.79	0.9564250	60.00	0.9703511	60.00
25	0.9260068	32.23	0.9570433	11.89	0.9704462	60.00
26	0.9191254	60.00	0.9570433	20.32	0.9712223	25.06
27	0.9260068	5.80	0.9570433	26.84	0.9703535	60.00
28	0.9255445	60.00	0.9570433	41.93	0.9712223	45.70
29	0.9260068	12.55	0.9564250	60.00	0.9703511	60.00
30	0.9260068	18.23	0.9570433	47.85	0.9712223	47.15
Average	0.9252570	32.75	0.9568934	38.68	0.9708961	41.63
Minimum	0.9191254		0.9564250		0.9703511	
Maximum	0.9260068		0.9570433		0.9712223	
Standard Deviation	0.0020848		0.0002556		0.0004081	