การวิจัยเชิงสำรวจแบบภาคตัดขวางเรื่องนี้ มีวัตถุประสงค์เพื่อศึกษาพฤติกรรมการคื่มสุรา และปัจจัยที่มีความสัมพันธ์กับพฤติกรรมการคื่มสุราของผู้ขับขี่ที่เมาสุราแล้วขับรถ ในเขต กรุงเทพมหานคร คัดเลือกกลุ่มตัวอย่างแบบสุ่มอย่างมีระบบ จากผู้ขับขี่ที่ถูกจับกุมคำเนินคดีใน ข้อหาขับขี่ยานพาหนะขณะเมาสุรา จำนวน 390 คน ในเดือนกุมภาพันธ์ 2549 เก็บรวบรวมข้อมูล โดยใช้แบบสอบถามที่ผู้วิจัยสร้างขึ้น วิเคราะห์ข้อมูล โดยใช้ โปรแกรมคอมพิวเตอร์สำเร็จรูปเพื่อหา ความถี่ ค่าร้อยละ ค่าเฉลี่ย ค่าเบี่ยงเบนมาตรฐาน และค่าสัมประสิทธิ์สหสัมพันธ์ของเพียร์สัน

ผลการวิจัย พบว่า ผู้ขับขี่ที่เมาสุราแล้วขับรถส่วนใหญ่มีพฤติกรรมการคื่มสุราอยู่ในระคับน้อย ร้อยละ 53.3 และร้อยละ 5.6 มีการคื่มเป็นประจำทุกวัน ปัจจัยนำได้แก่ เจตคติต่อการขับรถขณะเมา สุรา และการรับรู้โอกาสเสี่ยงของการเกิดอุบัติเหตุจากการขับรถขณะเมาสุรามีความสัมพันธ์ ทางบวกกับพฤติกรรมการคื่มสุราอย่างมีนัยสำคัญทางสถิติที่ระคับ .05 ปัจจัยเอื้อ ได้แก่ การเข้าถึง แหล่ง/สถานที่คื่มสุรามีความสัมพันธ์ทางบวกกับพฤติกรรมการคื่มสุราอย่างมีนัยสำคัญทางสถิติที่ ระคับ .05 และปัจจัยเสริม ได้แก่ การได้รับอิทธิพลจากสื่อ โฆษณา และการสนับสนุนจากครอบครัว มีความสัมพันธ์ทางบวกกับพฤติกรรมการคื่มสุราอย่างมีนัยสำคัญทางสถิติที่ระคับ .05

177438

This cross-sectional survey study aimed to investigate alcohol consumption behavior of drunk drivers and identify factors associated with alcohol consumption among drunk drivers in Bangkok Metropolitan. The 390 subjects were selected by systemic sampling method from drunk drivers. The data were collected by questionnaire developed by the researcher on February 2006. The data were analyzed for frequency, percentage, mean, standard deviation and Pearson's Product Moment Correlation Coefficient.

The results showed that: Alcohol consumption behavior of the samples were at a low level (53.3 %) and 5.6 % drank frequently. The predisposing factors that had significantly positive association with alcohol consumption behavior were attitudes toward impaired drivers and perceived risk of traffic accident from the impaired drivers. The enabling factors that had significantly positive association with alcohol consumption behavior were place of beverage drinking. The reinforcing factors that had significantly positive association with alcohol consumption behavior were the influence of information received from media and supports to alcohol consumption from the parents.