

บรรณานุกรม

บทที่ 2

- [2-1] Bouraout, M., Richard, P., and Durance, T. (1994). Microwave and convective drying of potato slices. *Journal of Food Process Engineering*, 17, pp. 353–363.
- [2-2] Maskan, M. (2000). Microwave/air and microwave finish drying of banana. *Journal of Food Engineering*, 48, pp. 169–175.
- [2-3] Yongsawatdigul, J. and Gunasekaran, S. (1996). “Microwave-vacuum drying of Cranberries : Part II. Quality evaluation”, *Journal of Food Processing and Preservation*, 20, pp. 145–156.
- [2-4] Mermelstein, N.H. (1997). “How food technology covered microwaves over the years”, *Food Technology*, 51(5), pp. 82–84.
- [2-5] Ayappa, K.G., Davis, H.T., Davis, E.A. and Gordon, J. (1991). “Analysis of Microwave heating of materials with temperature dependent properties”, *AIChE Journal*, 37(3), pp. 313–322.
- [2-6] Chatterjee, A., Basak, T. and Ayappa, K.G. (1998). “Analysis of microwave sintering of ceramics”, *AIChE Journal*, 44(10), pp. 2302–2311.
- [2-7] Fu, W.B. and Metaxas, A.C. (1994). “Numerical Prediction of Tree-Dimension Finite Element Analysis of Microwave Heating”, *J. Microwave Power and Electromagnetic Energy*, 29, pp. 67-75.
- [2-8] Tada, S., Echigo, R., Kuno, Y. and Yochida, H. (1998). “Numerical Analysis of Electromagnetic Wave in Partially Loaded Microwave Applicator”, *Int. J. Heat and Mass Transfer*, 41, pp. 708-718.
- [2-9] Rattanadecho, P., Aoki, K. and Akahori, M. (2002). "Experimental Validation of a Combined Electromagnetic and Thermal Model for a Microwave Heating of Multi-layered Materials Using a Rectangular Wave Guide", *ASME J. Heat Transfer*, Vol. 124(5), pp. 992-996.

- [2-10] Ratanadecho, P., Aoki, K. and Akahori, M., "A Numerical and Experimental Investigation of the Modeling of Microwave Heating for Liquid Using a Rectangular Wave Guide (Effect of Natural Convection and Electrical Con-ductivity)", *Appl. Math. Modeling*, 26(3), pp. 449-472.
- [2-11] Ratanadecho, P., Aoki, K. and Akahori, M. (2001). "Experimental and Numerical Study of Microwave Drying in Unsaturated Porous Material", *Int. Commun. Heat and Mass Transfer*, Vol. 28 (5), pp. 605-616.
- [2-12] Drouzas, A.E., Tsami, E. and Saravacos, G.D. (1998). "Microwave vacuum drying of model fruit gels", *Journal of Food Engineering*, 39, pp. 117-122.
- [2-13] Shivhare, U.S., Raghavan, G.S.V., Kundra, T., Mujumdar, A.S. and Van De Voort, F.R. (1991). "Through-circulation microwave drying of corn", *Drying '91*, pp. 414-422.
- [2-14] Tulasidas, T.N., Raghavan, G.S.V., van de Voort, F. and Girard, R. (1996). "Dielectric properties of grapes and sugar solutions at 2.45 GHz ", *Journal of Microwave Power and Electromagnetic Energy* 30 (2), pp. 117-123.
- [2-15] Feng, H., Tang, J., Cavalieri, R.P. and Plumb, O.A. (2001). "Heat and mass transport in microwave drying of porous materials in a spouted bed ", *AIChE Journal*, 47 (7), pp. 1499-1512.
- [2-16] Ratanadecho, P., Aoki, K. and Akahori, M. (2001). "Experimental and numerical study of microwave drying in unsaturated porous material", *International Communications in Heat and Mass Transfer*, 28 (5), pp. 605-616.
- [2-17] Ratanadecho, P., Aoki, K. and Akahori, M. (2002). "Influence of irradiation time, particle sizes, and initial moisture content during microwave drying of multi-layered capillary porous materials ", *Journal of Heat Transfer*, 124 (1), pp. 151-161.

- [2-18] Wang, H. and Shi, M. (2002). "Numerical simulation of mass and heat transfer process in centrifugal fluidized bed", *Huagong Xuebao/Journal of Chemical Industry and Engineering (China)*, 53 (10), pp. 1040-1045.
- [2-19] Adonis, M. and Khan, M.T.E. (2004). "Combined convective and infrared drying model for food applications ", *IEEE AFRICON Conference 2*, pp. 1049-1052.
- [2-20] Giese, J. (1992). "Advances in Microwave Food Processing", *Food Technology*, 46, pp. 118–123.
- [2-21] Funebo, T. and Ohlsson, T. (1998). "Microwave-assisted air dehydration of apple and mushroom", *Journal of Food Engineering*, 38, pp. 353–367.
- [2-22] Giri, S. K and Prasad, S. (2007). "Drying kinetics and rehydration characteristics of microwave-vacuum and convective hot-air dried mushrooms", *Journal of Food Engineering*, 78(2), pp. 512–521.
- [2-23] Litvin, S., Mannheim, C.H. and Miltz, J. (1998). "Dehydration of carrots by a combination of freeze drying, microwave heating and air or vacuum drying", *Journal of Food Engineering*, 36, pp. 103–111.
- [2-24] Gulati, A., Rawat, R., Singh, B. and Ravindranath, S.S. (2003). "Application of microwave energy in the manufacture of enhanced-quality green tea", *Journal of Agricultural and Food Chemistry*, 51, pp. 4764-4768.
- [2-25] ผดุงศักดิ์ รัตนเดโช. (2551). *พื้นฐานการทำความร้อนด้วยไมโครเวฟ*. มหาวิทยาลัยธรรมศาสตร์ ศูนย์รังสิต. สำนักพิมพ์มหาวิทยาลัยธรรมศาสตร์.

บทที่ 3

- [3-1] ผดุงศักดิ์ รัตนเดโช. (2551). *พื้นฐานการทำความร้อนด้วยไมโครเวฟ*. มหาวิทยาลัยธรรมศาสตร์ ศูนย์รังสิต. สำนักพิมพ์มหาวิทยาลัยธรรมศาสตร์.
- [3-2] ผดุงศักดิ์ รัตนเดโช. "การวิเคราะห์กระบวนการอบแห้งในวัสดุพูน (I หลักการเบื้องต้นของการถ่ายเทความร้อนและมวลสารในกระบวนการ อบแห้งวัสดุพูน)", *วารสารวิทยาศาสตร์และเทคโนโลยี (ภาษาไทย)*, มหาวิทยาลัยธรรมศาสตร์

- [3-3] Mujumdar, A.S. (Ed.). (1995). *Handbook of Industrial Drying* (2nd Edition). New York: Marcel Dekker.
- [3-4] Ratanadecho, P., Aoki, K. and Akahori, M. (2001). "A Numerical and Experimental Study of Microwave Drying in Unsaturated Porous Material", *Int. Commun. Heat Mass Transfer*, Vol. 28 (5), pp 605-616.
- [3-5] Aoki, K., Hattori, M., Kitamura, M. and Shiraishi, N. (1991). "Characteristics of Heat Transport in Porous Media with Water Infiltration", *ASME/JSME Thermal Engineering Proceedings*, Vol. 4, pp. 303-308.
- [3-6] American Society for Testing and Materials. (2002). "Standard Test Method for Static Modulus of Elasticity and Poisson's Ratio of Concrete in Compressive", *Annual Book of ASTM Standard*, Vol. 4, No. 02, Philadelphia, PA, USA.
- [3-7] Tangtermsirikul, S. and Kitticharoenkiat, P. (1998). "A Slump Prediction Model for Fresh Concrete Based on Water Retainability and Free Water Concepts", *Research and Development Journal of the Engineering Institute of Thailand*, Vol. 10, No. 10, pp. 50-56.
- [3-8] Jones, P.I. and Rowley, A.T. (1996). "Dielectric Drying", *Drying Technology J.*, 14 (5), pp.1063-1098.
- [3-9] Von Hippel, AR. (1954). "Dielectric Materials and Applications", MIT Press, Boston.
- [3-10] Wang, J. and Schmugge, T. (1980). "An Empirical Model for the Complex Dielectric Permittivity of Soil as a Function of Water Content", *IEEE Transactions*
- [3-11] Osepchuk, J.M. (1984). "A History of Microwave Heating Applications", *IEEE Trans. Microwave Theory Tech.*, 32, pp. 1201-1224.
- [3-12] Barringer, S.A., Davis, EA., Gordon, J., Ayappa, K.G. and Davis, H.T. (1994). "Effect of Sample Size on the Microwave Heating Rate; Oil vs. Water", *AIChE J.*, 40, pp. 1433-1439.

- [3-13] Metaxas, A.C. and Meredith, R.J. (1983). "Industrial Microwave Heating", Peter Pere-grinus, Ltd., London.
- [3-14] Ratanadecho, P., Aoki, K. and Akahori, M. (2002). "Influence of Irradiation Time, Particle Sizes and Initial Moisture Content During Microwave Drying of Multilayered Capillary Porous Materials", *ASME J. Heat Transfer*, Vol. 124 (1), pp. 151-161.

บทที่ 4

- [4-1] Tse, V., Chan, C. T., and Howard C. R. (2000). "Understanding Microwave Heating" *Howard C. Reader.*, pp. 125.
- [4-2] George, M., Campbell, G., and Jarvis, A. (1995). "Temperature Variation During Microwave Heating Identification and Quantification of Contribution Factor." *Fifth International Conference on Microwave and High Frequency Heating*, University of Cambridge, pp. G5.1-G5.4.
- [4-3] ผดุงศักดิ์ รัตนเดโช. (2551). พื้นฐานการทำความร้อนด้วยไมโครเวฟ. มหาวิทยาลัยธรรมศาสตร์ ศูนย์รังสิต. สำนักพิมพ์มหาวิทยาลัยธรรมศาสตร์.
- [4-4] COMSOL Multiphysics User's Guide Version 3.4, COMSOL AB, Singapore, 2007.

บทที่ 5

- [5-1] Lewis, W.K. (1921). "The Rate of Drying of Solid Materials", *J. Ind. Engng Chem.*, 13, pp. 427-432.
- [5-2] Sherwood, T.K. (1930). "The of Drying of Solids", *J. Ind. Engng Chem.*, 22, pp. 132-136.
- [5-3] Cealgske, N.H. and Hougén, O.A. (1937). "Drying of Granular Solids", *J. Ind. Engng Chem.*, 29, pp. 805-813.
- [5-4] Buckingham, E. (1907). "Studies on the Movement of Soil Moisture", U.S. Dept. Agr. Bur. Soil Bull, 38.
- [5-5] Henry, P.S.H. (1939). "Diffusion in Absorbing Media", *Proc. R. Soc.* 171A, pp. 215-241.

- [5-6] Philip, J.R. and De Vries, D.E. (1957). "Moisture Movement in Porous Materials Under Temperature Gradient", *Trans. Am. Geophys. Union.*, 38, pp. 222-237.
- [5-7] Harmathy, T.Z. (1969). "Simultaneous Moisture and Heat Transfer in Porous Systems with Particular Reference to Drying", *J. Ind. Engng Chem.*, 8, pp. 92-103.
- [5-8] Berger, D. and Pei, D.C.T. (1973). "Drying of Hygroscopic Capillary Porous Solids: Theoretical Approach", *Int. J. Heat and Mass Transfer*, 16, pp. 293-302.
- [5-9] Huang, C.L.D. (1979). "Multi-Phase Moisture in Porous Media Subjected to Temperature Gradient", *Int. J. Heat and Mass Transfer*, 22, pp.1295-1307.
- [5-10] Wadsworth, J.I., Velupillai, L. and Verma, L.R. (1990). "Microwave - Vacuum Drying of Parboiled Rice", *Transactions in Agriculture*, Vol. 33, No. 1, pp. 199–210.
- [5-11] Drouzas, A.E., Tsami, E. and Saravacos, G.D. (1999). "Microwave/Vacuum Drying of Model Fruit Gels", *Journal of Food Engineering*, Vol. 39, pp. 117-122.
- [5-12] Pominski, J. and Vinnett, C.H. (1989). "Production of Peanut Flour from Microwave Vacuum – Dried Peanuts", *Journal of Food Science*, Vol. 54, No. 1, pp. 187–189.
- [5-13] Clary, C.D. and Ostrom, G.A.S. (1995). Use of Microwave Vacuum for Dehydration of Thompson Seedless Grapes, US. Patent, No. 950405.
- [5-14] Gunasekaran, S. (1999). "Pulsed Microwave – Vacuum Drying of Food Materials", *Drying Technology*, Vol. 17, No. 3, pp. 395–412.
- [5-15] Qing-guo Hu , Min Zhang , Arun S. Mujumdar , Gong-nian Xiao , Jin-cai Sun. (2006). "Drying of edamames by hot air and vacuum microwave combination", *Journal of Food Engineering*, 77 (4), pp. 977-982.

- [5-16] Xu Yanyang, Zhang Min, Arun S. Mujumdar, Zhou Le-qun and Sun Jin-cai. (2004).
“Studies on hot air and microwave vacuum drying of wild cabbage ”,
Drying Technology, 22 (9), pp. 2201-2209.
- [5-17] สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม. มาตรฐานผลิตภัณฑ์อุตสาหกรรมชา (ชาจีน).
มอก. 460-2526.
- [5-18] สมชาติ ไสภณธนฤทธิ. (2540). *การอบแห้งเมล็ดพืชและอาหารบางประเภท*. สำนักพิมพ์
สถาบันเทคโนโลยีพระจอมเกล้าธนบุรี.