



บรรณานุกรม

- Aengwanich W (2007a). Comparative ability to tolerate heat between Thai indigenous chickens, Thai indigenous chickens crossbred and broilers by using heterophil/lymphocyte ratio. Pakistan J Biol Sci 10: 1840-1844.
- Aengwanich W (2007b). Effects of high environmental temperature on blood indices of Thai indigenous chickens, Thai indigenous chickens crossbred and broilers. Int J Poult Sci 6: 427-430.
- Austic RE, Nesheim MC (1990). Poultry Production 3rd edition, Lea and Febiger, Philadelphia.
- Beissinger SR, Tygielski S, Elder B (1998). Social constraints on the onset of incubation in a neotropical parrot: A nestbox addition experiment. Ani Behav 55: 21-32.
- Buntin JD, Becker CM, Rosacea E (1991). Facilitation of parental behavior in ring doves by systemic or intracranial injections of prolactin. Horm Behav 25: 424-444.
- Burke WH, Dennison PT (1980). Prolactin and luteinizing hormone levels in female turkeys (*Meleagris gallapavo*) during a photoinduced reproductive cycle and broodiness. Gen Comp Endocrinol 41: 92-100.
- Chaiseha Y, El Halawani ME (1999). Expression of vasoactive intestinal peptide/peptide histidine isoleucine in several hypothalamic areas during the turkey reproductive cycle: Relationship to prolactin secretion. Neuroendocrinology 70: 402-412.
- Chaiseha Y, Tong Z, Youngren OM, El Halawani ME (1998a). Transcriptional changes in hypothalamic vasoactive intestinal peptide during a photo-induced reproductive cycle in the turkey. J Mol Endocrinol 21: 267-275.
- Chaiseha Y, Youngren OM, Al-Zailaie K, El Halawani ME (2003). Expression of D₁ and D₂ dopamine receptors in the hypothalamus and pituitary during the turkey reproductive cycle: Colocalization with vasoactive intestinal peptide. Neuroendocrinology 77: 105-118.
- Chaiseha Y, Youngren OM, El Halawani ME (1997). Dopamine receptors influence vasoactive intestinal peptide release from turkey hypothalamic explants. Neuroendocrinology 65: 423-429.
- Chaiseha Y, Youngren OM, El Halawani ME (1998b). Vasoactive intestinal peptide secretion by turkey hypothalamic explants. Biol Reprod 59: 670-675.

- Chaiseha Y, Youngren OM, El Halawani ME (2004). Expression of vasoactive intestinal peptide receptor mRNA in the hypothalamus and pituitary throughout the turkey reproductive cycle. Biol Reprod 70: 593-599.
- Charles TB, Stuart HO (1950). Commercial Poultry Farming 8th Edition, Danville, Illinois.
- Choprakarn K, Salangam I, Tanaka K (1998). Laying performance, egg characteristics and egg compositions in Thai indigenous hens. J Natl Res Council Thailand. 30 (1/2).
- Chotesangasa R, Gongruttananun N (1994). Effect of ages at the onset of light restriction on growth and laying performance of the native chicken. Annual Research Report, Kasetsart University, Thailand.
- Chotesangasa R, Gongruttananun N (1995). Reproductive development and performance of male native chickens raised under natural day length and photoperiod of fifteen hours a day. Annual Research Report, Kasetsart University, Thailand.
- Chotesangasa R, Gongruttananun N (1997). Response to interrupt with short photoperiod in mid-laying of the native hen. Annual Research Report, Kasetsart University, Thailand.
- Chotesangasa R, Santipong P, Isariyodon S (1992). Effects of lighting programmes on growth and laying performance of the native chicken. Annual Research Report, Kasetsart University, Thailand.
- Curlewis JD (1992). Seasonal prolactin secretion and its role in seasonal reproduction: A review. Reprod Fert Dev 4: 1-23.
- Dawson A, Goldsmith AR (1982). Prolactin and gonadotropin secretion in relation to broody activity and during the annual reproductive cycle in wild starling (*Sturnis vulgaris*). Gen Comp Endocrinol 48: 213-221.
- Deviche PJ, Saldanha CJ, Silver R (2000). Changes in brain gonadotropin-releasing hormone- and vasoactive intestinal polypeptide-like immunoreactivity accompanying reestablishment of photosensitivity in male dark-eyed junco (*Junco hyemalis*). Gen Comp Endocrinol 117: 8-19.
- Donkoh A, Atuahene CC (1988). Management of environmental temperature and rations for poultry production in the hot and humid tropics. Int J Biometeorol 32: 247-253.
- Donoghue DJ, Krueger WF, Donoghue AM, Byrd JA, Ali DH, El Halawani ME (1990). Magnesium-aspartate hydrochloride reduced weight loss in heat-stressed laying hen. Poult Sci 69: 1862-1868.

- Donoghue DJ, Krueger WF, Hargis BM, Miller AM, El Halawani ME (1989). Thermal stress reduces serum luteinizing hormone and bioassayable hypothalamic content of luteinizing hormone-releasing hormone in hens. Biol Reprod 35: 419-424.
- El Halawani ME, Burke WH, Millam JR, Fehrer SC, Hargis BM (1984a). Regulation of prolactin and its role in gallinaceous bird reproduction. J Exp Zool 232: 521-529.
- El Halawani ME, Fehrer SC, Hargis BM, Porter TE (1988). Incubation behavior in the domestic turkey: Physiological correlates. CRC Crit Rev Poult Biol 1: 285-314.
- El Halawani ME, Silsby JL, Behnke EJ, Fehrer SC (1984b). Effect of ambient temperature on serum prolactin and luteinizing hormone levels during the reproductive life cycle of female turkey (*Meleagris gallopavo*). Biol Reprod 30: 809-815.
- El Halawani ME, Silsby JL, Fehrer SC, Behnke EJ (1983). Effects of estrogen and progesterone on serum prolactin and luteinizing hormone levels in ovariectomized turkeys (*Meleagris gallopavo*). Gen Comp Endocrinol 52: 67-78.
- El Halawani ME, Silsby JL, Youngren OM, Phillips RE (1991). Exogenous prolactin delays photo-induced sexual maturity and suppresses ovariectomy-induced luteinizing hormone secretion in the turkey (*Meleagris gallopavo*). Biol Reprod 44: 420-431.
- El Halawani ME, Youngren OM, Chaiseha Y (2000). Neuroendocrinology of PRL regulation in the domestic turkey. Avian Endocrinology, pp 233-244. Eds. Dawson A, Chaturvedi CM. Narosa Publishing House, New Delhi, India.
- El Halawani ME, Youngren OM, Pitts GR (1997). Vasoactive intestinal peptide as the avian prolactin-releasing factor. Perspectives in Avian Endocrinology, pp 403-416. Eds. Harvey S, Etches RJ. Journal of Endocrinology Ltd, Bristol, England.
- Emery DA, Vohra P, Ernst RA, Morrison SR (1984). The effect of cyclic and constant ambient temperatures on feed consumption, egg production, egg weight, and shell thickness of hens. Poult Sci 63: 2027-2035.
- Franco-Jimenez DJ, Beck MM (2007). Physiological changes to transient exposure to heat stress observed in laying hens. Poult Sci 86: 538-544.
- Gahali K, El Halawani ME, Rozenboim I (2001). Photostimulated prolactin release in the turkey hen: Effect of ovariectomy and environmental temperature. Gen comp Endocrinol 124: 166-172.
- Katawatin S, Kammeng T, Shaiput S (1996). The biological studies on reproductive cycle, ovulation cycle, oviposition and related behaviors in the Thai native

- hens: The role of prolactin. Annual Research Report, Khon Kaen University, Thailand.
- Katawatin S, Sangkeow A, Kammeng T, Shaiput S (1997). The biological studies on reproductive cycle, ovulation cycle, oviposition and related behaviors in the Thai native hens: The roles of progesterone and its related to prolactin. Annual Research Report, Khon Kaen University, Thailand.
- Klenerova V, Sida P, Hynie S, Jurcovicova J (2001). Rat strain differences in responses of plasma prolactin and PRL mRNA expression after acute amphetamine treatment or restraint stress. Cell Mol Neurobiol 21: 91-100.
- Knapp TR, Fehrer SC, Silsby JL, Porter TE, Behnke EJ, El Halawani ME (1988). Gonadal steroid modulation of basal vasoactive intestinal peptide-stimulated prolactin release by turkey anterior pituitary cells. Gen Comp Endocrinol 76: 1141-1144.
- Kosonsiriluk S, Sartsoongnoen N, Chaiyachet O-a, Prakobsaeng N, Songserm T, Rozenboim I, El Halawani ME, Chaiseha Y (2008). Vasoactive intestinal peptide and its role in continuous and seasonal reproduction in birds. Gen Comp Endocrinol 159: 88-97.
- Kragt CL, Meities J (1965). Stimulation of pigeon pituitary prolactin release by pigeon hypothalamic extract in vitro. Endocrinology 76: 1169-1176.
- Macnamee MC, Sharp PJ, Lea RW, Sterling RJ, Harvey S (1986). Evidence that vasoactive intestinal peptide is a physiological prolactin-releasing factor in the bantam hen. Gen Comp Endocrinol 62: 470-478.
- Maney DL, Hahn TP, Schoech SJ, Sharp PJ, Morton ML, Wingfield JC (1999). Effects of ambient temperature on photo-induced prolactin secretion in three subspecies of white crowned sparrow, *Zonotrichia leucophrys*. Gen Comp Endocrinol 113: 445-456.
- Maruyama M, Matsumoto H, Fujiwara K, Noguchi J, Kitada C, Fujino M, Inoue K (2001). Prolactin-releasing peptide as a novel stress mediator in the central nervous system. Endocrinology 142: 2032-2038.
- Mashaly MM, Hendricks GL, Kalama MA, Gehad AE, Abbas AO, Patterson PH (2004). Effect of heat stress on production parameters and immune responses of commercial laying hens. Poult Sci 83: 889-894.
- Ministry of Agriculture and Cooperatives (2010). Yearly Statistics Report 2010.
- Pitsiladis YP, Strachan AT, Davidson I, Maughan RJ (2002). Hyperprolactinemia during prolonged exercise in the heat: Evidence for a centrally mediated component of fatigue in train cyclists. Exp Physiol 87: 215-226.

- Pitts GR, Youngren OM, Silsby JL, Rozenboim I, Chaiseha Y, Phillips RE, El Halawani ME (1994). Role of vasoactive intestinal peptide in the control of prolactin-induced turkey incubation behavior: II. Chronic infusion of vasoactive intestinal peptide. Biol Reprod 50: 1350-1356.
- Prakobsaeng N, Sartsoongnoen N, Kosonsiriluk S, Chaiyachet O-A, Chokchaloemwong D, Rozenboim I, El Halawani ME, Porter TE, Chaiseha Y (2011). Changes in vasoactive intestinal peptide and tyrosine hydroxylase immunoreactivity in the brain of nest-deprived native Thai hen. Gen Comp Endocrinol 171: 189-196.
- Prakobsaeng N, Sartsoongnoen N, Kosonsiriluk S, Rozenboim I, El Halawani ME, Porter TE, Chaiseha Y (2009). Changes in vasoactive intestinal peptide and gonadotropin releasing hormone-I immunoreactivity in the brain of nest-deprived native Thai hen. Poult Sci 88 (Suppl 1): 121-122.
- Ronchi B, Stradioli G, Verini Supplizi A, Bernabucci U, Lacetera N, Accorsi PA, Nardone A, Seren E (2001). Influence of heat stress or feed restriction on plasma progesterone, estradiol-17beta, LH, FSH, prolactin and cortisol in Holstein heifers. Livest Prod Sci 68: 231-241.
- Rozenboim I, Mobarky N, Heiblum R, Chaiseha Y, Kang SW, Biran I, Rosenstrauch A, Sklan D, El Halawani ME (2004). The role of prolactin in reproductive failure associated with heat stress in the domestic turkey. Biol Reprod 71: 1208-1213.
- Rozenboim I, Tabibzadeh C, Silsby JL, El Halawani ME (1993). Effect of ovine prolactin administration on hypothalamic vasoactive intestinal peptide (VIP), gonadotropin releasing hormone I and II content, and anterior pituitary VIP receptors in laying turkey hens. Biol Reprod 48: 1246-1250.
- Sartsoongnoen N, Kosonsiriluk S, Kang SW, Millam JR, El Halawani ME, Chaiseha Y (2006). Distribution of cGnRH-I immunoreactive neurons and fibers in the brain of native Thai chicken (*Gallus domesticus*). Poult Sci 85 (Suppl 1): 45.
- Sartsoongnoen N, Kosonsiriluk S, Prakobsaeng N, Songserm T, Rozenboim I, El Halawani ME, Chaiseha Y (2008). The dopaminergic system in the brain of the native Thai chicken, *Gallus domesticus*: Localization and differential expression across the reproductive cycle. Gen Comp Endocrinol 159: 107-115.
- Servatius RJ, Brennan FX, Moldow R, Pogach L, Natelson BH, Ottenweller JE (2001). Persistent hormonal effects of stress are not due to reduced food intake or exposure to stressed rat. Endocrine 14: 181-187.
- Servatius RJ, Natelson BH, Moldow R, Pogach L, Brennan FX, Pogach L, Ottenweller JE (2000). Persistent neuroendocrine changes in multiple hormonal axes after a single or repeated stressor exposures. Stress 3: 263-274.

- Smith AJ (1974). Changes in the average weight and shell thickness of eggs produced by hens exposed to high environmental temperature: A review. Trop Anim Hlth Prod 6: 237-244.
- SPSS Inc. (2004). SPSS Base 13.0 Users Guide. Prentice Hall, New Jersey, USA.
- Tabibzadeh C, Rozenboim I, Silsby JL, Pitts GR, Foster DN, El Halawani ME (1995). Modulation of ovarian cytochrome P450 17 alpha-hydroxylase and cytochrome aromatase messenger ribonucleic acid by prolactin in the domestic turkey. Biol Reprod 52: 600-608.
- Talbot RT, Hanks MC, Sterling RJ, Sang HM, Sharp PJ (1991). Pituitary prolactin messenger ribonucleic acid levels in incubating and laying hens: Effects of manipulating plasma levels of vasoactive intestinal peptide. Endocrinology 129: 496-502.
- Tanor MA, Leeson S, Summers JD (1984). Effect of heat stress and diet composition on performance of White Leghorn hens. Poult Sci 63: 304-310.
- Tong Z, Pitts GR, Foster DN, El Halawani ME (1997). Transcription and post-transcriptional regulation of prolactin during the turkey reproductive cycle. J Mol Endocrinol 18: 223-231.
- Wingfield JC, Hahn TP, Wada M, Schoech SJ (1997). Effect of day length and temperature on gonadal development, body mass, and fat deposits in white-crowned sparrow, *Zonotrichia leucophrys pugetensis*. Gen Comp Endocrinol 107: 44-62.
- Wong EA, Ferrin NH, Silsby JL, El Halawani ME (1991). Cloning of turkey prolactin cDNA: Expression of prolactin mRNA throughout the reproductive cycle of the domestic turkey (*Meleagris gallopavo*). Gen Comp Endocrinol 83: 18-26.
- You SK, Foster LK, Silsby JL, El Halawani ME, Foster DN (1995). Sequence analysis of the turkey LH beta subunit and its regulations by gonadotrophin releasing hormone and prolactin in cultured pituitary cells. J Mol Endocrinol 14: 117-129.
- Youngren OM, El Halawani ME, Silsby JL, Phillips RE (1991). Intracranial prolactin perfusion induces incubation behavior in turkey hens. Biol Reprod 44: 425-443.
- Youngren OM, Pitts GR, Phillips RE, El Halawani ME (1996). Dopaminergic control of prolactin secretion. Gen Comp Endocrinol 104: 225-230.