T160163

นันทยุทธ หะสิตะเวช : สภาพแวดล้อมในการทำงานและความเหนื่อยหน่ายในการทำงานของพยาบาลในสถาบัน สุขภาพจิตและโรงพยาบาลจิตเวชสำหรับเด็ก กรมสุขภาพจิต(WORK ENVIRONMENTAL FACTOR AND BURNOUT OF NURSE IN CHILD MENTAL HEALTH INSTITUTE AND PSYCHIATRIC HOSPITAL OF THE MENTAL HEALTH DEPARTMENT)อ.ที่ปรึกษา:รองศาสตราจารย์นายแพทย์บดีธนะมั่น,อาจารย์ที่ปรึกษาร่วม:ผู้ช่วยศาสตราจารย์ สมรัตน์เลิศมหาฤทธิ์ 165 หน้า ISBN: 974 – 17 – 4896 - 5

ความเป็นมา การปฏิบัติงานมีปัจจัยหลายประการที่ส่งผลต่อความเหนื่อยหน่ายในการปฏิบัติงานของพยาบาลเป็นผลให้ การปฏิบัติงานไม่มีคุณภาพดีเท่าที่ควร

วัตถุ<mark>ประสงค์</mark> เพื่อศึกษาระดับความเหนื่อยหน่ายในการทำงานของพยาบาลความสัมพันธ์ระหว่างปัจจัยลักษณะส่วนบุคคล และ ปัจจัยด้านสภาพแวดล้อมในการทำงานกับความเหนื่อยหน่ายของพยาบาล

รูปแบบการวิจัย เป็นการวิจัยเชิงพรรณนา ณ จุดเวลาใด เวลาหนึ่ง

ประชากรที่ศึกษา พยาบาลในสถาบันสุขภาพจิตและโรงพยาบาลจิตเวชสำหรับเด็ก สังกัดกรมสุขภาพจิตจำนวน 201 คน โดย ไม่มีการสุ่มตัวอย่าง

เครื่องมือที่ใช้ในการวิจัย ประกอบด้วย 1) แบบสอบถามข้อมูลคุณลักษณะส่วนบุคคล 2) แบบสอบถามสภาพแวดล้อมใน การทำงาน 3) แบบวัดความเหนื่อยหน่ายในการทำงาน

การรวบรวมข้อมูล ระหว่างเดือนพฤศจิกายน 2546 ถึงเดือนมกราคม 2547 มีผู้ตอบกลับครบ 201 คน

สถิติที่ใช้ในการวิเคราะห์ข้อมูล ได้แก่ การทดสอบไคสแควร์

ผลการศึกษา พยาบาลส่วนใหญ่เป็นพยาบาลวิชาซีพ ร้อยละ 72.6 เพศหญิงร้อยละ 88.6 มีสถานภาพสมรสคู่ร้อยละ 62.4 มีอายุ เฉลี่ย 40.5 ปี ผลของการศึกษาพบว่า 1).ความเหนื่อยหน่ายของพยาบาลอยู่ในระดับต่ำทั้ง 3 ด้าน โดยพบว่าในด้านความอ่อนล้า ทางอารมณ์ในระดับต่ำร้อยละ 67.2 ระดับปานกลางร้อยละ 19.4และระดับสูงร้อยละ 13.4 ในด้านการลดคุณค่าความเป็นบุคคล ระดับต่ำร้อยละ 72.5 ระดับปานกลางร้อยละ 15.4และระดับสูงร้อยละ 12.3 ในด้านความรู้สึกถึงความไม่ประสบความสำเร็จระดับ ต่ำร้อยละ 59.7 ระดับปานกลางร้อยละ 28.4และระดับสูงร้อยละ 11.9 2).สภาพแวดล้อมด้านกายภาพมีความเหมาะสมในการทำงานมาก 3).สภาพแวดล้อมด้านการทำงานผินการทำงานมาก 3).สภาพแวดล้อมด้านการทำงานมิความเหมาะสมในการทำงานปานกลาง 4).ปัจจัยคุณลักษณะส่วนบุคคล เพศ อายุ แผนกที่ปฏิบัติงาน การรับภาระภายในครอบครัวมีความสัมพันธ์กับความเหนื่อยหน่ายในการทำงานทั้ง 3 ด้านอย่างมีนัยสำคัญทางสถิติ (P<.05) 5).สภาพแวดล้อมด้านกายภาพมีความสัมพันธ์กับความเหนื่อยหน่ายในการทำงานทั้ง 3 ด้าน อย่างมีนัยสำคัญทางสถิติ (P<.05) 6).สภาพแวดล้อมด้านการทำงานด้านสัมพันธ์กับความเหนื่อยหน่ายในการทำงานมีความสัมพันธ์กับ ด้านหน้าในหน้าที่การงานและการรับรู้นโยบายการบริหารหน่วยงานกับความเหนื่อยหน่ายในการทำงานมีความสัมพันธ์กับ ด้านการกองหน้า ด้านการลดค่าความเป็นบุคคลและด้านความรู้สึกไม่ประสบความสำเร็จอย่างมีนัยสำคัญทางสถิติ (P<.05)ส่วนการเรียกร้องของผู้รับบริการ,ลักษณะงาน,บทบาท,รายได้และสวัสดิการ,ความเป็นอุสระในการทำงานและการประเมิน ผลงานมีความส่มพันธ์กับความอ่อนล้าทางอารมอ่อนล้าทางอารมณ์และด้านการลดค่าความเป็นบุคคลอย่างมีนัยสำคัญทางสถิติ (P<.05)

สรุป ความเหนื่อยหน่ายในการทำงานของพยาบาลแม้จะอยู่ในระดับต่ำ แต่ยังมีพยาบาลที่มีความเหนื่อยหน่ายในการทำงานใน ระดับสูงด้านความอ่อนล้าทางอารมณ์ร้อยละ 13.4 การลดค่าความเป็นบุคคลร้อยละ 12.3 และความรู้สึกถึงความไม่ประสบความ สำเร็จร้อยละ 11.9 ซึ่งเป็นสัญญาณแสดงอาการผิดปรกติทางสุขภาพจิตที่ควรได้รับการแก้ไข

TE160163

# # 457 53621 30 : MAJOR COMMUNITY MEDICINE

KEYWORD: BURNOUT / WORK ENVIRONMENTAL FACTOR / NURSE

NANTHAYOOT HASITAWECH: WORK ENVIRONMENTAL FACTOR AND BURNOUT OF NURSE IN CHILD MENTAL HEALTH INSTITUTE AND PSYCHIATRIC HOSPITAL OF THE MENTAL HEALTH DEPARTMENT

THESIS ADVISOR: ASSOCIATE PROFESSOR BODI DHANAMUN, M.D., M.P.H., THESIS CO-ADVISOR: ASSISTANT PROFESSOR. SOMRAT LERTMAHARIT, M.Med.Stat., 165 pp.

ISBN: 974 - 17 - 4896 - 5

Background: Job performance has many factors affecting nurse leading to inefficacy in work.

Objective: To study factors associated with and probably could predict burnout of nurses. These variables include personal factors and work environmental factors.

Research Design: Cross - Sectional Descriptive Study

The Study Population: A total of 201 nurses in Child Mental Health Institute and Psychiatric Hospital of The Mental Health Department with the return rate of 100%.

Data Collection: During November 2003 to January 2004.

The research instruments: The Self- administered survey were Personal Data questionnaires, work environmental questionnaires and The Maslach Burnout Inventory (MBI).

Statistical Method: The data were analyzed by Chi-square test.

Results: The results showed that the majority of nurses were Professional nurses(72.6%),female(88.6%),married(62.4%) and the average age was 40.5 years . 1). Burnout of nurses in all aspects were at a low level. They have a low level of Emotional exhaustion 67.2%, moderate 19.4% and high level 13.4%. In Depersonalization they have low level 72.5%, moderate 15.4% and high level 12.3% and in Lack of personal accomplishment, a low level 59.7%, moderate 28.4% and high level 11.9%. 2). Nurses have a high level of physical environmental factors . 3) They have moderate work environmental factors. 4). Sex, Age, Work department and Family responsibility were statistically significant associated with burnout. (P<.05). 5). The level of physical environmental factors were statistically significantly associated with burnout level in all aspects. (P<.05). 6). The level of work environmental factors in Work relationship, Social support, Personal growth and Administration system perception were statistically significant associated with burnout level in Emotional exhaustion. Depersonalization and Lack of personal accomplishment. (P<.05) but in Client demand, Work characteristic, Professional competency, Income, Autonomy and Work evaluation were statistically significant associated with burnout level in Emotional exhaustion and Depersonalization. (P<.05)

Conclusion: Although burnout of nurse was at a low level, but the result showed that nurses had high level of Emotional exhaustion 13.4%, Depersonallization 12.3% and Lack of personal accomplishment 11.9%. It was a signal of abnormality of mental health which should be rectified so that nurses' administrators should be aware of the problems of the work environment and the importance of ensuring a comfortable and safe, work environment. Attention to these factors will improve nurses' job satisfaction which would lead to high productivity, finally.