



4. การเสริมยีสต์ในอาหารไก่กระทงที่มีการปนเปื้อน AFB₁ พบว่าไม่มีผลต่อระดับ total protein, albumin, blood urea nitrogen และ glucose ในเลือด การเสริมยีสต์ในอาหารไก่กระทงที่มีการปนเปื้อน aflatoxin ช่วยทำให้ cholesterol และ triglycerides ในเลือดไม่แตกต่างจากกลุ่มควบคุม แต่ไก่กระทงที่ได้รับ aflatoxin โดยไม่ได้เสริมยีสต์จะมีความเข้มข้นของ cholesterol และ triglycerides ในเลือดลดลง

เอกสารอ้างอิง:

- กองควบคุมคุณภาพอาหารสัตว์. (2546). พระราชบัญญัติ ควบคุมคุณภาพอาหารสัตว์ พ.ศ. 2546. ชาญยุทธ จรุงเกียรติกำจร และ อุทัย คັນโช. (2538). ผลของ aflatoxin ต่อสัตว์เลี้ยง. สัตว์เศรษฐกิจ. 12(268): 73-76.
- ภทนีย์ เล็กศรีสมพงษ์. (2540). สารพิษจากเชื้อราในวัตถุดิบอาหารสัตว์. ใน เปล่งศรี อินคินันท์ (บรรณาธิการ). การประชุมทางวิชาการในวาระ 80 ปีแห่งการสถาปนาจุฬาลงกรณ์มหาวิทยาลัย เรื่อง สารพิษจากเชื้อรา: ผลกระทบต่อสุขภาพสัตว์ ระหว่าง วันที่ 13-14 มีนาคม 2540 (หน้า 83-89). กรุงเทพฯ: คณะสัตวแพทยศาสตร์. จุฬาลงกรณ์มหาวิทยาลัย.
- AOAC, 1990. Official Methods of Analysis. 15th ed. AOAC, Washington, DC, USA.
- AOAC, 1995. Official Methods of Analysis. 16th ed. AOAC, Washington, DC, USA.
- Asplin, F. D. and Carnaghan, R. B. A. 1961. The toxicity of certain groundnut meals for poultry with special reference to their effect on ducklings and chickens. Vet. Rec. 73: 1215.
- Biemasiak J., Piotrowska M., Libudzisz Z. (2006). Detoxification of mycotoxins by probiotic preparation for broiler chickens. Institute of Fermentation Technology and Microbiology, Technical University of Lodz, Poland. *Mycotoxin Research* Vol. 22, (2006) No. 4, 230-235
- Borji, M. 2010. The effects of zeolite and yeast in managing aflatoxicosis in broiler chicks. Proceedings of the 3rd International e-Conference on Agricultural BioSciences 2010, p. 51; Abstract.
- Bradley, G. L., and T. F. Savage. 1995. The effect of autoclaving a yeast culture of *Saccharomyces cerevisiae* on turkey poult performance and the retention of gross energy, and selected minerals. Anim. Feed Sci. Technol. 55:1-7.
- Carnaghan, R. B. A., Lewis, G, Patterson, D. S. P. and Allcroft, R. (1966). Biochemical and pathological aspects of groundnut poisoning in chickens. *Pathologia Veterinaria*, 3: 601-615.

- Celik, K., Uzatici, A. and Akin, A. E. 2008. Effects of Dietary Humic Acid and *Saccharomyces cerevisiae* on Performance and Biochemical Parameters of Broiler Chickens. Asian Journal of Animal and Veterinary Advances. 3(5): 344-350.
- Celyk, M. Denly and T. Savas, Reduction of toxic effects of aflatoxin by using baker yeast (*Saccharomyces cerevisiae*) in growing broiler chicken diets, Revista Brasileira de Zootecnia 32 (2003), pp. 615–619.
- Clifford, J. I. and Rees, K. R. (1966). Aflatoxin: a site of action in the rat liver cell. Nature, Lond. 209: 312.
- Clifford, J. I. and Rees, K. R. (1967). The interaction of aflatoxins with purines and purine nucleosides. Biochem. J. 103: 467.
- Dawson, K.A., Evans, J., Kudupoje, M., 2001. Understanding the adsorption characteristics of yeast cell wall preparations associated with mycotoxin binding. In: T.P. Lyons and K.A. Jacques (eds.) Science and Technology in the Feed Industry. Nottingham University Press, Nottingham, UK, pp 169-181.
- Devegowda, G., Aravind, B.I.R. Rajendra, K. Morton, M.G. Baburathna, A. and Sudarshan, C. (1994). A biological approach to counteract aflatoxicosis in broiler chickens and ducklings by the use of *Saccharomyces cerevisiae* cultures added to feed. In T. P. Lyons and K. A. Jacques (eds.). Biotechnology in the feed industry. Proceedings of Alltech's 10th Ann. Symp. (pp. 241-255). Leics, UK: Nottingham University.
- Devegowda, G., M. V. L. N. Raju, N. Afzali and Swamy, H. V. L. N. 1998a. Mycotoxin picture worldwide: Novel solutions for their counteraction. Feed Compounder, 18 (6) : 22-27.
- Devegowda, G., M.V.L.N. Raju, N. Afzali and Swamy, H.V.L.N. 1998b. Mycotoxin picture worldwide: Novel solutions for their counteraction. In: Biotechnology in the Feed Industry: Proceedings of Alltech's 14 th Annual Symposium (T. P. Lyons and K.A. Jacques, eds). Nottingham University Press, Nottingham. pp. 241-255.
- Devegowda, G., M.V.L.N. Raju and Swamy, H.V.L.N. 1998c. Mycotoxins: Novel solutions for their counteraction. Feedstuffs. 70 (50): 12-17.
- Donaldson, W. E., Tung, H. T. and Hamolton, P. B. 1972. Depression of fatty acid synthesis in chick (*Gallus domesticus*) liver by aflatoxin. Comp. Biochem. Physiol. 41B:843-847.
- Fink-Gremmels, J. and Malekinejad, H. 2007. Clinical effects and biochemical mechanisms associated with exposure to the mycoestrogen zearalenone.

- Hayat, J., T. F. Savage, and L. W. Mirosh. 1993. The reproductive performance of two genetically distinct lines of medium white turkey hens when fed breeder diets with and without a yeast culture containing *Saccharomyces cerevisiae*. *Anim. Feed Sci. Technol.* 43:291-301.
- Huwig A., Freimund S., Käppeli O. and Dutler H. (2001). Mycotoxin detoxication of animal feed by different adsorbents. *Toxicology Letters*, 122 (2, 20): 179-188.
- Kato, R., Onoda, K. and Omori, Y. 1969. Effect of aflatoxin B₁ on the incorporation of ¹⁴C-acetate into cholesterol by rat liver. *Experientia*. 25:1026.
- Kemel ML, Perez S, Godeheu G, Soubrie P, Glowinski J. 2002. Facilitation by endogenous tachykinins of the NMDA-evoked release of acetylcholine after acute and chronic suppression of dopaminergic transmission in the matrix of the rat striatum. *J Neurosci* 22:1929–1936.
- Ledoux, D.R., Rottinghaus, G.E., 1999. In vitro and in vivo testing of adsorbents for detoxifying mycotoxins in contaminated feedstuffs. In: T.P. Lyons and K.A. Jacques (eds.) *Biotechnology in the Feed Industry*. Nottingham University Press, Nottingham, UK, pp 369-379.
- Maurice, D. V., Bodine, A.B. and Rehner, N. J. 1983. Metabolic effects of low aflatoxin B₁ levels on broiler chicks. *Appl. Envi. Microbiol.* 45(3):980-984.
- McDaniel, G. (1991). Effects of Yea-sacc 1026 on reproductive performance of broiler breeder males and females. In Lyons, T.P. (ed.). *Biotechnology in the feed industry*. Proc. Alltech's 7th Ann. Symp. Alltech technical publication, Kentucky U.S.A.
- Morgavi, D.P., Riley, R.T. 2007. *Fusarium* and their toxins: Mycology, occurrence, toxicity, control, and economic impact. *Animal Feed Science And Technology*. 137:199-200.
- National Research Council. 1994. *Nutrient Requirements of Poultry*. Ninth Revised Edition, National Academy Press. Washington , D.C.
- Parlat, S. S., Ozcan, M. and Oguz, H., 2001. Biological suppression of aflatoxicosis in Japanese quail (*Coturnix coturnix japonica*) by dietary addition of yeast (*Saccharomyces cerevisiae*). *Res. Vet. Sci.* 71, 207-211.
- Pestka J. J. (2007). Deoxynivalenol: Toxicity, mechanisms and animal health risks. *Anim Feed Sci Technol* 137:283–298.

- Santin, A.C. Paulilo, A. Maiorka, L.S.O. Nakaghi, M. Macan and A.V.F. de Silva et al., Evaluation of the efficiency of *Saccharomyces cerevisiae* cell wall to ameliorate the toxic effects of aflatoxin in broilers, *International Journal of Poultry Science* 2 (2003), pp. 241–344.
- Scott, P. M. (1990). Natural Poisons. In Helrich, K. (ed.). *Official methods of analysis of the association of official analytical chemists* (15th ed., pp. 1184-1213). Virginia: Arlington.
- Singleton, P. (1992). *Introduction of bacteria for students of biology biotechnology and medicine*. England: John Wiley & Sons.
- Stanley, V. G., C. Gray, M. Daley, W. F. Krueger, and A. E. Sefton. 2004a. An alternative to antibiotic-based drugs in feed for enhancing performance of broilers grown on *Eimeria* spp.-infected litter. *Poult. Sci.* 83:39–44.
- Stanley, V. G., M. Winsman, C. Dunkley, T. Ogunleye, M. Daley, W. F. Krueger, A. E. Sefton, and A. Hinton Jr. 2004b. The impact of yeast culture residue on the suppression of dietary aflatoxin on the performance of broiler breeder hens. *J. Appl. Poult. Res.* 13:533–539.
- Statistical Analysis System. (1998). *SAS user' guide: Statistics*. NC: SAS Institute
- Trucksess, M. W., Stack, M. E. Nesheim, S., Albert, R. and Romer, T. 1994. Multifunctional column coupled with liquid chromatography for determination of AFB₁, B₂, G₁ and G₂ in corn, almonds, Brazil nuts, peanuts and pistachio nuts: Collaborative study. *J. AOAC Int.* 77:1512-1521.
- Tung, H. T., Donaldson, W. E. And Hamilton, P.B. 1972. Altered lipid transport during aflatoxicosis. *Toxicol. Appl. Pharmacol.* 22:97-104.
- Voss, K.A., Haschek, W.M., 2007. Fumonisin: toxicokinetics, mechanism of action and toxicity. In: Morgavi, D.P., Riley, R.T. (Eds.), *Fusarium and their toxins: Mycology, occurrence, toxicity, control and economic impact*. *Anim. Feed Sci. Technol.*
- White, L. A., M. C. Newman, G. L. Cromwell, and M. D. Lindemann. 2002. Brewers dried yeast as a source of mannan oligosaccharides for weanling pigs. *J. Anim. Sci.* 80:2619–2628.
- Wogan, G. N. and Friedman, M. A. (1968). Inhibition by AFB₁ of hydrocortisone induction of rat liver tryptophan pyrrolase and tyrosine transaminase. *Archs Biochem. Biophys.*, 128: 509.
- Wu, F. 2004. Mycotoxins risk assessment for the purpose of setting International Regulatory Standards, *Environ. Sci. Technol.* 38 (15): 4049–4055.

- Wu, F. 2006. Economic impact of fumonisin and aflatoxin regulations on global corn and peanut markets.. In: D. Barug, D. Bhatnager, H.P. van Egmond, J.W. van der Kamp, W.A. van Osenbruggen and A. Visconti, Editors, *The Mycotoxin Factbook. Food & Feed Topics.*, Wageningen Academic Publishers, The Netherlands.
- Yiannikouris, A., Jouany, J.-P., 2002. Mycotoxins in feeds and their fate in animals: a review. *Anim. Res.* 51, 81–99.
- Yildiz, A. Ö., Parlat, S. S. and Yazgan, O. 2004. The Effects of Organic Chromium Supplementation on Production Traits and Some Serum Parameters of Laying Quails. *Revue Méd. Vét.*, 155 (12): 642-646.
- Zhang, A. W., B. D. Lee, S. K. Lee, K. W. Lee, G. H. An, K. B. Song, and C. H. Lee. 2005. Effects of yeast (*Saccharomyces cerevisiae*) cell components on growth performance, meat quality, and ileal mucosa development of broiler chicks. *Poult. Sci.* 84:1015–1021.