

บรรณานุกรม

- Anbarasi, K., Vani, G., Balakrishna, K. and Devi, C. S. S. (2006). Effect of bacoside A on brain antioxidant status in cigarette smoke exposed rats. *Life Sciences*, 78(12), 1378-1384.
- Aucoin, J. S. Jiang, P. Aznavour, N. Tong, X. K. Buttini, M. Descarries, L., et al. (2005). Selective cholinergic denervation, independent from oxidative stress, in a mouse model of Alzheimer's disease. *Neuroscience*, 132(1), 73-86.
- Bhattacharya, S. K., Bhattacharya, A., Kumar, A. and Ghosal, S. (2000). Antioxidant activity of *Bacopa monniera* in rat frontal cortex, striatum and hippocampus. *Phytother Res*, 14(3), 174-179.
- Butterfield, A. D., Castegna, A., Lauderback, C. M. and Drake, J. (2002). Evidence that amyloid beta-peptide-induced lipid peroxidation and its sequelae in Alzheimer's disease brain contribute to neuronal death. *Neurobiology of Aging*, 23(5), 655-664.
- Butterfield, D. A. and Bush, A. I. (2004). Alzheimer's amyloid [beta]-peptide (1-42): involvement of methionine residue 35 in the oxidative stress and neurotoxicity properties of this peptide. *Neurobiology of Aging*, 25(5), 563-568.
- Butterfield, D. A., Drake, J., Pocernich, C. and Castegna, A. (2001). Evidence of oxidative damage in Alzheimer's disease brain: central role for amyloid [beta]-peptide. *Trends in Molecular Medicine*, 7(12), 548-554.
- Butterfield, D. A. Howard, B. Yatin, S. Koppal, T. Drake, J. Hensley, K., et al. (1999). Elevated oxidative stress in models of normal brain aging and Alzheimer's disease. *Life Sciences*, 65(18-19), 1883-1892.
- Butterfield, D. A., Reed, T., Newman, S. F. and Sultana, R. (2007). Roles of amyloid [beta]-peptide-associated oxidative stress and brain protein modifications in the pathogenesis of Alzheimer's disease and mild cognitive impairment. *Free Radical Biology and Medicine*, 43(5), 658-677.
- Café, C. Torri, C. Bertorelli, L. Angeretti, N. Lucca, E. Forloni, G., et al. (1996). Oxidative stress after acute and chronic application of [beta]-amyloid fragment 25-35 in cortical cultures. *Neuroscience Letters*, 203(1), 61-65.
- Calabrese, C., Gregory, W. L., Leo, M., Kraemer, D., Bone, K. and Oken, B. (2008). Effects of a standardized *Bacopa monnieri* extract on cognitive performance, anxiety, and depression in the elderly: a randomized, double-blind, placebo-controlled trial. *J Altern Complement Med*, 14(6), 707-713.
- Cardoso, S. M., Pereira, C. and Oliveira, C. R. (1999). Mitochondrial function is differentially affected upon oxidative stress. *Free Radical Biology and Medicine*, 26(1-2), 3-13.
- Chauhan, V. and Chauhan, A. (2006). Oxidative stress in Alzheimer's disease. *Pathophysiology*, 13(3), 195-208.
- Cnristen, Y. (2004). Ginkgo biloba and neurodegenerative disorders. *Frontiers in Bioscience*, 9, 3091-3104.

- Das, A., Shanker, G., Nath, C., Pal, R., Singh, S. and Singh, H. K. (2002). A comparative study in rodents of standardized extracts of *Bacopa monniera* and *Ginkgo biloba*: Anticholinesterase and cognitive enhancing activities. *Pharmacology Biochemistry and Behavior*, 73(4), 893-900.
- Deepak, M., Sangli, G. K., Arun, P. C. and Amit, A. (2005). Quantitative determination of the major saponin mixture bacoside A in *Bacopa monnieri* by HPLC. *Phytochemical Analysis*, 16, 24-29.
- deLuna, A. (2000). The Effects of *Ginkgo Biloba* on Learning and Memory. *Nutrition Noteworthy*, 3(1), Peer Reviewed.
- Dhawan, B. N. and Singh, H. K. (1996). Pharmacological Studies on *Bacopa Monniera*, an Ayurvedic Nootropic Agent. *European Neuropsychopharmacology*, 6(Supplement 3), 144-144.
- Dulcy, C. P. and Rajan, E. (2009). *Bacopa monniera* extract enhance the cognitive ability of rats by increasing serotonin level. *Neuroscience Research*, 65(Supplement 1), S110-S110.
- Francis, P. T., Ramirez, M. J. and Lai, M. K. (2010). Neurochemical basis for symptomatic treatment of Alzheimer's disease. *Neuropharmacology*, 59(4-5), 221-229.
- Gibson, G. E. and Huang, H.-M. (2005). Oxidative stress in Alzheimer's disease. *Neurobiology of Aging*, 26(5), 575-578.
- Harper, A. J., Day, M., Roman, S. and Gonzalez, M. I. (2004). A novel watermaze procedure to investigate age old problems: profiling aricept by manipulating task difficulty. *Neurobiology of Aging*, 25(Supplement 2), S229-S229.
- Holcomb, L. A., Dhanasekaran, M., Hitt, A. R., Young, K. A., Riggs, M. and Manyam, B. V. (2006). *Bacopa monniera* extract reduces amyloid levels in PSAPP mice. *J Alzheimers Dis*, 9(3), 243-251.
- Hosamani, R. and Muralidhara. (2009). Neuroprotective efficacy of *Bacopa monnieri* against rotenone induced oxidative stress and neurotoxicity in *Drosophila melanogaster*. *NeuroToxicology*, 30(6), 977-985.
- Hota, S. K., Barhwal, K., Baitharu, I., Prasad, D., Singh, S. B. and Ilavazhagan, G. (2009). *Bacopa monniera* leaf extract ameliorates hypobaric hypoxia induced spatial memory impairment. *Neurobiol Dis*, 34(1), 23-39.
- Hou, C. C., Lin, S. J., Cheng, J. T. and Hsu, F. L. (2002). Bacopaside III, bacopasaponin G, and bacopasides A,B, and C from *Bacopa monniera*. *Journal of Natural Product*, 65, 1759-1763.
- Jellinger, K. A. (2007). *Oxidative Stress and Neurodegenerative Disorders*. Elsevier B.V., 1-58.
- Jyoti, A., Sethi, P. and Sharma, D. (2007). *Bacopa monniera* prevents from aluminium neurotoxicity in the cerebral cortex of rat brain. *Journal of Ethnopharmacology*, 111(1), 56-62.
- Khan, R., Krishnakumar, A. and Paulose, C. S. (2008). Decreased glutamate receptor binding and NMDA R1 gene expression in hippocampus of pilocarpine-induced epileptic rats: Neuroprotective role of *Bacopa monnieri* extract. *Epilepsy & Behavior*, 12(1), 54-60.
- Kishore, K. and Singh, M. (2005). Effect of bacosides, alcoholic extract of *Bacopa monniera* Linn. (brahmi), on experimental amnesia in mice. *Indian J Exp Biol*, 43(7), 640-645.

- Limpeanchob, N., Jaipan, S., Rattanakaruna, S., Phrompittayarat, W. and Ingkaninan, K. (2008). Neuroprotective effect of *Bacopa monnieri* on beta-amyloid-induced cell death in primary cortical culture. *Journal of Ethnopharmacology*, 120(1), 112-117.
- Markesbery, W. R. (1997). Oxidative Stress Hypothesis in Alzheimer's Disease. *Free Radical Biology and Medicine*, 23(1), 134-147.
- Moreira, P. I. Nunomura, A. Honda, K. Aliev, G. Casadesus, G. Zhu, X., et al. (2007). The key role of oxidative stress in alzheimer's disease. In G. A. Qureshi et al. S. H. Parvez (Eds.), *Oxidative Stress and Neurodegenerative Disorders* (pp. 267-281). Amsterdam: Elsevier Science B.V.
- Morgan, A. and Stevens, J. (2010). Does *Bacopa monnieri* improve memory performance in older persons? Results of a randomized, placebo-controlled, double-blind trial. *J Altern Complement Med*, 16(7), 753-759.
- Phrompittayarata, W., Putalunc, W., Tanakad, H., Jetiyanone, K., Wittaya-areekulf, S. and Ingkaninan, K. (2007). Comparison of Various Extraction Methods of *Bacopa monnieri*.
- Prabhakar, S., Saraf, M. K., Pandhi, P. and Anand, A. (2008). *Bacopa monniera* exerts anti-amnesic effect on diazepam-induced anterograde amnesia in mice. *Psychopharmacology (Berl)*, 200(1), 27-37.
- Praticò, D. and Delanty, N. (2000). Oxidative injury in diseases of the central nervous system: focus on alzheimer's disease. *The American Journal of Medicine*, 109(7), 577-585.
- Roodenrys, S., Booth, D., Bulzomi, S., Phipps, A., Micallef, C. and Smoker, J. (2002). Chronic effects of Brahmi (*Bacopa monnieri*) on human memory. *Neuropsychopharmacology*, 27(2), 279-281.
- Russo, A. and Borrelli, F. (2005). *Bacopa monniera*, a reputed nootropic plant: an overview. *Phytomedicine*, 12(4), 305-317.
- Russo, A. and Borrelli, F. (2005). *Bacopa monniera*, a reputed nootropic plant: an overview. *Phytomedicine*, 12(4), 305-317.
- Russo, A., Borrelli, F., Campisi, A., Acquaviva, R., Raciti, G. and Vanella, A. (2003). Nitric oxide-related toxicity in cultured astrocytes: effect of *Bacopa monniera*. *Life Sciences*, 73(12), 1517-1526.
- Sairam, K., Dorababu, M., Goel, R. K. and Bhattacharya, S. K. (2002). Antidepressant activity of standardized extract of *Bacopa monniera* in experimental models of depression in rats. *Phytomedicine*, 9(3), 207-211.
- Saraf, M. K., Prabhakar, S. and Anand, A. (2010). Neuroprotective effect of *Bacopa monniera* on ischemia induced brain injury. *Pharmacology Biochemistry and Behavior*, 97(2), 192-197.
- Sheikh, N., Ahmad, A., Siripurapu, K. B., Kuchibhotla, V. K., Singh, S. and Palit, G. (2007). Effect of *Bacopa monniera* on stress induced changes in plasma corticosterone and brain monoamines in rats. *Journal of Ethnopharmacology*, 111(3), 671-676.
- Singh, H. K. and Dhawan, B. N. (1982). Effect of *Bacopa monniera* Linn. (Brahmi) extract on avoidance responses in rat. *Journal of Ethnopharmacology*, 5(2), 205-214.

- Singh, H. K. and Dhawan, B. N. (1997). Neuropsychopharmacological effects of the Ayurvedic nootropic bacopa monniera Linn(Brahmi) Indian Journal of Pharmacology, 29(5), S359-365
- Sivaramakrishna, C., Rao, C. V., Trimurtulu, G., Vanisree, M. and Subbaraju, G. V. (2005). Triterpenoid glycosides from Bacopa monnieri. Phytochemistry, 66(23), 2719-2728.
- Stough, C. Downey, L. A. Lloyd, J. Silber, B. Redman, S. Hutchison, C., et al. (2008). Examining the nootropic effects of a special extract of Bacopa monniera on human cognitive functioning: 90 day double-blind placebo-controlled randomized trial. Phytother Res, 22(12), 1629-1634.
- Stough, C. Lloyd, J. Clarke, J. Downey, C. W. Hutchison, T. Rodgers, P., et al. (2001). The chronic effects of an extract of Bacopa monniera (Brahmi) on cognitive function in healthy human subjects. Psychopharmacology.
- Stough, C. Lloyd, J. Clarke, J. Downey, L. A. Hutchison, C. W. Rodgers, T., et al. (2001). The chronic effects of an extract of Bacopa monniera (Brahmi) on cognitive function in healthy human subjects. Psychopharmacology (Berl), 156(4), 481-484.
- Tripathi, Y. B., Chaurasia, S., Tripathi, E., Upadhyay, A. and Dubey, G. P. (1996). Bacopa monniera Linn. as an antioxidant: mechanism of action. Indian J Exp Biol, 34(6), 523-526.
- Uabundit, N., Wattanathorn, J., Mucimapura, S. and Ingkaninan, K. (2010). Cognitive enhancement and neuroprotective effects of Bacopa monnieri in Alzheimer's disease model. Journal of Ethnopharmacology, 127(1), 26-31.
- Vohora, D., Pal, S. N. and Pillai, K. K. (2000). Protection from phenytoin-induced cognitive deficit by Bacopa monniera, a reputed Indian nootropic plant. Journal of Ethnopharmacology, 71(3), 383-390.
- Zhou, Y., Peng, L., Zhang, W. D. and Kong, D. Y. (2009). Effect of triterpenoid saponins from Bacopa monniera on scopolamine-induced memory impairment in mice. Planta Med, 75(6), 568-574.



