

เอกสารอ้างอิง

- ดวงเดือน ยิ้มรุ่งเรือง. การประเมินความเสี่ยงต่อสุขภาพจากสารอินทรีย์ระเหยของพนักงานสถานีบริการน้ำมัน จังหวัดชลบุรี. คณะวิทยาศาสตร์ สาขาวิทยาศาสตร์สิ่งแวดล้อม มหาวิทยาลัยบูรพา, 2551.
- ดุขฎิ หมั่นห่อ. การวัดความเข้มข้นของโทลูอินและไซลีนในอุ้งพ่นซ่อมสัรถยนต์. วิทยานิพนธ์ มหาบัณฑิต. สหสาขาวิช (วิทยาศาสตร์สภาวะแวดล้อม) จุฬาลงกรณ์มหาวิทยาลัย. บัณฑิตวิทยาลัย, 2542.
- ธนสร ต้นศฤงฆาร, ปัณทนา ชูฉัตร และบุญเทียม เทพพิทักษ์ศักดิ์. การหาปริมาณเบนซีน เอทิลเบนซีน ไซลีน และเอ็มทีบีอีในเลือดโดยเทคนิคเฮดสเปซ-โซลิตเฟสไมโครเอกซ์แทรกชัน. วารสารวิจัยวิทยาศาสตร์การแพทย์, 18, 1 (มี.ค. 2547): 49-59.
- ธนสร ต้นศฤงฆาร, สุนทร ศฤงฆาร, นันทนา ชูฉัตร, วินัส อุดมประเสริฐกุล, อนุสรณ์ รังสีโยธิน, กัลยา ขาวพวง, เรียงศักดิ์ บุญบันดาลชัย, บุญเทียม เทพพิทักษ์ศักดิ์ และโสภี อนุรุต. การศึกษาเบื้องต้นของผลกระทบของ BTEX และ MTBE ต่อสุขภาพพนักงาน สถานีบริการน้ำมันเชื้อเพลิง. [ออนไลน์]. ค้นเมื่อวันที่ 26 กรกฎาคม พ.ศ. 2554. แหล่งที่มา: <http://hdl.handle.net/123456789/6781>.
- นลินี ศรีพวง, รัชนิกร ชมสวน, ณัฐ อาจสมิตี และสมเกียรติ ท้วมแสง. กรณีศึกษาผู้ประกอบการอาชีพ ที่สัมผัสกับสารทำลายอินทรีย์ ในโรงงานอุตสาหกรรมปิโตรเคมี. เชื้อเพลิง. [ออนไลน์]. ค้นเมื่อวันที่ 26 กรกฎาคม พ.ศ. 2554. แหล่งที่มา: <http://advisor.anamai.moph.go.th/212/21204.html>.
- บรรหาร ปรุงโพธิ์. ระดับอุบัติเหตุในปัสสาวะของผู้ปฏิบัติงานเคาะพ่นสัรถยนต์ในสถานประกอบการซ่อมและเคาะพ่นสัรถยนต์ เขตเทศบาลนครราชสีมา. ขอนแก่น : คณะสาธารณสุขศาสตร์ มหาวิทยาลัยขอนแก่น, 2549.
- มหาดไทย, กระทรวง. ความปลอดภัยในการทำงานเกี่ยวกับสภาวะแวดล้อม (สารเคมี): ประกาศกระทรวงมหาดไทย ในราชกิจจานุเบกษา. 12 กรกฎาคม พ.ศ. 2520.
- มานะ หะสาเมาะ. การประเมินความเสี่ยงในกลุ่มพนักงานที่สัมผัสสารโทลูอินในอุตสาหกรรมผลิต. เชื้อเพลิง. วิทยานิพนธ์มหาบัณฑิต. วิทยาศาสตร์ (สุขศาสตร์อุตสาหกรรมและความปลอดภัย). มหาวิทยาลัยมหิดล. บัณฑิตวิทยาลัย. [ออนไลน์]. ค้นเมื่อวันที่ 26 กรกฎาคม พ.ศ. 2554. แหล่งที่มา: <http://www.thaithesis.org/detail.php?id=43643>
- วัลภา ศรีสุภาพ. การประเมินการได้รับสารโทลูอินในโรงงานอุตสาหกรรมพลาสติก กรณีศึกษา โรงงานผลิตหนังเทียมแห่งหนึ่งในจังหวัดระยอง. สำนักป้องกันควบคุมโรคที่ 3 จังหวัดชลบุรี, 2551.
- วีระ พงษ์ศิริ และคณะ. การประเมินอัตรายจากการใช้สารทำลายในโรงพิมพ์ (กรณีศึกษาในจังหวัดเพชรบุรี). วารสารการส่งเสริมสุขภาพ และอนามัยสิ่งแวดล้อม, 24 (1 มค.-มีค.43) [ออนไลน์]. ค้นเมื่อวันที่ 26 ธันวาคม พ.ศ. 2554. แหล่งที่มา: <http://advisor.anamai.moph.go.th/241/24103.html>.

สมศักดิ์ พงสุภา. **ตัวบ่งชี้ทางชีวภาพสำหรับผู้สัมผัสโทลูอีน**. 2541. [ออนไลน์]. ค้นเมื่อวันที่ 26 กรกฎาคม พ.ศ. 2554. แหล่งที่มา: <http://www.thaithesis.org/detail.php?id=43116>

สาธารณสุข, กระทรวง. **การเฝ้าคุมทางชีวภาพจากเบนซีน โทลูอีน และ ไซลีนระหว่าง**
ปีงบประมาณ 2540- 2542. [ออนไลน์]. ค้นเมื่อวันที่ 26 กรกฎาคม พ.ศ. 2554.
 แหล่งที่มา: <http://www.referencetoxiclab.com/report/labreportshow.php?id=4>

อนามัย เทศกะทีก. **อาชีวอนามัยและความปลอดภัยฉบับปรับปรุง**. พิมพ์ครั้งที่ 3. กรุงเทพฯ :
 โอเดียนสโตร์, 2551.

อนามัย (ธีรวิโรจน์) เทศกะทีก. **การประเมินความเสี่ยงทางสุขภาพ**. กรุงเทพฯ : จุฬาลงกรณ์
 มหาวิทยาลัย, 2552.

_____. **พิษจากสารเคมี รู้ทันป้องกันได้**. กรุงเทพฯ : จุฬาลงกรณ์มหาวิทยาลัย, 2552.

Abbate C, Giorgianni C, Munaò F, Brecciaroli R. Neurotoxicity induced by exposure to toluene. An electrophysiologic study. *Int Arch Occup Environ Health*, 1993, 64(6): 389-92.

ACGIH. **TLVs and BEIs: Threshold limit values for chemical substances and physical agents: Biological exposure indices**. American Conference of Governmental Industrial Hygienists, Cincinnati, OH. 1999.

Ahsberg E, Iregren A. EUROQUEST-the structure of a new symptoms questionnaire . *Neurotoxicology*, 2000, 21(5): 881-2.

Aliye Mandiracioglu, Serap Akgur, Nesrin Kocabiyik, Ufuk Sener. **Evaluation of neuropsychological symptoms and exposure to benzene, toluene and xylene among two different furniture worker groups in Izmir**. *Toxicology and industrial health*. [Online]. Retrieved from :
<http://www.researchgate.net/home.Home.html>

Albers JW, Wald JJ, Garabrant DH, Trask CL, Berent S. Neurologic evaluation of Worker previously diagnosed with solvent-induced toxic encephalopathy. *JOEM*, 2000, 42: 410- 23.

Alfaro-Rodríguez A, Bueno-Nava A, González-Piña R, Arch-Tirado E, Vargas-Sánchez J, Avila-Luna A. Chronic exposure to toluene changes the sleep-wake pattern and brain monoamine content in rats. *Acta Neurobiol Exp (Wars)*. 2011, 71(2): 183-92.

Andersen I, Lundqvist GR, Mølhave L, Pedersen OF, Proctor DF, Vaeth M, Wyon DP. Human response to controlled levels of toluene in six-hour exposures. *Scand J Work Environ Health*. 1983 Oct, 9(5): 405-18.

- Andersson K, Fuxe K, Nilsen OG, Toftgård R, Eneroth P, Gustafsson JA. Production of discrete changes in dopamine and noradrenaline levels and turnover in various parts of the rat brain following exposure to xylene, ortho-, meta-, and para-xylene, and ethylbenzene. **Toxicol Appl Pharmacol.** 1981 Sep 30;60(3):535-48.
- Angerer J, Schildbach M, Krämer A. Gas chromatographic method for the simultaneous determination of S-p-toluymercapturic acid and S-phenylmercapturic acid in human urine. **J Anal Toxicol.** 1998 May-Jun;22(3):211-4.
- Angerer J, Krämer A. Occupational chronic exposure to organic solvents. XVI. Ambient and biological monitoring of workers exposed to toluene. **Int Arch Occup Environ Health.** 1997;69(2):91-6.
- Ansari EA. Ocular injury with xylene--a report of two cases. **Hum Exp Toxicol.** 1997 May; 16(5):273-5.
- Askergren A. Studies on kidney function in subjects exposed to organic solvents. III. Excretion of cells in the urine. **Acta Med Scand.** 1981;210(1-2):103-6.
- Askergren A, Allgöen LG, Bergström J. Studies on kidney function in subjects exposed to organic solvents. II. The effect of desmopressin in a concentration test and the effect of exposure to organic solvents on renal concentrating ability. **Acta Med Scand.** 1981;209(6): 485-8
- Askergren A, Brandt R, Gullquist R, Silk B, Strandell T. Studies on kidney function in subjects exposed to organic solvents. IV Effect on 51-Cr-EDTA clearance. **Acta Med Scand.** 1981;210(5):373-6.
- Baelum J, Andersen IB, Lundqvist GR, Mølhave L, Pedersen OF, Vaeth M, Wyon DP. Response of solvent-exposed printers and unexposed controls to six-hour toluene exposure. **Scand J Work Environ Health.** 1985 Aug;11(4):271-80.
- Baker EL. A review of recent research on health effects of human occupational exposure to organic solvents. A critical review. **J. Occup Med** 1994; 36: 1079-92.
- Bast-Pettersen R. Self-reported conceptions of memory and concentration in comparison with the neuropsychological test performance of manual workers. **SjWEH Suppl** 2006;2:2:41.

- Biggeri A, Lagazio C, Catelan D, Pirastu R, Casson F, Terracini B. Report on health status of residents in areas with industrial, mining or military sites in Sardinia, Italy. **Epidemiol Prev.** 2006 ;30(1 Suppl 1):5-95.
- Bhadauria M, Jadon A, Sharma A, Shukla S. Effect of propriety herbal formulation against chronic carbon tetrachloride induced hepatotoxicity. **Indian J Exp Biol** 2002 Nov;40(11):1254-9.
- Bleecker ML, Bolla KL, Agnew J, Schwartz BS, Ford DP. Dose-related subliminal neurobehavioral effects of chronic exposure to low levels of organic solvents. **Am j Ind Med.** 1991;19:715-28.
- Bogovski S, Lang I, Rjazanov V, Muzyka V, Tuulik V, Vitak A.
Assessment of potential hazards during the process of house building in Estonia. **Int J Environ Health Res.** 2007 Apr;17(2):105-12.
- Boey KW, Foo SC, Jeyaratnam J. Effects of occupational exposure to toluene: a neuropsychological study on workers in Singapore. **Ann Acad Med Singapore.** 1997 Mar;26(2):184-7.
- _____. Effects of occupational exposure to toluene: a neuropsychological study on workers in Singapore. **Ann Acad Med Singapore** 1997 Mar;26(2):184-7.
- Bogovski S, Lang I, Rjazanov V, Muzyka V, Tuulik V, Vitak A. Assessment of potential hazards during the process of house building in Estonia. **Int J Environ Health Res.** 2007 Apr;17(2):105-12.
- Bruckner JV, Peterson RG. Evaluation of toluene and acetone inhalant abuse. II. Model development and toxicology. **Toxicol Appl Pharmacol.** 1981 Dec;61(3):302-12.
- Burstyn I, Kromhout H. Trends in inhalation exposure to hydrocarbons among commercial painters in The Netherlands. **Scand J Work Environ Health.** 2002 Dec;28(6):429-38.
- Byrne A, Kirby B, Zibin T, et al. Psychiatric and neurological effects of chronic solvent abuse. **Can J Psychiatry.** 1991 36:735-738.
- Caldemeyer KS, Armstrong SW, George KK, Moran CC, Pascuzzi RM. The spectrum of neuroimaging abnormalities in solvent abuse and their clinical correlation. **J Neuroimaging.** 1996 Jul;6(3):167-73.

- Ceriotti G. Optimal conditions for ornithine carbamyl transferase determination. A simple micromethod without deproteinization. **Clin Chim Acta** 1973;47:97-105.
- Cornish H, Adefuin J. Ethanol potentiation of halogenated aliphatic solvent toxicity. **Am Ind HygAssoc J.** 1966; 27:57-61.
- Caldwell DJ, Armstrong TW, Barone NJ, Suder JA, Evans MJ. 2000. Hydrocarbon solvent exposure data: Compilation and analysis of the literature. **AIHAJ.** 61: 881-894.
- Caro J, Gallego M. Environmental and biological monitoring of volatile organic compounds in the workplace. **Chemosphere.** 2009 Oct;77(3):426-33. Epub 2009 Jul 26.
- Carter N, Iregren A, Soderman E, Olson BA, Karlson B, Lindelof B. et al., EUROQUEST-a questionnaire for solvent related symptoms: factor structure. Item analysis and predictive validity. **Neurotoxicology.** 2002;23:711-7.
- Chambers DM, Ocariz JM, McGuirk MF, Blount BC. Impact of cigarette smoking on Volatile Organic Compound (VOC) blood levels in the U.S. Population: NHANES, 2003-2004. **Environ Int.** 2011 Nov;37(8):1321-8. Epub 2011 Jun 23.
- Chan CC, Shie RH, Chang TY, Tsai DH. Workers' exposures and potential health risks to air toxics in a petrochemical complex assessed by improved methodology. **Int Arch Occup Environ Health.** 2006 ;79(2):135-42.
- Chen Z, Liu SJ, Cai SX, YaoYM, Yin H, Ukai H, et al. Exposure of workers to a mixture of toluene and xylenes. II. Effects. **Occup Environ Med.** 1994;51:47-49 doi:10.1136/oem.51.1.47.
- Chang FK, Chen ML, Cheng SF, Shih TS, Mao IF. Evaluation of dermal absorption and protective effectiveness of respirators for xylene in spray painters. **Int Arch Occup Environ Health.** 2007 Nov;81(2):145-50. Epub 2007 May 10
- Chang FK, Chen ML, Cheng SF, Shih TS, Mao IF. Field protection effectiveness of chemical protective suits and gloves evaluated by biomonitoring. **Occup Environ Med.** 2007 Nov;64(11):759-62. Epub 2007 May 23.
- CIIT. Chemical Industry Institute of Toxicology. A 24 month inhalation toxicology study in Fischer-344 rat exposed to atmospheric toluene. Executive Summary and Data Tables. Conducted by Industrial Bio-Test Laboratories, Inc., Decatur, IL, and Experimental Pathology Laboratories, Inc., Raleigh, NC for CIIT, Research Triangle Park, NC. October 15, 1980.

- Chouaniere D, Cassitto MG, Spurgeon A, Verdier A, Gilioli R. An international questionnaire to explore neurotoxic symptoms. **Environ Res.** 1997;73:70-2.
- Cranmer JM, Golberg L. Human aspects of solvent neurobehavioral effect. Report of the Workshop session on clinical and epidemiological topics. In : Proceedings of the Workshop on Neurobehavioral Effects of Solvents; **Neurotoxicology.** 1987;7:45-56.
- Chouaniere D, Wild P, Fontana JM, Hery M, Fournier M, Baudin V. et al., Neurobehavioral disturbances arising from occupational toluene exposure. **Am J Ind Med.** 2002;41:77-88.
- Committee on Enzymes of the Scandinavian Society for Clinical Chemistry and Clinical Physiology. Recommended methods for the determination of four enzymes in blood. **Scand J Clin Lab Invest.** 1974;33:291-306.
- Committee on Enzymes of the Scandinavian Society for Clinical Chemistry and Clinical Physiology. Recommended method for the determination of gamma glutamyl transferase in blood. **Scand J Clin Lab Invest.** 1976;36: 121-5.
- Condie LW, Hill JR, Borzelleca JF. Oral toxicology studies with xylene isomers and mixed xylenes. **Drug Chem Toxicol.** 1988;11(4):329-54.
- Davis FG, Erdal S, Williams L, Bigner D. Work exposures to animal neurocarcinogens. **Int J Occup Environ Health.** 2006 ;12(1):16-23.
- Deschamps D, Geraud C, Dally S. Cognitive functions in workers exposed to toluene: evaluation at least 48h after removal from exposure. **Int Arch Occp Environ Health.** 2001;74:285-8.
- Dick FD. Solvent neurotoxicity. **Occup Environ Med.** 2006;63(221-226):179.
- Devathasan G, Low D, Teoh PC, Wan SH, Wong PK. Complications of chronic glue (toluene) abuse in adolescents. **Aust N Z J Med.** 1984 Feb;14(1):39-43.
- Dossing M, Arlien-S6borg P, Milling Petersen L, Ranek L. Liver damage associated with Occupational exposure to organic solvents in house painters. **Eur J Clin Invest.** 1983; 13:151- 7.
- Dossing M. Changes in hepatic microsomal enzyme function in Lundberg and Hdkansson workers exposed to mixtures of chemicals. **Clin PharmacolTher.** 1982;32:340-6.
- Dry EW, Ogden JA, Organic solvent-induced chronic toxic encephalopathy: extent of recovery and associated factors, following cessation of exposure. **Neurotoxicology.** 2000;21(5):659-66.

- Echeverria D, Fine L, Langolf G, Schork T, Sampaio C. Acute behavioural comparisons of toluene and ethanol in human subjects. **Br J Ind Med**. 1991 Nov;48(11):750-61.
- Edling C, Ekberg K, Ahlborg G Jr, Alexandersson R, Barregard L, Ekenvall L, et al., Long term follow up of workers exposed to solvents. **Br J Ind Med**. 1990; 47: 75-82.
- Edling C. Interaction between drugs and solvents as a cause of fatty change in the liver? **Br J Ind Med**. 1982;39:198-9.
- Edling C, Lundberg P. The significance of neurobehavioral tests for occupational exposure limits: an example from Sweden. **Neurotoxicology** 2000;21(5):563-8.
- Edling C, Ekberg K, Jarvholm B. Hälsoeffekter av organiska lösningsmedel-en översikt (health effects of organic solvents- a review). **Manniska, Miljö: Arbete**. 1988. p. 275-81 [in Swedish].
- Elovaara E. Dose-related effects of m-xylene inhalation on the xenobiotic metabolism of the rat. **Xenobiotica**. 1982;12:345-52.
- El-Nabi Kamel MA, Shehata M. Effect of toluene exposure on the antioxidant status and apoptotic pathway in organs of the rat. **Br J Biomed Sci**. 2008;65(2):75-9.
- Foo SC, Jeyaratnam J, Koh D. Chronic neurobehavioural effects of toluene. **Br J Ind Med**. 1990 Jul;47(7):480-4.
- Foo SC, Jeyaratnam J, Ong CN, Khoo NY, Koh D, Chia SE. Biological monitoring for occupational exposure to toluene. **Am Ind Hyg Assoc J**. 1991 May;52(5):212-7.
- Foo SC, Ngim CH, Salleh I, Jeyaratnam J, Boey KW. Neurobehavioral effects in occupational chemical exposure. **Environ Res**. 1993 Feb;60(2):267-73.
- Fischbein A, Ross RR, Lerman Y. Industrial solvents and the liver. **Lancet** 1983;i:129.
- Forchheimer M, Cunningham RM, Gater DR Jr, Maio RF. The relationship of blood alcohol concentration to impairment severity in spinal cord injury. **J Spinal Cord Med** 2005;28(4):303-7.
- Fratila O and Tantau M. Cleaning and disinfection in gastrointestinal endoscopy: current status in Romania. **J Gastrointest Liver Dis**. 2006 ;15(1):7.
- Frlis L, Norback D, Edling C. Occurrence of neuropsychiatric symptoms at low levels of occupational exposure to organic solvents and relationships to health. Lifestyle. And stress. **Int J Occup Environ Health**. 1997;3:184-9.
- Fukushima T, Yamamoto T, Kikkawa R, Hamada Y, Komiyama M, Mori , Horii I. Effects of male reproductive toxicants on gene expression in rat testes. **J Toxicol Sci**. 2005 ;30(3):195-206.

- Gamberale F. Perceived exertion, heart rate, oxygen uptake and blood lactate in different work operations. **Ergonomics**. 1972 Sep;15(5):545-54.
- Gargouri I, Khadhraoui M, Nisse C, Leroyer A, Masmoudi ML, Frimat P, Marzin D, Elleuch B, Zmirou-Navier D. A case study on co-exposure to a mixture of organic solvents in a Tunisian adhesive-producing company. **J Occup Med Toxicol**. 2011 Nov 14;6(1):28.
- Gauthereau-Torres MY, Martínez-Revollar G, Plancarte-Miranda M, Girón-Abarca L, Campos- Campos B, Mercado-Camargo R. Effects of chronic solvent abuse exposure on umami taste perception. **Proc West Pharmacol Soc**. 2009;52:99-103.
- Gericke C, Hanke B, Beckmann G, Baltes MM, Kühl KP, Neubert D. Multicenter field trial on possible health effects of toluene. III. Evaluation of effects after long-term exposure. **Toxicology**. 2001 Nov 15;168(2):185-209.
- Ghosh TK, Copeland RL Jr, Parui RN, Mookherjee S, Pradhan SN. Effect of xylene inhalation on fixed-ratio responding in rats. **Pharmacol Biochem Behav**. 1987 Aug;27(4):653-7.
- Goldberg D. The expanding role of microsomal enzyme induction, and its implications for clinical chemistry. **Clin Chem**. 1980;26:691-9.
- Goodwin TM, Gospe SM Jr, Saeed DB, Zhou SS, Zeman FJ. The effects of high-dose toluene on embryonic development in the rat. **Pediatr Res**. 1994 Dec;36(6):811-5.
- Gralewicz S, Wiaderna D, Tomas T. Development of spontaneous, age-related nonconvulsive seizure electrocortical activity and radial-maze learning after exposure to m-xylene in rats. **Int J Occup Med Environ Health**. 1995;8(4):347-60.
- Greenberg L., Mayers MR., Heimann H. and Moskowitz S. The effects of exposure to toluene in industry. **J. am. med. Asso.** 118 (1942) 573-578..
- Guzelian P, Mills S, Fallon HJ. Liver structure and function in print workers exposed to toluene. **J Occup Med**. 1988 Oct;30(10):791-6.
- Hane M, Axelsson O, Blume J, Hogstedt C, Sundell L, Ydreborg B. Psychological function changes among house painters. **Scand J Work Environ Health**. 1977;3:91-9.

- Hellquist H, Irander K, Edling C, Odkvist LM. Nasal symptoms and histopathology in a group of spray-painters. **Acta Otolaryngol.** 1983 Nov-Dec;96(5-6):495-500.
- Henningsen NC, Ohlsson O, Mattiasson I, Trelle E, Kristensson H, Hood B. Hypertension, levels of serum gamma glutamyl transpeptidase and degree of blood pressure control in middle-aged males. **Acta Med Scand.** 1980;207:245-51.
- Heuser VD, Erdtmann B, Kvitko K, Rohr P, da Silva J. Evaluation of genetic damage in Brazilian footwear-workers: biomarkers of exposure, effect, and susceptibility. **Toxicology.** 2007 Apr 11;232(3):235-47. Epub 2007 Jan 19.
- Hjelm EW, Näslund PH, Wallén M. Influence of cigarette smoking on the toxicokinetics of toluene in humans. **J Toxicol Environ Health.** 1988;25(2):155-63.
- Hiley PG, Pan YS, Robertshaw D, Vercoe JE. Effect of lipid solvents on cutaneous moisture loss. **Aust J Biol Sci.** 1977 Jun;30(3):197-201.
- Hobara T, Kobayashi H, Higashihara E, Kawamoto T, Sakai T. Acute effects of 1,1,1-trichloroethane, trichloroethylene, and toluene on the hematologic parameters in dogs. **Arch Environ Contam Toxicol.** 1984 Sep;13(5):589-93.
- Hobara T, Kobayashi H, Higashihara E, Kawamoto T, Iwamoto S, Shimazu W, Sakai T. Health hazard by exposure to toluene-diisocyanate in the shipyard. **Bull Environ Contam Toxicol.** 1984 Feb;32(2):134-9.
- Hobara T, Kobayashi H, Higashihara E, Kawamoto T, Sakai T. Experimental study on The pulmonary absorption and excretion of toluene. **Int Arch Occup Environ Health.** 1984;53(4):337-44.
- Hogstedt C, Has the Scandinavian solvent syndrome controversy been solved? **Scand J Work Environ Health.** 1994; 20;59-64.
- Hogstedt C, Andersson K, Hane M, A questionnaire approach to the monitoring of early disturbances in central nervous functions. In: Aitio a, Riihimäki V, Vainio H, editors. Biological monitoring and surveillance of worker exposed to chemicals. Washington: **Hemisphere.** 1984.
- Hooisma J, Hanninen H, Emmen HH, Kulig BM. Symptoms indicative of the effects of organic solvent exposure in Dutch painters. **Neurotoxicol Teratol.** 1994;16:613-22.
- Hopf NB, Kirkeleit J, Bråtevit M, Succop P, Talaska G, Moen BE. Evaluation of exposure biomarkers in offshore workers exposed to low benzene and toluene concentrations. **Int Arch Occup Environ Health.** 2011 Jun 14.

- Horiguchi S, Inoue K. 1977. Effects of toluene on the wheel-turning activity and peripheral blood findings in mice-an approach to the maximum allowable concentration of toluene. **J Toxicol Sci.** 2(4):363-372.
- Huang MY, Jin C, Liu YT, Li BH, Qu QS, Uchida Y, Inoue O, Nakatsuka H, Watanabe T, Ikeda M. Exposure of workers to a mixture of toluene and xylenes. I. Metabolism. **Occup Environ Med.** 1994 Jan;51(1):42-6.
- Hui X, Wester RC, Barbadillo S, Cashmore A, Maibach HI. In vitro percutaneous absorption of benzene in human skin. **Cutan Ocul Toxicol** 2009;28(2):65-70.
- Hunnewell J, Miller NR. Bilateral internuclear ophthalmoplegia related to chronic toluene abuse. **J Neuroophthalmol.** 1998 Dec;18(4):277-80.
- Indulski JA, Sińczuk-Walczak H, Szymczak M, Wesołowski W. Neurological and neurophysiological examinations of workers occupationally exposed to organic solvent mixtures used in the paint and varnish production. **Int J Occup Med Environ Health.** 1996;9(3):235-44.
- Ikeda N, Takahashi H, Umetsu K, Suzuki T. The course of respiration and circulation in 'toluene-sniffing'. **Forensic Sci Int.** 1990 Feb;44(2-3):151-8.
- Iregren A. Effects on psychological test performance of workers exposed to a single solvent (toluene)--a comparison with effects of exposure to a mixture of organic solvents. **Neurobehav Toxicol Teratol.** 1982 Nov-Dec;4(6):695-701.
- Iregren A. Subjective and objective signs of organic solvent toxicity among occupationally exposed workers. An experimental evaluation. **Scand J Work Environ Health.** 1986 Oct;12(5):469-75.
- Iregren A, Akerstedt T, Anshelm Olson B, Gamberale F. Experimental exposure to toluene in combination with ethanol intake. Psychophysiological functions. **Scand J Work Environ Health.** 1986 Apr;12(2):128-36.
- Iwata M, Takeuchi Y, Hisanaga N, Ono Y. A study on biological monitoring of n-hexane Exposure. **Int Arch Occup Environ Health.** 1983;51(3):253-60.
- Jacquot L, Pourie G, Buron G, Monnin J, Brand G. Effects of toluene inhalation exposure on olfactory functioning: behavioral and histological assessment. **Toxicol Lett.** 2006 Aug 1;165(1):57-65. Epub 2006 Mar 29.

- Janasik B, Jakubowski M, Wesołowski W, Kucharska M. Unmetabolized VOCs in urine as biomarkers of low level occupational exposure. **Int J Occup Med Environ Health**. 2010;23(1):21-6.
- Jang JY, Droz PO, Kim S. Biological monitoring of workers exposed to ethylbenzene and co - exposed to xylene. **Int Arch Occup Environ Health**. 2001 Jan;74(1):31-7.
- Jo WK, Kim SH. Worker exposure to aromatic volatile organic compounds in dry cleaning stores. **AIHAJ**. 2001 Jul-Aug;62(4):466-71.
- Jovanović J, Jovanović M. Neurotoxic effects of organic solvents among workers in paint and lacquer manufacturing industry. **Med Pregl**. 2004 Jan-Feb;57 (1-2):22-5.
- Juntunen J, Hupli V, Hernberg S, Luisto M. Neurological picture of organic solvent poisoning in industry. A retrospective clinical study of 37 patients. **Int Arch Occup Environ Health**. 1980;46(3):219-31
- Kamijo Y, Soma K, Hasegawa I, Ohwada T. Fatal bilateral adrenal hemorrhage following acute toluene poisoning: a case report. **J Toxicol Clin Toxicol**. 1998;36(4):365-8.
- Karlsson HL, Nygren J, Moller L. Genotoxicity of airborne particulate matter: the role of cell-particle interaction and of substances with adduct-forming and oxidizing capacity. **Mutat Res**. 2004 31;565(1):1-10.
- Kaukiainen A, Akila R, Martikainen R, Sainio M. Symptom screening in detection of occupational solvent-related encephalopathy. **Int Arch Occup Environ Health**. 2009;82:343:55.
- Kaukiainen A, Riala R, Martikainen R, Akila R, Reijula K, Sainio M. Solvent-related health effects among construction painters with decreasing exposure. **Am J Ind Med**. 2004a;46:627-36.
- Kaukiainen A, Vehmas T, Rantala K, Nurminen M, Martikainen R, Taskinen H. Results of common laboratory tests in solvent encephalopathy. **Int Arch Occup Environ Health**. 2004b; 77:39-46.
- Kawai T, Ukai H, Inoue O, Maejima Y, Fukui Y, Ohashi F, Okamoto S, Takada S, Sakurai H, Ikeda M. Evaluation of biomarkers of occupational exposure to toluene at low levels. **Int Arch Occup Environ Health**. 2008 Jan;81(3):253-62. Epub 2007 Oct 13.

- Kawai T, Mizunuma K, Okada Y, Horiguchi S, Ikeda M. Toluene itself as the best urinary marker of toluene exposure. **Int Arch Occup Environ Health**. 1996;68(5):289-97.
- Kiesswetter E, Sietmann B, Seeber A. Standardization of a questionnaire for neurotoxic symptoms. **Environ Res**. 1997; 73:73-80.
- Kiesswetter E, Sietmann B, Zupanec M, Seeber A. Neurobehavioral study on the interactive effects of age and solvent exposure. **Neurotoxicology**. 2000;21:685.
- Karlson B, Osterberg K, Orbaek P. Euroquest: the validity of a new symptom questionnaire. **Neurotoxicology**. 2000;21:783-9.
- Kaukiainen A, Martikainen R, Riala R, Reijula K, Tammilehto L. Work tasks, chemical exposure and respiratory health in construction painting. **Am J Ind Med**. 2008 Jan;51(1):1-8.
- Klaassen Curtis. **Casarett and Doull's Toxicology The basic science of poison**. Sixth Edition. Printed in United States of America. 2001 :1-10.
- Korpela M, Vapaatalo H, Tähti H. Effect of toluene on the hemolytic resistance of rat erythrocytes. **Toxicol Lett**. 1983 Jul;17(3-4):253-7.
- Kurppa K, Husman K. Car painters exposure to a mixture of organic solvents. Serum activities of liver enzymes. **Scand J Work Environ Health**. 1982;8:137-40.
- Kurppa K, Tola S, Hernberg S, Tolonen M. Industrial solvents and the liver. **Lancet** 1983;i: 129.
- Kum C, Kiral F, Sekkin S, Seyrek K, Boyacioglu M. Effects of xylene and formaldehyde inhalations on oxidative stress in adult and developing rats livers. **Exp Anim**. 2007 Jan;56(1):35-42.
- Kyrklund T, Kjellstrand P, Haglid K. Brain lipid changes in rats exposed to xylene and toluene. **Toxicology**. 1987 Aug;45(2):123-33.
- Lamb JC, Hentz KL. Toxicological review of male reproductive effects and trichloroethylene exposure: Assessing the relevance to human male reproductive health. **Reprod Toxicol**. 2006 Jul 13.
- Lee YL, Pai MC, Chen JH, Guo YL. Central neurological abnormalities and multiple chemical sensitivity caused by chronic toluene exposure. **Occup Med (Lond)**. 2003 Oct;53(7):479-82.

- Lundberg I, Håkansson M. Normal serum activities of liver enzymes in Swedish paint industry workers with heavy exposure to organic solvents. **Br J Ind Med** 1985 Sep;42(9):596- 600.
- Lundberg I, Hogberg M, Micheisen H, Nise G, Hogstedt C. Evaluation of the Q16 questionnaire on neurotoxic symptoms and a review of its use. **Occup Environ Med.** 1997; 54:343-50.
- Leth PM and Gregersen M. Ethylene glycol poisoning. **Forensic Sci Int.** 2005 20;155(2-3):179-84.
- Löf A, Wigaeus Hjelm E, Colmsjö A, Lundmark BO, Norström A, Sato A.
Toxicokinetics of toluene and urinary excretion of hippuric acid after human exposure to 2H8-toluene. **Br J Ind Med.** 1993 Jan;50(1):55-9.
- Maestri L, Ghittori S, Imbriani M. Determination of specific mercapturic acids as an index of exposure to environmental benzene, toluene, and styrene. **Ind Health.** 1997 Oct;35(4):489-501.
- Magos GA, Lorenzana-Jiménez M, Vidrio H. Toluene and benzene inhalation influences on ventricular arrhythmias in the rat. **Neurotoxicol Teratol.** 1990 Mar-Apr;12(2):119-24.
- Makropoulos V, Alexopoulos EC. Case report: hydroquinone and/or glutaraldehyde induced acute myeloid leukaemia? **J Occup Med Toxicol.** 2006 Jul 26;1:19.
- Mandiracioglu A, Akgur S, Kocabiyik N, Sener U. Evaluation of neuropsychological symptoms and exposure to benzene, toluene and xylene among two different furniture worker groups in Izmir. **Toxicol Ind Health.** 2011 Mar 18. [Epub ahead of print].
- Matsushita T., Arimatsu Y., Ueda A., Ssatoh K. and Nomura, S.
Hematological and neuro-muscular response of workers exposed to low concentration of toluene vapor. **Ind. Health.** 13 (1975) 115-121.
- Mao IF, Chang FK, Chen ML. Delayed and competitively inhibited excretion of urinary hippuric acid in field workers coexposed to toluene, ethyl benzene, and xylene. **Arch Environ Contam Toxicol.** 2007 Nov;53(4):678-83.
Epub 2007. Jun 14.
- Meulenbelt J, de Groot G, Savelkoul TJ. Two cases of acute toluene intoxication. **Br J Ind Med.** 1990 Jun;47(6):417-20.

- Miyagawa M, Honma T, Sato M. Effects of subchronic exposure to toluene on working and reference memory in rats. **Neurotoxicol Teratol**. 1995 Nov-Dec;17(6):657-64.
- Miyagi Y, Shima F, Ishido K, Yasutake T, Kamikaseda K. Tremor induced by toluene misuse successfully treated by a Vim thalamotomy. **J Neurol Neurosurg Psychiatry**. 1999 Jun;66(6):794-6.
- Mørck HI, Winkel P, Gyntelberg F. Health effects of toluene exposure. **Dan Med Bull**. 1988 Apr;35(2):196-200.
- Morimatsu Y, Ishitake T, Irie K, Hara K, Sakamoto T, Aizawa H. Acute pulmonary injury due to exposure to a high concentration of trichloroethylene vapor. **J Occup Health**. 2006;48(4):271-2.
- Morrow LA, Gibson C, Bagovich GR, Stein L, Condray R, Scott A. Increased incidence of anxiety and depressive disorders in persons with organic solvent exposure. **Psychosom Med**. 2000;62:746-50.
- Morata TC, Fiorini AC, Fischer FM, Colacioppo S, Wallingford KM, Krieg EF, Dunn DE, Gozzoli L, Padrão MA, Cesar CL. Toluene-induced hearing loss among rotogravure printing workers. **Scand J Work Environ Health**. 1997 Aug;23(4):289-98.
- Murata K, Araki S, Yokoyama K, Tanigawa T, Yamashita K, Okajima F, Sakai T, Matsunaga C, Suwa K. Cardiac autonomic dysfunction in rotogravure printers exposed to toluene in relation to peripheral nerve conduction. **Ind Health**. 1993;31(3):79-90.
- Muralidhara, Krishnakumari MK. Mammalia toxicity of aromex & xylene used in pesticidal formulations. **Indian J Exp Biol**. 1980 Oct;18(10):1148-51.
- Nagano K, Kano H, Arito H, Yamamoto S, Matsushima T. Enhancement of renal carcinogenicity by combined inhalation and oral exposures to chloroform in male rats. **J Toxicol Environ Health A**. 2006 ;69(20):1827-42.
- National Toxicology Program. NTP Toxicology and Carcinogenesis Studies of Vinyl Toluene (Mixed Isomers) (65%-71% meta-isomer and 32-35% para-isomer) (CAS No. 25013-15-4) in F344/N Rats and B6C3F1 Mice (Inhalation Studies). **Natl Toxicol Program Tech Rep Ser**. 1990 Mar;375:1-191.

- _____ .. NTP Toxicology and Carcinogenesis Studies of Toluene (CAS No.108-88-3) in F344/N Rats and B6C3F1 Mice (Inhalation Studies). **Natl Toxicol Program Tech Rep Ser.** 1990 Feb;371:1-253.
- Ng TP, Foo SC, Yoong T. Risk of spontaneous abortion in workers exposed to toluene. **Br J Ind Med** 1992 Nov;49(11):804-8.
- _____ .. Menstrual function in workers exposed to toluene. **Br J Ind Med.** 1992 Nov;49(11):799-803.
- Nilson I.N. Sallsten G. Hagberg S. Backman L. Barregard L. 2002. Influence of solvent exposure and aging on cognitive functioning: An 18 year follow up of formerly exposed floor layers and their controls. **Occup Environ Med.** 59: 49-57.
- Nordling Nilson L, Barregard L, Sallsten G. Hagberg S. Self- reports symptoms and their effects on cognitive functioning in worker with past exposure to solvent-based glues: an 18-years follow up. **Int Arch Occup Environ Health.** 2007;81:69-79.
- Ogata M et al. Estimating amounts of toluene inhaled by workers with protective mask using biological indicators of toluene. **Toxicology Letters.** 1999;108:233-239.
- Ono A, Sekita K, Ogawa Y, Hirose A, Suzuki S, Saito M, Naito K, Kaneko T, Furuya T, Kawashima K, Yasuhara K, Matsumoto K, Tanaka S, Inoue T, Kurokawa Y. Reproductive and developmental toxicity studies of toluene. II. Effects of inhalation exposure on fertility in rats. **J Environ Pathol Toxicol Oncol.** 1996;15(1):9-20.
- Ono A, Sekita K, Ogawa Y, Hirose A, Suzuki S, Saito M, Naito K, Kaneko T, Furuya T, Kawashima K, Yasuhara K, Matsumoto K, Tanaka S, Inoue T, Kurokawa Y. Orbaek P, Nise G. Neurasthenic complaints and psychometric function of toluene- exposed rotogravure printers. **Am J Ind Med.** 1989;16(1):67-77.
- Osterberg K, Orbaek P, Karlson B, Bergendorf U, Seger L, A comparison of neuropsychological tests for the assessment of chronic toxic encephalopathy. **Am J Ind Med.** 2000;38:666-80.
- Parmeggiani L. and Sassi C. Occupational hazards from toluene: atmospheric investigations and clinical findings in chronic poisoning]. **Med Lav.** 1954 Nov;45(11):574-83.

- Paraf F, Lewis J, Jothy S. Acute fatty liver of pregnancy after exposure to toluene. A case report. **J Clin Gastroenterol**. 1993 Sep;17(2):163-5.
- Pérez CA, Bosia JD, Cantore MS, Chiera A, Cocozzella DR, Adrover RE, Borzi S, Curciarello JO. Liver damage in workers exposed to hydrocarbons. **Gastroenterol Hepatol** 2006 Jun- Jul;29(6):334-7.
- Phylip RB. **Ecosystems and Human Health Toxicology and Environmental Hazards**. The 2 nd Edition. Printed in Uniteds of America. 2001.
- Poon R, Chu I, Bjarnason S, Potvin M, Vincent R, Miller RB, Valli VE. Inhalation toxicity study of methanol, toluene, and methanol/toluene mixtures in rats: effects of 28-day exposure. **Toxicol Ind Health**. 1994 May-Jun;10(3):231-45.
- Purdie GL, Purdie DJ, Harrison AA. Raynaud's Phenomenon in Medical Laboratory Workers Who Work with Solvents. **J Rheumatol**. 2011 Jun 15. [Epub ahead of print]
- Purvis KL, Jumba IO, Wandiga S, Zhang J, Kammen DM. Worker exposure and health risks from volatile organic compounds utilized in the paint manufacturing industry of Kenya. **Appl Occup Environ Hyg**. 2001 Nov;16(11):1035-42.
- Pyykkö K. Effects of methylbenzenes on microsomal enzymes in rat liver, kidney and lung. **Biochim Biophys Acta**. 1980 Nov 17;633(1):1-9.
- Ray DE. Physiological factors predisposing to neurotoxicity. **Arch Toxicol Suppl**. 1997;19:219-26.
- Rahill AA, Weiss B, Morrow PE, Frampton MW, Cox C, Gibb R, Gelein R, Speers D, Utell MJ. Human performance during exposure to toluene. **Aviat Space Environ Med**. 1996 Jul;67(7):640-7.
- Ridgway P, Nixon TE, Leach JP. Occupational exposure to organic solvents and long-term nervous system damage detectable by brain imaging, neurophysiology or histopathology. **Food Chem Toxicol**. 2003; 41:153-87.
- Rosenberg NL, Spitz MC, Filley CM, Davis KA, Schaumburg HH. Central nervous system effects of chronic toluene abuse--clinical, brainstem evoked response and magnetic resonance imaging studies. **Neurotoxicol Teratol**. 1988 Sep-Oct;10(5):489-95.

- Rosenberg NL, Kleinschmidt-DeMasters BK, Davis KA, Dreisbach JN, Hormes JT, Filley CM. Toluene abuse causes diffuse central nervous system white matter changes. **Ann Neurol**. 1988 Jun;23(6):611-4.
- Ruitjen MWMM, Hooisma JT, Habets CEP, EMMen HH, Muijser H. Neurobehavioral effects of long-term exposure to xylene and missed organic solvents in shipyard spray painters. **Neurotoxicology**. 1994;15(3):613-20.
- Rugulies R. 2002. Depression as a predictor for coronary heart disease. A review and meta – analysis. **Am J Prev Med**. 23: 51-61.
- Sánchez E, Fernández-D'Pool J. Liver function in patients exposed to a toluene in a hydrocarbon processing plant]. **Invest Clin**. 1996 Dec;37(4):255-70.
- Seeber A, Demes P, Golka K, Kiesswetter E, Schäper M, van Thriel C, Zupanec M. Subjective symptoms due to solvent mixtures, dioxin, and toluene: impact of exposure versus personality factors. **Neurotoxicology**. 2000 Oct;21(5):677-84.
- Seiji K, Inoue O, Nakatsuka H, Kasahara W, Watanabe T, Lee BK, Lee SH, Lee KM, Cho KS, Ikeda M. No biologically significant changes in liver function after occupational exposure to toluene at over-OEL levels. **Ind Health**. 1987;25(3):163-7
- Shih HT, Yu CL, Wu MT, Liu CS, Tsai CH, Hung DZ, Wu CS, Kuo HW. Subclinical abnormalities in workers with continuous low-level toluene exposure. **Toxicol Ind Health**. 2011 Sep;27(8):691-9. Epub 2011 May 4
- Shiomi S, Kuroki T, Kuroda T, Ueda T, Nishiguchi S, Kobayashi K, Ochi H. Absence of hepatic uptake of Tc-99m phytate in a man with chronic toluene hepatotoxicity. **Clin Nucl Med**. 1993 Aug;18(8):655-6.
- Shormanov SV and Shormanova NS. Structural alterations in the human brain in chronic alcohol intoxication **Sud Med Ekspert**. 2006 ;49(4):3-6.
- Sjostrom O, Holst D. 2002. Validity of a questionnaire survey: esponse patterns in different subgroups and the effect of social desirability. **Acta Odontol Scand**. 60: 136-140.
- Smargiassi A, Bergamaschi E, Mutti A, Cella MT, Predictive validity of the Q16 questionnaire: a comparision betaween reported symptoms and neurobehavioral tests. **Neurotoxicology**. 1998; 19(4/5):703-8.

- Smith KW, Proctor SP, Ozonoff A, McClean MD. Inhalation exposure to jet fuel (JP8) among U.S. Air Force personnel. **J Occup Environ Hyg.** 2010 Oct;7(10):563-72.
- Sotaniemi EA, Sutinen S, Sutinen S, Arranto AJ, Pelkonen RO. Liver injury in subjects occupationally exposed to chemicals in low doses. **Acta Med Scand.** 1982;212:207-15.
- Staples CA, Gullledge W. An environmental fate, exposure and risk assessment of ethylene oxide from diffuse emissions. **Chemosphere.** 2006;65(4):691-8
- Stengel B, Cénée S, Limasset JC, Diebold F, Michard D, Druet P, Hémon D. Immunologic and renal markers among photogravure printers exposed to toluene. **Scand J Work Environ Health.** 1998 Aug;24(4):276-84
- Suzuki K, Wakayama Y, Takada H, Okayasu H. A case of chronic toluene intoxication with abnormal MRI findings: abnormal intensity areas in cerebral white matter, basal ganglia, internal capsule, brain stem and middle cerebellar peduncle]. **Rinsho Shinkeigaku.** 1992 Jan;32(1):84-7.
- Svensson BG, Nise G, Erfurth EM, Olsson H. Neuroendocrine effects in printing workers exposed to toluene. **Br J Ind Med.** 1992 Jun;49(6):402-8.
- Svensson BG, Nise G, Erfurth EM, Nilsson A, Skerfving S. Hormone status in occupational toluene exposure. **Am J Ind Med.** 1992;22(1):99-107.
- Tähti H, Kärkkäinen S, Pyykkö K, Rintala E, Kataja M, Vapaatalo H. Chronic occupational exposure to toluene. **Int Arch Occup Environ Health.** 1981;48(1):61- 9.
- Tähti H, Aaran RK, Vapaatalo H. Inhalation method for testing the toxicity of volatile compounds in small laboratory animals. A study on short-term and long-term toluene inhalation in rats. **Methods Find Exp Clin Pharmacol.** 1983 Dec;5(10):667-71.
- Tap O, Solmaz S, Polat S, Mete UO, Ozbilgin MK, Kaya M. The effect of toluene on the rat ovary: an ultrastructural study. **J Submicrosc Cytol Pathol.** 1996 Oct;28(4):553-8.

- Taskinen H, Anttila A, Lindbohm ML, Sallmén M, Hemminki K. Spontaneous abortions and congenital malformations among the wives of men occupationally exposed to organic solvents. **Scand J Work Environ Health**. 1989 Oct;15(5):345-52.
- Tas U, Ogeturk M, Meydan S, Kus I, Kuloglu T, Ilhan N, Kose E, Sarsilmaz M. Hepatotoxic activity of toluene inhalation and protective role of melatonin. **Toxicol Ind Health**. 2011 Jun;27(5):465-73.
- Tátrai E, Ungváry G. Changes induced by O-xylene inhalations in the rat liver. **Acta Med Acad Sci Hung**. 1980;37(2):211-6.
- Taverner D, Harrison DJ, Bell GM. Acute renal failure due to interstitial nephritis induced by 'glue-sniffing' with subsequent recovery. **Scott Med J**. 1988 Apr;33(2):246-7.
- Tihti H, Karkkainen S, Pyykko K, Rintala E, Kataja M, Vapaatalo H. Chronic occupational exposure to toluene. **Int Arch Occup Environ Health**. 1981; 48:61-9
- Toftgård R, Nilsen OG. Effects of xylene and xylene isomers on cytochrome P-450 and in vitro enzymatic activities in rat liver, kidney and lung. **Toxicology**. 1982; 23(2-3):197-212.
- Toftgård R, Nilsen OG, Gustafsson JA. Changes in rat liver microsomal cytochrome P-450 and enzymatic activities after the inhalation of n-hexane, xylene, methyl ethyl ketone and methylchloroform for four weeks. **Scand J Work Environ Health**. 1981 Mar;7(1):31-7.
- ToxFAQs™ for Ethylene Glycol September 2007. Retrieved December 2, 2009 , from <http://www.atsdr.cdc.gov/tfacts96.html> Toluene. ค้นจาก <http://www.teratology.org/updates/55pg145.pdf> เมื่อวันที่ 30 กรกฎาคม 2554
- Tominaga MY, Midio AF. Human exposure to trihalomethanes in drinking water. **Rev Saude Publica**. 1999;33(4):413-21.
- Traiger G, Plaa G. Chlorinated hydrocarbon toxicity: potentiation by isopropyl alcohol and acetone. **Arch Environ Health**. 1974;28:276-
- Tribig G, Hallerman J, Survey of solvent related chronic encephalopathy: a systematic review. **Int Arch Occup Environ Health**. 2000;73:362-8.
- Trujillo F, Dang D, Starck T. Xylene keratopathy: a case report and review of the literature. **Cornea**. 2003 Jan;22(1):88-90.

- Tsatsakis AM, Dolapsakis G, Troulakis G, Christodoulou P, Relakis K, Trikilis N, Michalodimitrakis MN. Fatal and non-fatal outcome by accidental intoxication with paint thinner. **J Clin Forensic Med.** 1997 Sep;4(3):133-7.
- van Kampen RJ, Krekels MM, Derijks HJ, Peters FP. Serious intoxication after inhaling methanol. **Ned Tijdschr Geneesk.** 2006 10;150(23):1298-302.
- Viaene MK, Pauwels W, Veulemans H, Roels HA, Masschelein R, Neurobehavioural changes and persistence of complaints in workers exposed to styrene in a polyester boat building plant: influence of exposure characteristics and microtonal epoxide hydrolase phenotype. **Occup Environ Med.** 2001;58:103-12.
- Vincent R, Poirot P, Subra I, Rieger B, Cicoella A. Occupational exposure to organic solvents during paint stripping and painting operations in the aeronautical industry. **Int Arch Occup Environ Health.** 1994;65(6):377-80.
- Visser I, Lavini C, Boonij, Reneman L, Majoie C, de Boer AG, et al. Cerebral impairment in chronic solvent-induced encephalopathy. **Ann Neurol.** 2008; 63:572-80.
- Oettingen W. F. Von, Neal, P. A. and Domahue D. D. The toxicity and potential dangers of toluene. **J. am. med.assoc.** 118 (1942) 579-584.
- Waldron HA, Cherry N, Venables H. Solvent exposure and liver function. **Lancet.** 1982;ii: 1276.
- Wang RS, Suda M, Gao X, Wang B, Nakajima T, Honma T. Health effects of exposure to ethylene glycol monoethyl ether in female workers. **Ind Health.** 2004 Oct;42(4):447-51.
- Wang JD, Chen JD. Acute and chronic neurological symptoms among paint workers exposed to mixtures of organic solvents. **Environ Res.** 1993 Apr;61(1):107-16.
- Wakabayashi I, Araki Y. Relationship between drinking alcohol and atherosclerotic risk factors in female Japanese workers of different ages] **Nippon Ronen Igakkai Zasshi.** 2006;43(4):525-30.
- White RF, Proctor SP. 1997. Solvents and neurotoxicity. **Lancet** 349: 1239-1243.
- White SM. Chemical and biological weapons. Implications for anaesthesia and intensive care. **Br J Anaesth.** 2002 ;89(2):306-24.
- Williamson A, Using self-report measures in neurobehavioral toxicology; can they be trusted? **Neurotoxicology.** 2007: 28:227-34.
- Williamson AM, The role of confounding variables in the assessment of confounding variables in the assessment of neurobehavioural effects of chronic solvent exposure. **Neurotoxicology.** 1996;17:761-7.

- World Health Organization/Nordic Council of Ministers Working Group. Chronic effects of organic solvents on the central nervous system and diagnostic criteria . **Environmental Health Series**. 5:11,1985.p'11-35.
- Yajima Y, Funayama M, Niitsu H, Nata M, Kanawaku Y, Sakai J, Aoki Y._Concentrations of toluene in the body killed by an injury to the head shortly after ingesting thinner. **Forensic Sci Int**. 2005 Jan 6;147(1):9-12.
- Yang JH, Lee CH, Monteiro-Riviere NA, Riviere JE, Tsang CL, Chou CC. Toxicity of jet fuel aliphatic and aromatic hydrocarbon mixtures on human epidermal Keratinocytes: evaluation based on in vitro cytotoxicity and interleukin-8 release. **Arch Toxicol**. 2006 ;80(8):508-23.
- Yin S, Li G, Hu Y, et al. 1987. Symptoms and signs of workers exposed to benzene, toluene or the combination. **Ind Health**. 25:113-130.
- Yoon HI, Hong YC, Cho SH, Kim H, Kim YH, Sohn JR, Kwon M, Park SH, Cho MH, Cheong HK. Exposure to volatile organic compounds and loss of pulmonary function in the elderly. **Eur Respir J**. 2010 Dec;36(6):1270-6.
- EPA. Integrated Risk Information System (IRIS). Retrieved on March 2, 2010, from <http://www.epa.gov/ncea/iris/subst/0276.htm>.
- Ukai H, Kawai T, Inoue O, Maejima Y, Fukui Y, Ohashi F, Okamoto S, Takada S, Sakurai H, Ikeda M. Comparative evaluation of biomarkers of occupational exposure to toluene. **Int Arch Occup Environ Health**. 2007 Oct;81(1):81-93. Epub 2007 Jul 25.
- Ukai H, Watanabe T, Nakatsuka H, Satoh T, Liu SJ, Qiao X, Yin H, Jin C, Li GL, Ikeda M. Dose-dependent increase in subjective symptoms among toluene-exposed workers. **Environ Res**. 1993 Feb;60(2):274-89.
- Ulfvarson U. **Chemical hazards in the paint industry**. In: International symposium on the control of air pollution in the working environment. Stockholm: Work Environment Fund, 1977:66-75.
- Ungváry G, Tátrai E, Szeberényi S, Rodics K, Lőrincz M, Barcza G. Effect of toluene exposure on the liver under different experimental conditions. **Exp Mol Pathol**. 1982 Jun;36(3):347-60.
- Vrca A, Karacić V, Bozicević D, Fuchs R, Malinar M. Cognitive evoked potentials VEP P300 persons occupationally exposed to low concentrations of toluene. **Arh Hig Rada Toksikol**. 1997 Sep;48(3):277-85.

- Vrca A, Bozicević D, Bozikov V, Fuchs R, Malinar M. Brain stem evoked potentials and visual evoked potentials in relation to the length of occupational exposure to low levels of toluene. **Acta Med Croatica**. 1997;51(4-5):215-9.
- Vrca A, Karacić V, Bozicević D, Bozikov V, Malinar M. Brainstem auditory evoked potentials in individuals exposed to long-term low concentrations of toluene. **Am J Ind Med**. 1996 Jul;30(1):62-6.
- Winchester RV, Madjar VM. Solvent effects on workers in the paint, adhesive and printing industries. **Ann Occup Hyg**. 1986;30(3):307-17.
- Wilson, R. H. Toluene poisoning. **J. am.med. assoc.** 123 (1943) 1106-1108.
- Zavalic M, Mandic Z, Turk R, Bogadi-Sare A, Plavec D, Gomzi M, Skender LJ. Assessment of colour vision impairment in male workers exposed to toluene generally above occupational exposure limits. **Occup Med (Lond)**. 1998 Apr;48(3):175-80.
- Zavalić M, Mandić Z, Turk R, Bogadi-Sare A, Plavec D, Skender LJ. Qualitative color vision impairment in toluene-exposed workers. **Int Arch Occup Environ Health**. 1998 May;71(3):194-200.
- Zavalić M, Mandić Z, Turk R, Bogadi-Sare A, Plavec D. Quantitative assessment of color vision impairment in workers exposed to toluene. **Am J Ind Med**. 1998 Mar;33(3):297-304.



