

## เอกสารอ้างอิง

- Abdul, A. S. (1998), "Migration of petroleum products through sandy hydrogeologic systems", Ground Water Monitoring Review, Vol. 8, pp. 73-81
- ASTM D2325 – Standard Test Method for Capillary- Moisture Relationships for Coarse- and Medium textured Soils by Porous-Plate Apparatus
- ASTM D2487 - Standard Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System)
- Brooks, R. H. and Corey, A. T., (1964), Hydraulic properties of porous media, Colorado State University, Hydrology Paper No. 3
- De Oliviera, E. (1997), "Ethanol Flushing of Gasoline Residuals – Microscale and Field Scale Experiments", Ph.D. Dissertation, University of Waterloo, Canada
- Demon, A. H. and Roberts, P. V. (1991), "Effect of Interfacial Forces on Two-Phase Capillary Pressure-Saturation Relationships", Water Resources Research, Vol. 27(3), pp. 423–437
- Donaldson, C. B., Barker, J. F., and Chatzis, I. (1994), Subsurface Fate and Transport of a Methanol/Gasoline Blend (M85), Report prepared for the American Petroleum Institute, Publication number 4569
- Eckberg, D. K. and Sunada, D. K. (1984), "Non-steady three phase immiscible fluid distribution in porous media", Water Resources Research, Vol. 20(12), pp. 1891-1897
- Farr, A. M., Houghtalen, R. J., McWhorter, D. B. (1990), "Volume estimation of light nonaqueous phase liquids in porous media", Ground Water, Vol. 28, No. 1, pp. 48-56
- Fetter, C. W. (1999), Contaminant Hydrogeology, 2nd. Ed., Prentice Hall, New Jersey
- Gangadharan A. C (1988), "Leak Prevention and Corrective Action Technology for Underground Storage Tanks", Pollution Technology Review, No.153, New Jersey: Park Ridge
- Groves, F. R. (1988), "Effect of cosolvents on the solubility of hydrocarbons in water", Environmental Science Technology, Vol. 22(3), pp. 282
- Hellinger, S. and Sandler, S. I. (1995), "Liquid-liquid equilibria of fuel oxygenate + water + hydrocarbon mixtures", Journal of Chemical Engineering, Vol. 40(1), pp. 321
- Kamon, M., Li, Y., Flores, G., Inui, T., and Katsumi, T. (2006), "Experimental and Numerical Study on Migration of LNAPL under the Influence of Fluctuating Water Table in Subsurface", Annals of Disaster Prevention Research Institute, Kyoto University, No. 49B

- Leng, E. C. and Rahardjo, H. (1997), "Review of soil-water characteristic curve equation", Journal of geotechnical and geoenvironmental engineering
- Lenhard R.J. and Parker J.C. (1987), "Measurement and prediction of saturation-pressure relationships in three-phase porous media systems", J. of Contam. Hydrol., Vol. 1, pp. 407-424
- Lenhard, R. J. and Parker, J. C. (1990), "Estimation of free hydrocarbon volume from fluid levels in monitoring wells", Ground Water, Vol. 28, No. 1, pp. 57-67
- Lu, N. and Likos, W. J. (2001), Unsaturated Soil Mechanics
- Mercer, J. W. and Cohen, R. M. (1990), "A Review of Immiscible Fluids in the Subsurface: Properties, Models, Characterization and Remediation", Journal of Contaminant Hydrology, Vol. 6, pp. 107-163
- Mihelcic, J. R. (1990), "Modeling the potential effect of additives on enhancing the solubility of aromatic solutes contained in gasoline," Ground Water Monitoring Review, Vol. 10(2), pp. 132
- Ministry of Energy (2008), Thailand
- Mualem Y. (1976), "A new model for predicting the hydraulic conductivity of unsaturated porous media", Water Resour. Res., Vol. 12, pp.513-522
- Mualem Y. (1986), "Hydraulic conductivity of unsaturated soils: predictions and formulas, Methods of soil analysis. Part 1", Physical and mineralogical methods. 2nd Ed., Ed. A. Klute, Am. Soc. of Agronomy and Soil Sci. Soc. of Am., Madison, Wis., pp. 799-823
- Peschke, N. and Sandler, S. I. (1995), "Liquid-liquid equilibria of fuel oxygenate + water + hydrocarbon mixtures 1", Journal of Chemical Engineering Data, Vol. 40(1), pp. 315
- Polak, J. P. and Lu, C. Y. (1973), "Mutual Solubilities of Hydrocarbons and Water at 0 and 25°C", Canadian Journal of Chemistry, Vol. 51, pp. 4018-4022
- Powers, S.E. and Heermann, S. E. (1999), "A critical review: The effect of ethanol in gasoline on the fate and transport of BTEX in the subsurface", Health and Environmental Assessment of the Use of Ethanol as a Fuel Oxygenate, Report to the California Environmental Policy Council in Response to Executive Order D-5-99, Vol. 4, Eds. Rice & Cannon
- Powers, S. E., Rice, D., Dooher, B., and Alvarez, P. J. J. (2001), "Replacing MTBE with Ethanol as a Gasoline Oxygenate – How May Ground Water Resources Be Impacted?", Environmental Science Technology, Vol. 35(1), pp. 24A-30A
- Powers, S. E. and McDowell, C. J. (2001), "Infiltration and Distribution of Ethanol and Ethanol-Blended Gasoline in the Vadose Zone", Environmental Assessment of the Use of Ethanol as a Fuel Oxygenate: Subsurface Fate and Transport of Gasoline Containing Ethanol, Report to the California State Water Resources Control Board, Report UCRL-AR-145380, Chapter 2, Eds. Rice & Depue

- Ross, S. and Patterson, R. E. (1979), "Surface and Interfacial Tensions of Conjugate Solutions in Ternary Systems", Journal of Chemical Engineering Data, Vol. 24(2), pp. 111-115
- Ryan, R. G. and Dhir, V. K. (1996), "The Effect of Interfacial Tension on Hydrocarbon Entrapment and Mobilization Near a Dynamic Water Table", Journal of Soil Contamination, Vol. 5(1), pp. 9-34
- Schwille, F. (1998), Dense Chlorinated solvents in porous and fractured media, Lewis publication
- Soilmoisture Equipment Corporation (SEC) (2003), Commercial Publications
- Stephenson, R. M. (1992). "Mutual solubilities: water-ketones, water-ethers, and water-gasoline-alcohol", Journal of Chemical Engineering Data, Vol. 37(1), pp. 80
- van Genuchten, M. T. (1980), "A closed form equation for predicting the hydraulic conductivity of unsaturated soil", Soil Science Society of America Journal, Vol. 44, pp. 892-898
- สถาพร คุวิจิตรจากรู (2542), ปฐพีกลศาสตร์, พิมพ์ครั้งที่ 1, กรุงเทพฯ, รุ่งแสงการพิมพ์
- สถาพร คุวิจิตรจากรู (2542), ทดลองปฐพีกลศาสตร์, พิมพ์ครั้งที่ 1, กรุงเทพฯ, รุ่งแสงการพิมพ์



