

เอกสารอ้างอิง

หมวด ก บทความวิจัย

- [1] Adebayo, A. O., and Sarangi, K. “Separation of copper from chalcopyrite leach liquor containing copper, iron, zinc and magnesium by supported liquid membrane”, *Separation and Purification Technology* 63: 392- 399 (2008).
- [2] Alam, M. S., Inoue, K., Yoshizuka, K., Dong, Y., and Zhang, P. “Solvent extraction of silver from chloride media with some commercial sulfur-containing extractants”, *Hydrometallurgy* 44(1-2): 245-254 (1997).
- [3] Alguacil, F. J., and Navarro, P. “Non-dispersive solvent extraction of Cu(II) by LIX 973N from ammoniacal/ammonium carbonate aqueous solutions”, *Hydrometallurgy* 65: 77–82 (2002).
- [4] Alguacil, F. J., Coedo, A. G., and Dorado, M.T. “Transport of chromium(VI) through a Cyanex 923-xylene flat-sheet supported liquid membrane”, *Hydrometallurgy* 57: 51-56 (2000).
- [5] Alguacil, F. J., Cobo, A., and Alonso, M. “Copper separation from nitrate/nitric acid media using Acorga M5640 extractant Part I: Solvent extraction Study”, *Chemical Engineering Journal* 85(2-3): 259-263 (2002).
- [6] Alhusseini, A.A. “Modeling mass transfer enhancement in pulsed contained liquid membranes”, *Separation Science and Technology* 35: 825-842(2000).
- [7] Alhusseini, A. and Ajbar, A. “Mass transfer in supported liquid membranes: a rigorous model”, *Math Comput Model* 32: 465-480(2000).
- [8] Alonso, A.I. and Pantelides, C.C. “Modelling and simulation of integrated membrane processes for recovery of Cr(VI) with Aliquat 336”, *Journal of Membrane Science* 110: 151–167 (1996).
- [9] Alonso, A.I., Galán, B., González, M., and Ortiz, I. “Experimental and theoretical analysis of a nondispersive solvent extraction pilot plant for the removal of Cr(VI) from a galvanic process wastewaters”, *Industrial & Engineering Chemistry Research* 38: 1666–1675 (1999).
- [10] Alonso, A.I., Galán, B., Irabien, A., and Ortiz, I. “Separation of Cr(VI) with Aliquat 336; chemical equilibrium modeling”, *Separation Science and Technology* 32: 1543-1555 (1997).
- [11] Alonso, A.I., Irabien, A., and Ortiz, M.I. “Nondispersive extraction of Cr(VI) with Aliquat 336: influence of carrier concentration”, *Separation Science and Technology* 31: 271-282 (1996).

- [12] Alonso, A.I., Urtiaga, A.M., Irabien, A., and Ortiz, M.I. "Extraction of Cr(VI) with aliquat 336 in hollow fiber contactors: mass transfer analysis and modeling", *Chemical Engineering Science* 49: 901-909 (1994).
- [13] Alonso, A.I., Urtiaga, A.M., Zamacona, S., Irabien, A., and Ortiz, I. "Kinetic modelling of cadmium removal from phosphoric acid by non-dispersive solvent extraction", *Journal of Membrane Science* 130: 193-203 (1997).
- [14] Amiri, A. A., Safavi, A., Hasaninejad A. R., Shrghi, H., and Shamsipur, M. "Highly selective transport of silver ion through a supported liquid membrane using calyx (4) pyrroles as suitable ion carriers", *Journal of Membrane Science* 325: 295-300 (2008).
- [15] Andreu, R., Cristina, P., and Manuel, V. "Selective separation and concentration of Vanadium (V) by a chemical pumping hollow-fiber supported liquid membrane", *Analytica Chimica Acta* 349(1-3): 171-178 (1997).
- [16] Ansari, S. A., Mohapatra, P. K., Prabhu, D. R., and Manchanda, V. K. "Transport of lanthanides and fission products through supported liquid membranes containing N, N, N', N'- tetraoctyl diglycolamide (TODGA) as the carrier", *Desalination* 232: 254-261 (2008).
- [17] Ansari, S. A., Mohapatra, P. K., Raut, D. R., Adya, S. K., Thulasidas, S.K., and Manchanda, V.K. "Separation of Am(III) and trivalent lanthanides from simulated high-level waste using a hollow fiber-supported liquid membrane", *Separation and Purification Technology* 63: 239-242 (2008).
- [18] Arpa, C., Basyilmaz, E., Bektas, S., Genç, O., and Yurum, Y. "Removal of Hg, Cd and Pb from waste water", *J. Fuel Process. Technol.* 68: 111-120 (2000).
- [19] Asimakopoulou, A. G., and Karabelas, A. J. "Mass transfer in liquid-liquid membrane-based extraction at small fiber packing fractions", *Journal of Membrane Science* 271: 151-162 (2006).
- [20] Ata, O. N. "The selective transport of copper ions through supported liquid membrane", *Chemical Engineering Journal and the Biochemical Engineering Journal* 19(1): 25-30 (2005).
- [21] Ata, O. N., and Colak, S. "Modeling of zinc transport through a supported liquid membrane", *Hydrometallurgy* 80: 155-162 (2005).
- [22] Bansal, B., Chen, X. D., and Hossain, M. M. "Transport of lithium through a supported liquid membrane of Lix 54 and TOPO in kerosene", *Chemical Engineering and Processing* 44: 1327-1336 (2005).

- [23] Bart, H. J., Jungling, H., Ramaseder, N., and Marr, R. "Water and solute solubilization and transport in emulsion liquid membranes", *Journal of Membrane Science* 102(15): 103-112 (1995).
- [24] Basualto, C., Marchese, J., Valenzuela, F., and Acosta, A. "Extraction of molybdenum by a supported liquid membrane method", *Talanta* 59(5): 999-1007 (2003).
- [25] Basudev, S., Jinki, J., Jae-Chun, L., and Gae-Ho, L. "Extraction of Co(II) by supported liquid membrane and solvent extraction using Cyanex272 as an extractant: A comparison study", *Journal of Membrane Science* 288: 139-148 (2007).
- [26] Baudot, A., Flory, J., and Smorenburg, H. E. "Liquid-liquid extraction of aroma compounds with hollow fiber contactor", *AIChE Journal* 47:1780-1793 (2001).
- [27] Belkhouche, N. E., Didi, M. A., Romero, R., Jonsson, J. A., and Villemin, D. "Study of new organophosphorus derivatives carriers on the selective recovery of M(II) and M(III) metals using supported liquid membrane extraction", *Journal of Membrane Science* 284(1-2): 398-405 (2006).
- [28] Bhattacharyya, A., Mohapatra, P.K., Ansari, S.A., Raut, D.R., and Manchanda, V.K. "Separation of trivalent actinides from lanthanides using hollow fiber supported liquid membrane containing Cyanex 301 as the carrier", *Journal of Membrane Science* 312: 1-5 (2008).
- [29] Bhavani, R., Neena, T., and John, W. "Emulsion liquid membranes for wastewater treatment: Equilibrium models for some typical metal-extractant systems", *Environment. Science Technology* 28: 1090-1098 (1994).
- [30] Bhowal, A., and Datta, S. "Studies on transport mechanism of Cr(VI) extraction from acidic solution using LSM", *Journal of Membrane Science* 188: 1-8 (2001).
- [31] Bina, S., Mathurkumar, S. B., and Ranjar, S. "Extraction of zinc and copper-zinc mixture from ammoniacal solution into emulsion liquid membrane using LIX 841", *Hydrometallurgy* 99: 25-32 (2009).
- [32] Bocquet, S., Gascons, Viladomat F., Muvdi, Nova C., Sanchez, Athes V., and Souchon, I. "Membrane-based solvent extraction of aroma compounds: choice of configurations of hollow fiber modules based on experiments and simulation", *Journal of Membrane Science* 281: 358-368(2006).
- [33] Bocquet, S., Torres, A., Sanchez, J., Rios, G. M., and Romero, J. "Modeling the mass transfer in solvent-extraction processes with hollow-fiber membranes", *AIChE Journal* 51: 1067-1079 (2005).

- [34] Bora, M. M., Dutta, N. N., and Bhattacharya, K. G. "Reactive extraction of 7-aminocephalosporanic acid with Aliquat-336: equilibrium and kinetics", *Chemical Engineering Communications* 179: 15-34 (2000).
- [35] Boyadzhiev, L., and Kyuchoukov, G. "Further Development of Carrier Mediated Extraction", *Journal of Membrane Science*, 6: 107-112 (1980).
- [36] Breembroek, GRM, van Straalen, A., Witkamp, G. J., and van Rosmalen, G. M. "Extraction of cadmium and copper using hollow fiber supported liquid membranes", *Journal of Membrane Science* 146: 185-195 (1998).
- [37] Bringas, E., Karuppiah, R., San Román, M. F., Ortiz, I., and Grossmann, I. E. "Optimal groundwater remediation network design using selective membranes", *Industrial & Engineering Chemistry Research* 46: 5555-5569 (2007).
- [38] Bringas, E., San Román, M. F., and Ortiz, I. "Separation and recovery of anionic pollutants by the emulsion per traction technology. Remediation of polluted groundwaters with Cr(VI)", *Industrial & Engineering Chemistry Research* 45: 4295-4303 (2006).
- [39] Bringas, E., San Román, M.F., and Ortiz, I. "Removal of anionic pollutants from ground waters using Alamine 336: chemical equilibrium modeling", *Journal of Chemical Technology and Biotechnology* 81: 1829-1835 (2006).
- [40] Bringas, E., San Román, M. F., and Irabien, J. A., and Ortiz, I. "An overview of the mathematical modeling of liquid membrane separation processes in hollow fiber contactors", *Journal of Chemical Technology and Biotechnology* 84: 1583-1614 (2009).
- [41] Caravaca, C., Alquacil, F. J., Sastre, A., and Martinez, M. "Extraction of gold(I) cyanide by the primary amine tridecylamine", *Hydrometallurgy* 40: 89-97 (1996).
- [42] Cardoso, M. M., Viegas, RMC., and Crespo, JPSG. "Extraction and re-extraction of phenylalanine by cationic reversed micelles in hollow fibre contactors", *Journal of Membrane Science* 156: 303-319 (1999).
- [43] Carrera, J. A., Bringas, E., San Román, M. F., and Ortiz, I. "Selective membrane alternative to the recovery of zinc from hot-dip galvanizing effluents", *Journal of Membrane Science* 326: 672-680 (2009).
- [44] Chakrabarty, K.; Saha, P., and Ghoshal, A.K. "Simultaneous separation of mercury and

- lignosulfonate from aqueous solution using supported liquid membrane". Journal of Membrane Science 346: 37-44 (2010).
- [45] Chiarizia, R. "Application of supported liquid membranes for removal of nitrate, technetium(VII) and chromium(VI) from groundwater". Journal of Membrane Science 55(1-2): 39-64 (1991).
- [46] Chiarizia, R., Horwitz, E.P., Rickert, P. G., and Hodgson, K. M. "Application of supported liquid membrane for removal of uranium from groundwater", Separation Science and Technology. 25(13-15): 1571-1586 (1989).
- [47] Charpentier, J. C., and McKenna, T. F. "Managing complex systems: some trends for the future of chemical and process engineering", Chemical Engineering Science 59: 1617-1640 (2004).
- [48] Charpentier, J. C. "The triplet molecular-product-process engineering: the future of chemical engineering", Chemical Engineering Science 57:4667-4690 (2002).
- [49] Chaudry, M. A., Bukhari, N., Mazhar, M. and Tazeen, F. "Vanadium (V) ions transport through tri-n-octyl amine cyclohexane supported liquid membranes", Separation and Purification Technology 54(2): 227-233 (2007).
- [50] Chaudry, M. A., Ul-Islam, N. and Ahmad, I. "Extraction and stripping study of strontium ions across D2EHPA-TBP-Kerosene oil based supported liquid membranes", Journal of Radioanalytical and Nuclear Chemistry 185(2): 369-385 (1994).
- [51] Chaudry, M.A., Ul-Islam, N., Ur-Rehman, N., and Yasin, Z. "Nitrate ion transport across TBP-kerosene oil supported liquid membranes coupled with uranyl ions", Journal of Radioanalytical and Nuclear Chemistry 189(2): 207-218 (1995).
- [52] Chaudry, M.A., Amin, S., and Malik, M.T. "Tri-n-octylamine-Xylene-Based Supported Liquid Membrane and Transport of Ce (IV) Ions", Separation Science & Technology 31(9): 1309-1326 (1996).
- [53] Chen, H. T., Pancharoen, U., Yang, W. T., Kerobo, C. O., and Parisi, R. J. "Separation of Proteins via pH-Parametric Pumping", Separation Science & Technology 15(6): 1377-1391(1980) .
- [54] Chen, H. T., Yang, W. T., Pancharoen, U. and Parisi, R. J. "Separation of Proteins via Multi-Column pH-Parametric Pumping", AIChE. Journal 26 (5): 839-849 (1980).

- [55] Chitra K. R., Gaikwad A. G., Surender G. D., and Damodaran A. D. "Studies on ion transport of some rare earth elements through solvating extractants immobilized on supported liquid membrane", *Journal of Membrane Science* 125: 257 (1997).
- [56] Chormann, F. H., Spencer, J. M., Jr., Lyons, W. B., and Mayewski, P. A. "A solvent extraction technique for determining concentrations of gold and silver in natural waters", *Chemical Geology* 53(1-2): 25-30 (1985).
- [57] Cichy, W., and Szymanowski, J. "Recovery of phenol from aqueous streams in hollow fiber modules", *Environmental Science & Technology* 36:2088-2093 (2002).
- [58] Claudia, F., Nuria, P., Manuela, H. and Victoria, S. "Separation and preconcentration of Cd (II) from chloride solutions using supported liquid membranes systems", *Desalination* 200: 114-116 (2006).
- [59] Coelhosso, I. M., Moura, T. F., Crespo, J.P.S.G. and Carrondo, M.J.T. "Transport mechanisms in liquid membranes with ion exchange carriers", *Journal of Membrane Science* 108: 231-244 (1995).
- [60] Coelhosso, I. M., Cardoso, M. M., Viegas, RMC., and Crespo, JPSG. "Transport mechanism and modeling in liquid membrane contactors" *Separation and Purification Technology* 19: 183-197 (2000).
- [61] Coelhosso, I. M., Silvestre, P., Viegas, RMC., Crespo, JPSG., and Carrondo, MJT. "Membrane-based solvent extraction and stripping of lactate in hollow-fibre contactors" *Journal of Membrane Science* 134: 19-32 (1997).
- [62] Cox F. A., and Bhatnagar, A. "Analytical utility of coupled transport across a supported liquid membrane: Selective preconcentration of zinc", *Talanta*. 32(11): 1037-1041(1990).
- [63] Dabrowski, A., Hubicki, Z., Podkoscielesky, P., and Robens, E. "Selective removal of the heavy metal ions from waters and industrial wastewaters by ion-exchange method", *J. Chemosphere* 56 (2): 91-106 (2004).
- [64] Dai, X. P., Yang, Z. F., Luo, R. G., and Sirkar, K. K. "Lipase-facilitated separation of organic acids in a hollow fiber contained liquid membrane module" *Journal of Membrane Science* 171: 183-196 (2000).
- [65] Dahuron, L., and Cussler, E. L. "Protein Extraction with Hollow Fibers", *AIChE Journal*, 34 (1): 130-136 (1988).

- [66] Dakshinamoorthy, A., Dhami, P. S., Naik, P. W., Dudwadkar, N. L., Munshi, S. K. Dey, P. K. and Venugopal, V. "Separation of palladium from high level liquid waste of PUREX origin by solvent extraction and precipitation methods using oximes", Desalination 232: 26-36 (2008).
- [67] Danesi, P. R. "A simplified model for the coupled transport of metal ions through hollow-fiber supported liquid membranes", Journal of Membrane Science 20: 231-248 (1984).
- [68] Danesi, P. R. "Permeation of metal ions through hollow-fiber supported liquid membranes: concentration equations for once-through and recycling module arrangements", Solvent Extraction and Ion Exchange 2: 115-120 (1984).
- [69] Danesi, P. R. "Separation of metal species by supported liquid membranes", Separation Science and Technology 19: 857-894 (1984-85).
- [70] Danesi, P. R., and Rickert, P. G. "Some Observation on the Performance of Hollow Fiber Supported Liquid Membrane for Co-Ni Separations", Solvent Extraction and Ion Exchange 4 (1): 149-164 (1986).
- [71] Darrell, A. Patterson, L., Yen, L., Roengpithya, C., Emma, J., Gibbins, A., and Livingston, G. "Membrane selectivity in the organic solvent nanofiltration of trialkylamine bases", Desalination 218: 248-256 (2008).
- [72] D'Elia, N. A., Dahuron, L., and Cussler, E. L. "Liquid-liquid extractions with microporous hollow fibers", Journal of Membrane Science 29: 309-319 (1986).
- [73] de Gyves, J., and Rodríguez, de San Miguel E. "Metal ion separations by supported liquid membranes", Industrial & Engineering Chemistry Research 38:2182-2202 (1999).
- [74] Dessouky, S. I., El-Nadi, Y.A., Ahmed, I. M., Saad, E. A., and Daoud, J. A. "Solvent extraction separation of Zn (II), Fe (II), Fe (III) and Cd (II) using tributylphosphate and Cyanex 921 in kerosene from chloride medium", Chemical Engineering and Processing 47: 177-183 (2008).
- [75] Dingsheng, H., Xiaojian, L., Chunming, Y., Ming, M., and Yang, W. "Study of transport and separation of Zn(II) by a combined supports liquid membrane/strip dispersion process containing D2EHPA in Kerosene as the carrier", Desalination 194: 40-51(2006).
- [76] Douglas, W. J., Richard, D. N., Thomas, M. F., and Dendy Sloan, E. 1982. "Liquid Membrane Transport: A Survey", Journal of Membrane Science 12: 239-259 (1982).

- [77] Draxler, J., and Marr, R. "Emulsion liquid membranes. Part I: Phenomenon and Industrial Application", *Chemical Engineering Process* 20: 319-239 (1986).
- [78] Dreher, T. M., and Stevens, G. W., "Instability Mechanism of Supported Liquid Membrane", *Separation Science and Technology* 33 (6): 835-853 (1998).
- [79] Duche, S. N., and Dhadke, P. M. "Comparative study of the determination of platinum by extraction with Cyanex 923 and Cyanex 471X from bromide media". *Journal of Chemical Technology & Biotechnology* 76: 1227-1234 (2001).
- [80] Huang, D., Huang, K., Chen, S., Liu, S. and Yu, J . "Rapid Reaction-Diffusion Model for the Enantioseparation of Phenylalanine across Hollow Fiber Supported Liquid Membrane", *Separation Science and technology* 43: 259-272 (2008).
- [81] Elhassadi, A. A.. and Do, D. D. "Effects of a carrier and its diluent on the transport of metals across supported liquid membranes (SLM). I. Solubility mechanism", *Separation Science and Technology* 21: 267-283 (1986).
- [82] Elhassadi, A. A., and Do, D. D. "Effects of a carrier and its diluent on the transport of metals across supported liquid membranes (SLM). II. Viscosity effect", *Separation Science and Technology* 21: 285-297 (1986).
- [83] El Sayed, M. S. "Uranium extraction from gatter sulfate leach liquor using aliquat 336 in a liquid emulsion membrane process", *Hydrometallurgy* 68: 51-56 (2003).
- [84] El-Said, N., Abdel-Rahman, N., and Emad, H.B. "Modification in Purex Process Using Supported Liquid Membrane Separation of Cerium (III) via Oxidation to Cerium (IV) from Fission Products from Nitrate Medium by SLM ", *Journal of Membrane Science* 198(2) : 23- 31 (2002).
- [85] Escalante, H., Alonso, A. I., Ortiz, I., and Irabien, A. "Separation of L-phenylalanine by nondispersive extraction and back extraction", Equilibrium and kinetic parameters. *Separation Science and Technology* 33: 119-139 (1998).
- [86] Escobar, A., Schimmel, K. A, de Gyves, J., and Rodríguez, de San Miguel E. "Hollow-fiber dispersion-free extraction and stripping of Pb(II) in the presence of Cd(II) using D2EHPA under recirculating operation mode", *Journal of Chemical Technology and Biotechnology* 76: 961-973(2004).
- [87] Fábrega, F. D. M., and Mansur, M. B. "Liquid-liquid extraction of mercury (II) from hydrochloric

- acid solutions by Aliquat 336”, *J. Hydrometallurgy* 87: 83-90 (2007).
- [88] Ferraz, H. C., Duarte, L. T., Di Luccio, M., Alves, TLM., Habert, A. C., and Borges, C. P. “Recent achievements in facilitated transport membranes for separation processes” *Brazilian Journal of Chemical Engineering* 24: 101–118 (2007).
- [89] Fontas, C., Hidalgo, M., Salvado, V., and Antico, E. “Selective recovery and preconcentration of mercury with a benzoylthiourea solid supported liquid membrane system”, *Analytica Chimica Acta* 547(2): 255-261 (2005).
- [90] Fouad, E. A., and Bart, H. J. “Emulsion liquid membrane extraction of Zinc by a hollow fiber contactor”, *Journal of Membrane Science* 307: 156-168 (2008).
- [91] Franken, T. “Liquid membranes-academic exercise or industrial separation process”, *Membrane Technology* 85: 6-10 (1997).
- [92] Fu, J., Nakamura, S., and Akiba, K. “Extraction of platinum (IV) with trioctylamine and its application to liquid membrane transport”, *Journal of Separation Science Technology* 30(4): 609-619 (1995).
- [93] Gabelman, A., and Hwang, S. T. “Hollow fiber membrane contactors”, *Journal of Membrane Science* 159: 61-106 (1999).
- [94] Gabriel, S., Abraham, M. “Cadmium Removal from Aqueous Solutions by an emulsion liquid membrane- The effect of resistance to mass transfer at the outer oil-water interface, Colloids and Surfaces”, A: Physicochemical and Engineering Aspects 151 : 77-83 (1999).
- [95] Gaikwad, A.G. “Synergetic transport of europium through a contained supported liquid membrane using trioctylamine and tributyl phosphate as carries”, *Talanta* 63: 917-926 (2004).
- [96] Galán, B., Calzada, M., and Ortiz, I. “Recycling of Cr(VI) by membrane solvent extraction: long term performance with the mathematical model”, *Chemical Engineering Journal* 124: 71–79 (2006).
- [97] Gameiro, M. L .F., Bento, P., Ismeal, M. R. C., Teresa, M., Reis, A., and Carvalho, J. M. R. “Extraction of copper from ammoniacal medium by emulsion liquid membrane using LIX54”, *Journal of Membrane Science* 63(2): 278-296 (2008).
- [98] Gameiro, MLF., Ismael, MRC., Reis, MTA., and Carvalho, JMR. “Recovery of copper from ammoniacal medium using liquid membranes with LIX 54”, *Separation and Purification Technology* 63: 287-296 (2008).

- [99] Garea, A., Urtiaga, A. M., Ortiz, M. I., Alonso, A. I., and Irabien, J. A. "Phenol recovery with SLM using Cyanex 923", *Chemical Engineering Communications* 120:85-97 (1993).
- [100] Gascons, Viladomat F., Souchon, I., Pierra, F. X., and Marin, M. "Liquid-liquid and liquid-gas extraction of aroma compounds with hollow fibers", *AIChE Journal* 52: 2079-2088 (2006).
- [101] Gasser, M. S., El-Hefny, N. E., and Daoud, J. A. "Extraction of Co(II) from aqueous solution using emulsion liquid membrane", *Journal of hazardous Materials* 151: 610-615 (2008).
- [102] Gawron'ski, R., and Wrzesin'ska, B. "Kinetics of solvent extraction in hollow-fiber contactors", *Journal of Membrane Science* 168: 213-222 (2000).
- [103] Gekas,V., and Hallstrom, B. "Mass transfer in the membrane concentration polarization layer under turbulent cross flow", *Journal of Membrane Science* 30: 153-167 (1987).
- [104] González-Muñoz, M. J., Luque, S., Álvarez, J. R., and Coca, J. "Recovery of phenol from aqueous solutions using hollow fiber contactors", *Journal of Membrane Science* 213: 181-193 (2003).
- [105] González-Muñoz, M. J., Luque, S., Álvarez, J. R., and Coca, J. "Simulation of integrated extraction and stripping processes using membrane contactors", *Desalination* 163: 1-12 (2004).
- [106] Goto, M., Kondo K., and Nakashio, F. "Acceleration effect of anionic surfactants on extraction rate of copper with liquid surfactant membrane cointaning LIX65N and nonionic surfactant", *J. Chem. Eng. Jpn.* 22: 79-85 (1989).
- [107] Goto, M., Yamamoto, H., Kondo, K., and Nakashio, F. "Effect of new surfactant on zinc extraction with liquid surfactant membranes", *Journal of Membrane Science* 57(2-3): 161-174 (1991).
- [108] Guha, A. K., Yun, C. H., Basu, R., and Sirkar, K. K. "Heavy metal removal and recovery by contained liquid membrane permeation", *AIChE Journal* 40: 1223-1237 (1994).
- [109] Guo, J. J., and Ho, C. D. "Theoretical study on membrane extraction of Cu+2 with D2EHPA in laminar flow circular tube modules", *Desalination* 233: 247-257 (2008).
- [110] Grevillot, G., and Tondeur, D. "Equilibrium Staged Parametric Pumping: Part I", *AIChE Journal* 22: 1055-1065 (1976).
- [111] Grevillot, G., and Tondeur, D. "Equilibrium Staged Parametric Pumping: Part II", *AIChE Journal* 23: 843-854 (1977).

- [112] Gupta, S. K., Rathore, N. S., Sonawane, J. V., Pabby, A. K., Janardan, P., Changrani, R. D. et al. "Dispersion-free solvent extraction of U(VI) in macro amount from nitric acid solutions using hollow fiber contactor", *Journal of Membrane Science* 300: 131-136 (2007).
- [113] Gupta, S. K., Rathore, N. S., Sonawane, J. V., Pabby, A. K., Venugopalan, A. K., Changrani, R. D., et al. "Application of hollow fiber contactor in non-dispersive solvent extraction of Pu(IV) by TBP", *Separation Science and Technology* 40: 1911-1926 (2005).
- [114] Haan, A. B., Bartels, P. V., and Graauw, J. "Extraction of Model Ions from Waste Water Modeling of the Mass Transfer in a Supported Liquid Membrane Process", *Journal of Membrane Science* 45: 281-297 (1989).
- [115] Haddaoui, J., Trébouet, D., Loureiro, J. M., and Burgard, M. "Non-dispersive solvent extraction of alkali metals with the dicyclohexano 18 crown 6: evaluation of mass transfer coefficients", *Separation Science and Technology* 39: 3839-3858 (2004).
- [116] Halwachs, W., and Schugerl, R. "The Liquid membrane Technique – a promising extraction process", *International Chemical Engineering* 20(4): 519-528 (1980).
- [117] Harada, M., Miyake, Y., and Kayahara, Y. "Kinetics mechanism of metal extraction with hydroxyoximes", *Journal of Chemical Engineering of Japan* 22: 168-176(1989).
- [118] Harrington, P. J., and Stevens, G. W. "Steady-state mass transfer and modelling in hollow fibre liquid membranes", *Journal of Membrane Science* 192:83-98 (2001).
- [119] Harrington, P. J., and Stevens, G. W. "Study of Cr(VI)/tertiary amine reaction kinetics using a modified rotating diffusion cell", *Solvent Extraction and Ion Exchange* 18: 907-932 (2000).
- [120] Hasalettin, D., and Emin, E. "Comparative studies on the solvent extraction of transition metal cations by calixarene, phenol and ester derivatives", *Journal of Hazardous Materials* 154: 29-32 (2008).
- [121] Hasan, M. A., Selim ,Y. T., Mohamed, K. M. "Removal of chromium from aqueous waste solution using emulsion liquid membrane", *Journal of hazardous materials* 168(2-3): 1537-1541(2009).
- [122] Hayworth, H. C., Ho, W. S., Burns Jr., and Li N. N. "Extraction of uranium from wet process phosphoric acid by liquid membranes", *Separation. Science Technology*. 18(6): 493-521 (1983).
- [123] Hirokazu, N., Mikiya T., Kazuko, M. "Palladium extraction with N, N, N', N-tetra-n-octyl-thiodiglycolamine", *Minerals Engineering* 21(6): 483-488 (2008).

- [124] Hossain, M. M. "Reactive extraction of amino acids and dipeptides using an extra-flow hollow-fiber module", *Separation and Purification Technology* 42:227-236 (2005).
- [125] Ho, W. S., and Poddar, T. K. "New membrane technology for removal and recovery of chromium from waste waters", *Environmental Progress & Sustainable Energy* 20:44-52 (2001).
- [126] Ho, WSW., and Sirkar, K. K., *Membrane Handbook*. Chapman & Hall, New York (1992).
- [127] Ho, WSW., and Wang, B. "Strontium removal by new alkyl phenylphosphonic acids in supported liquid membranes with strip dispersion", *Industrial & Engineering Chemistry Research* 41: 381-388 (2002).
- [128] Hu, S. B., and Wiencek, J. M. "Emulsion-liquid membrane extraction of copper using a hollow fiber contactor", *AIChE Journal* 44: 570-581(1998).
- [129] Huang, D., Huang, K., Chen, S., and Liu, S."Rapid Reaction-Diffusion Model for the Enantioseparation of Phenylalanine across Hollow Fiber Supported Liquid Membrane", *J. Sep. Sci., and Tech.* 43: 259-272 (2008).
- [130] Hubicki, Z., and Hubicka, H. "Studies of Extraction of Removal Of Silver (I) from Nitrate Solutions by Cyanex 471X", *Hydrometallurgy* 37: 207-219 (1995).
- [131] Iberhan, L., and Wisniewski, M. "Extraction of arsenic(III) and arsenic(V) with Cyanex 925, Cyanex 301 and their mixtures". *Hydrometallurgy* 63: 23-30 (2002).
- [132] Inci, E., Rahmi, K., and Gungor, G. "Extraction of strontium ions with emulsion liquid membrane technique", *Journal of Membrane Science* 80(9): 319-325 (1993).
- [133] Itoh, H., Thien, M. P., Hatton, T. A., and Wang, D. I. C. 1990. "Water transport mechanism in liquid emulsion membrane process for the separation of amino acid", *Journal of Membrane Science* 51: 309-322 (1990).
- [134] Izatt, R. M., Lindh, G. C., Bruening, R. L., Peter, H., McDaniel, C. W., Bradshaw, J. S., and Christensen, J .J. "Separation of silver from other metal cations using pyridine and triazole macrocycles in liquid membrane systems", *Analica Chemistry* 6(17): 1694-1699 (1988).
- [135] Jeong, J., Lee, J. C., and Kim, W. "Modeling on the counteractive facilitated transport of Co in Co-Ni mixtures by hollow-fiber supported liquid membrane", *Separation Science and Technology* 38: 499-517 (2003).

- [136] Jeong, S. K., and Ju, C. S. "Extraction of Strontium Ion from Sea Water by Contained Liquid Membrane Parameter". *Korean Journal of Chemical Engineering* 19(1): 93-98 (2002).
- [137] Juang, R. S. "Modelling of the competitive permeation of cobalt and nickel in a di (2-ethylhexyl) phosphoric acid supported liquid membrane process". *Journal of Membrane Science* 85(2): 157-166 (1993).
- [138] Juang, R. S.. and Huang, H. L. "Mechanistic analysis of solvent extraction of heavy metals in membrane contactors", *Journal of Membrane Science* 213:125–135 (2003).
- [139] Juang, R. S., and Huang, H. L. "Modeling of nondispersive extraction of binary Zn(II) and Cu(II) with D2EHPA in hollow fiber devices", *Journal of Membrane Science* 208: 31-38 (2002).
- [140] Juang, R. S., and Huang, I. P. "Hollow-fiber membrane extraction of copper from aqueous ethylenediaminetetraacetic acid solutions with Aliquat 336", *Industrial & Engineering Chemistry Research* 39: 1409-1415 (2000).
- [141] Juang, R. S., Chen, J. D., and Huan, H. C. "Dispersion-free membrane extraction: case studies of metal ion and organic acid extraction", *Journal of Membrane Science* 165: 59–73 (2000).
- [142] Juang, R. S., Kao, H. C., and Yen, P. S. "Modeling extraction separation of Nd(III) and La(III) from nitrate media in hollow-fiber modules", *AIChE Journal* 53: 561–571 (2007).
- [143] Jönsson, J. A., and Mathiasson, L. "Membrane extraction in analytical chemistry", *Journal of Separation Science* 24: 495-507 (2001).
- [144] Kakoi, T., Horinouchi, N., Goto, M., and Nakashio, F. "Selective recovery of palladium from a simulated industrial waste water by liquid surfactant membrane process", *Journal of Membrane Science* 118: 63-71 (1996).
- [145] Kakoi, T., Nishiyori, T., Oshima, T., Kubota, F., Goto, M., Shinkai, S., and Nakashio, F. "Extraction of rare earth metals by liquid surfactant membranes containing a novel cyclic carrier", *Journal of Membrane Science* 136: 261-271 (1997).
- [146] Kalachev, A. A., Kardivarenko, L. M., Plate, N. A., and Bagreev, V. V. "Facilitated diffusion in immobilized liquid membranes: Experimental verification of the 'jumping' mechanism and percolation threshold in membrane transport", *Journal of Membrane Science* 75: 1-5 (1992).
- [147] Kanungo, S. B., and Mohapatra, R. "Coupled transport of Zn (II) through a supported liquid membrane containing bis (2, 4, 4-trimethylpantyl) phosphinic acid in kerosene, I. A model for the rate

process involving binary and ternary complex species”, Journal of Membrane Science 105, 217 (1995).

- [148] Kao, H. C., and Juang, R. S. “Kinetic analysis of non-dispersive solvent extraction of concentrated Co(II) from chloride solutions with Aliquat 336: significance of the knowledge of reaction equilibrium”, Journal of Membrane Science 264: 104-112 (2005).
- [149] Kao, H. C., Yen, P. S., and Juang, R. S. “Solvent extraction of La(III) and Nd(III) from nitrate solution with 2-ethylhexylphosphoric acid mono-2-ethylhexyl ester”, Chemical Engineering Journal 119(2-3): 167-174 (2006).
- [150] Kargari, A., Kaghazchi, T., Mardangahi, B. and Soleimani, M. “Experimental and modeling of selective separation of Gold(III) ions from aqueous solonxy emulsion liquid membrane system”, Journal of Membrane Science 279(1-2): 389-393 (2006).
- [151] Kasaini, H., Nakashio, F.. and Goto, M. “Application of emulsion liquid membranes to recover cobalt ions from a dual-component sulphate solution containing nickel ions”, Journal of Membrane Science 146: 159-168 (1998).
- [152] Kedari, C. S., Coll, M. T., Fortuny, A., Goralska, E., and Sastre A. M. “Recovery and partitioning of Ir(IV) and Ru(III) from chloride solutions by solvent extraction using Cyanex 923/kerosene”, Hydrometallurgy 82(1-2): 40-47 (2006).
- [153] Kenji ,T., Kunio, W., Yoshio, N., and Masayuki , W. “Solvent extrāction separation of Cd(II) and Zn(II) with the organophosphorus extractant D2EHPA and the aqueous nitrogen donor ligand TPEN”, Hydrometallurgy 70: 63-71 (2003).
- [154] Kentish, S. E., and Stevens, G. W. “Innovations in separation technology for the recycling and re-use of liquid waste streams”, Chemical Engineering Journal 84: 149-159 (2001).
- [155] Kertész, R., and Schlosser, S. “Design and simulation of two phase hollow fiber contactors for simultaneous membrane based solvent extraction and stripping of organic acids and bases”, Separation and Purification Technology 41: 275-287 (2005).
- [156] Kertész, R., Šimo, M., and Schlosser, Š. “Membrane-based solvent extraction and stripping of phenylalanine in HF contactors”, Journal of Membrane Science 257: 37-47 (2005).
- [157] Kim, J. I., and Stroeve, P. “Mass transfer in separation devices with reactive hollow fibers”, Chemical Engineering Science 43: 247-257 (1988).

- [158] Kim, J. I., and Stroeve, P. "Selective and enhanced mass separation in hollow fiber membranes with facilitated ion-pair transport". *Journal of Membrane Science* 45: 99-114 (1989).
- [159] Kim, J. I., and Stroeve, P. "Uphill transport in mass separation devices with reactive membranes: counter-transport". *Chemical Engineering Science* 44:1101-1111 (1989).
- [160] Kim, J. I., and Stroeve, P. "Uphill transport of a dilute solute in mass separation devices with reactive co-transport membranes", *Journal of Membrane Science* 49: 37-53 (1990).
- [161] Kimura, M.O., and Shono, T. "Liquid-liquid extraction of silver ion with benzothiacrown ether derivatives", *Analytica Chimica Acta* 194: 293-298 (1987).
- [162] Klaassen, R., Feron, PHM., and Jansen, A. E. "Membrane contactors in industrial applications", *Chemical Engineering Research and Design* 83: 234-246 (2005).
- [163] Klaassen, R., and Jansen, A. E. "The membrane contactor: environmental applications and possibilities", *Environmental Progress & Sustainable Energy* 20: 37-43(2001).
- [164] Kocherginsky, N. M., and Qian, Y. "Big carrousel mechanism of copper removal from ammoniacal wastewater through supported liquid membrane", *Separation and Purification Technology* 54: 104-116 (2007).
- [165] Kojima, T., Nakayama, C., and Uemiya, S. "Analysis of the mechanism of rare earth metal permeation through a liquid membrane with a chelating agent in the feed phase". *Canadian journal of chemical engineering.* 72: 72-77 (1994).
- [166] Komasawa, I., and Otake, T. "Kinetic studies of the extraction of divalent metals from nitrate media with bis(2-ethylhexyl)phosphoric acid", *Industrial and Engineering Chemistry Fundamentals* 22: 367–371 (1983).
- [167] Komasawa, I., Otake, T., and Yamashita, T. "Mechanism and kinetics of copper permeation through a supported liquid membrane containing a hydroxyoxime as a mobile carrier", *Industrial & Engineering Chemistry Research Fund* 22: 127-131 (1983).
- [168] Kopunec, R., and Manh, T. N. "Carrier-mediated transport of rare earth elements through liquid membranes; III. Transport of Sc, Y, Ce, Eu, Gd, Tm, Yb through a supported liquid membrane containing DEHPA", *Journal of Radioanalytical and Nuclear Chemistry* 170(1): 51-66 (1993).
- [169] Korte, N. E., and Feernando, Q. "A review of arsenic(III) in groundwater", *Criti. Rev. Environ. Sci. Technol* 21: 1-39 (1991).

- [170] Kosaraju, P. B., and Sirkar, K. K. "Novel solvent-resistant hydrophilic hollow fiber membranes for efficient membrane solvent back extraction", *Journal of Membrane Science* 288: 41-50 (2007).
- [171] Kubišova, L., Sabolova, E., Schlosser, Š., Marták, J., and Kertész, R. "Mass-transfer in membrane based solvent extraction and stripping of 5-methyl-2-pyrazinecarboxylic acid and co-transport of sulphuric acid in HF contactors", *Desalination* 163: 27-38 (2004).
- [172] Kubišova, L., Sabolova, E., Schlosser, Š., Marták, J., and Kertész, R. "Membrane based solvent extraction and stripping of a heterocyclic carboxylic acid in hollow fiber contactors", *Desalination* 148: 205-211 (2002).
- [173] Kubota, F., Goto, M., Nakashio, F., and Hano, T. "Extraction kinetics of rare earth metals with 2-ethylhexyl phosphoric acid mono-2-ethylhexyl ester using a hollow fiber membrane extractor", *Separation Science and Technology*. 30(5): 777-792 (1995).
- [174] Kulkarni, P. S. "Recovery of uranium(VI) from acidic wastes using tri-n-octylphosphine oxide and sodium carbonate base liquid membranes", *Chemical Engineering Journal*. 92:209-214 (2003).
- [175] Kulkarni, P. S., Mukhopadhyay, S. Bellary, M. P., and Ghosh, S. K. "Studies on membrane stability and recovery of uranium(VI) from aqueous solutions using a liquid emulsion membrane process", *Hydrometallurgy* 64: 49-58 (2002).
- [176] Kumar, A., and Sastre, A. M. "Hollow fiber supported liquid membrane for the separation/concentration of gold(I) from aqueous cyanide media: modeling and mass transfer evaluation", *Industrial & Engineering Chemistry Research* 39: 146-154 (2000).
- [177] Kumar, A., Haddad, R., Alguacil, F. J., and Sastre, A. M. "Comparative performance of non-dispersive solvent extraction using a single module and the integrated membrane process with two hollow fiber contactors", *Journal of Membrane Science* 248: 1-14 (2005).
- [178] Kumar, A., Haddad, R., and Sastre, A. M. "Integrated membrane process for gold recovery from hydrometallurgical solutions", *AIChE Journal* 47: 328-340 (2001).
- [179] Kumar, A., Haddad, R., Benzal, G., and Sastre, A. M. "Dispersion-free solvent extraction and stripping of gold cyanide with LIX79 using hollow fiber contactors: optimization and modeling", *Industrial & Engineering Chemistry Research* 41: 613-623 (2002).
- [180] Kumar, A., Haddad, R., Benzal, G., Ninou, R., and Sastre, A. M. "Use of modified carrier system for recovery of gold cyanide from alkaline cyanide media using hollow fiber supported liquid

membranes: feasibility studies and mass transfer modeling”, Journal of Membrane Science 74:17-30 (2000).

- [181] Kumbasar, R. A. “Selective extraction of nickel from ammonical solutions containing nickel and cobalt by emulsion liquid membrane using 5, 7-dibromo-8-hydroxyquinoline (DBHQ) as extractant”, Minerals Engineering. 22: 530-536 (2009).
- [182] Kumbasar, R. A. “Selective extraction of chromium(VI) from multicomponent acidic solution by emulsion liquid membrane using TOPO a extractant”, Journal of Hazardous Materials 167: 1141-1147 (2009).
- [183] Kumbasar, R. A. “Selective extraction and concentration of cobalt from acidic leach solution containing cobalt and nickel through emulsion liquid membrane using PC-88A as extractant”, Separation and Purification Technology 273:279 (2009).
- [184] Kumabasar, R. A., and Sahin, I. “Separation and concentration of cobalt from ammoniacal solutions containing cobalt-nickel by emulsion liquid membranes using 5, 7-dibromo-8-hydroxyquinoline (DBHQ)”, Journal of Membrane Science 325: 712-718 (2008).
- [185] Kumbasar, R. A. “Selective separation of chromium(VI) from acidic solutions containing various metal ions through emulsion liquid membrane using trioctylamine as extractant”, Separation and Purification Technology 64: 56-62(2008).
- [186] Kumbasar, R. A. “Separation and concentration of cobalt from aqueous thiocyanate solutions containing cobalt-nickel by emulsion liquid membranes using TBP as extractant”, Journal of Membrane Science 338: 182-188 (2008).
- [187] Kumbasar, R. A. “Separation and concentration of cobalt from zinc plant acidic thiocyanate leach solutions containing cobalt-nickel by emulsion liquid membranes using triisoctylamine as carrier”, Journal of Membrane Science. 337:118-124 (2008).
- [188] Kumbasar, R. A. “Separation of cobalt and nickel from acidic leach solutions by emulsion liquid membranes using Alamine 300 (TOA) as mobile carrier”, Desalination 224: 201-208 (2008).
- [189] Kumbasar, R. A., and Tutkun, O. “Separation and concentration of gallium from acidic leach solutions containing various metal ions by emulsion type of liquid membranes using TOPO as mobile carrier”, Hydrometallugy 75: 111-121 (2004).

- [190] Lachowicz, E., Rozanska, B., Teixidor, F., Meliani, H., Barboiu, M., and Hovnanian, N. "Comparison of sulphur and sulphur-oxygen ligands as ionophores for liquid-liquid extraction and facilitated transport of silver and palladium", *Journal of Membrane Science* 210: 279-290 (2002).
- [191] Lazarova, Z., Syska, B., and Schügerl, K. "Application of large-scale hollow fiber membrane contactors for simultaneous extractive removal and stripping of penicillin G", *Journal of Membrane Science* 202: 151-164 (2002).
- [192] Lee, J. C., Zhu, T., Jha, M. K., Kim, S. K., Yoo, K. K., and Jeong, J. "Solvent extraction of Cu(I) from waste etch chloride solution using tri-butyl phosphate (TBP) diluted in 1-octanol", *Separation and Purification Technology* 62(3): 596-601 (2007).
- [193] Lee, J. Y., Kumar, J. R., Kim, J. S., Park, H. K., and Yoon, H. S. "Liquid-liquid extraction/separation of platinum(IV) and rhodium(III) from acidic chloride solutions using Tri-iso-octylamine", *Journal of Hazardous Materials* 168: 424-429 (2009).
- [194] Lee, M. S., Lee, J. Y., Kim, J. S., and Lee, G. S. "Solvent extraction of neodymium ions from hydrochloric acid solution using PC88A and saponified PC88A", *Separation and Purification Technology* 46: 72-78 (2005).
- [195] Lee, S. C., Ahn, B. S., and Lee, W. K. "Mathematical Modeling of Silver Extraction by an Emulsion Liquid Membrane Process", *Journal of Membrane Science* 114: 171-185 (1996).
- [196] Li, Q., Liu, Q., and Wei, X. "Separation study of mercury through an emulsion liquid membrane", *Talanta* 43: 1837-1842 (1996).
- [197] Li, Q. M., Liu, Q., Zhang, Q. F., Wei, X. J., and Guo, J. Z. "Separation study of cadmium through an emulsion liquid membrane using triisooctylamine as mobile carrier", *Talanta* 46: 927-932 (1998).
- [198] Lin, S. H., Chen, C. N., and Juang, R. S. "Kinetic analysis on reactive extraction of aspartic acid from water in hollow fiber membrane modules", *Journal of Membrane Science* 281: 186-194 (2006).
- [199] Lin, S. H., and Juang, R. S. "Kinetic modelling of simultaneous recovery of metallic cations and anions with mixture of extractants in hollow-fiber modules", *Industrial & Engineering Chemistry Research* 41: 853-861 (2002).
- [200] Lin, S. H., and Juang, R. S. "Mass-transfer in hollow-fiber modules for extraction and back-extraction of copper(II) with LIX64N carriers", *Journal of Membrane Science* 188: 251-262 (2001).

- [201] Lipnizki, F., and Field, R. W. "Mass transfer performance for hollow fiber modules with shell-side axial feed flow: using an engineering approach to develop a framework", *Journal of Membrane Science* 193: 195-208 (2001).
- [202] Loiacono, O., Drioli, E., and Molinari, R. "Metal ion separation and concentration with supported liquid membranes", *Journal of Membrane Science* 28:123-138 (1986).
- [203] Lorbach, D., and Marr, R. "Emulsion liquid membranes, Part II: Modelling mass transfer of zinc with bis (2-ethylhexyl) dithiophosphoric acid", *Chemical Engineering and Processing* 21: 83-88 (1987).
- [204] Lothongkum, A.W., Khemglad, Y., Usomboon, N., and Pancharoen, U. "Selective recovery of nickel ions from wastewater of stainless steel industry via HFSLM", *Journal of Alloys and Compounds* 476: 940-949 (2009).
- [205] Lothongkum, A. W., Ramakul, P., Sasomsub, W., Laocharochanapan, S., and Pancharoen, U. "Enhancement of uranium ion flux by consecutive extraction via hollow fiber supported liquid membrane", *Journal of the Taiwan Institute of Chemical Engineers* 40: 518-523 (2009)
- [206] Lothongkum, A. W., Suren, S., Chaturabul, S., Thamphiphit, N., and Pancharoen, U. "Simultaneous removal of arsenic and mercury from natural-gas-co produced water from the Gulf of Thailand using synergistic extractant via HFSLM", *Journal of Membrane Science* 396: 350-358 (2011).
- [207] Lozano, L. J., Godinez, C., and Alguacil, F. J. "Facilitated transport of vanadium(V) by supported liquid membrane", *Hydrometallurgy* 80: 196-202 (2005).
- [208] Lu, P., and Zhang, Z. "Solvent extraction and separation of palladium(II) and platinum(IV) from hydrochloric acid medium with dibutyl sulfoxide", *Minerals engineering*. 22: 1271-1276 (2009).
- [209] Luo, F., Li, D., and Wei, P. "Synergistic extraction of zinc(II) and cadmium(II) with mixtures of primary amine N1923 and neutral organophosphorous derivatives", *Hydrometallurgy* 73: 31-40 (2004).
- [210] Mahmoud, M. H. H., Nakamura, S., and Akiba, K. "Separation of molybdenum(VI) an tungsten(VI) through a supported liquid membrane impregnated with trioctylammonium chloride", *Separation Science and Technology* 31(20): 2763 (1996).
- [211] Mahn, T. N., and Kopunec, R. "Carrier-mediated transport of rare earth elements through liquid membranes. Transport of Sc, Y, Ce, Eu, Gd, Tm, Yb through supported liquid membrane containing

TOPO in n-dodecane, J. Radioanal". Journal of Radioanalytical and Nuclear Chemistry 159(2): 219-231 (1992).

- [212] Man-Seung, L., and Kyoung-Joo, L. "Separation of Iron and nickel from a spent FeCl₃ etching solution by solvent extraction", Hydrometallurgy 80: 163-169 (2005).
- [213] Marchese, J., and Campderrós, M. "Mass transfer of cadmium ions in a hollow-fiber module by pertraction", Desalination 164:141-149 (2004).
- [214] Marchese, J., Campderros, M. E., and Acosta, A. "Transport and separation of cobalt, nickel and copper ions with alamine liquid membranes", Journal of Chemical Technology and Biotechnology. 64: 293-297 (1995).
- [215] Marchese, J., Campderrós, M. E., and Acosta, A. "Mechanistic study of cobalt, nickel, and copper transfer across a supported liquid membrane", Journal of Chemical Technology and Biotechnology 57: 37-42 (1993).
- [216] Marchese, J., Valenzuela, F., Basualto, C., and Acosta, A. "Transport of molybdenum with Alamine 336 using supported liquid membrane", Hydrometallurgy 72(3-4): 309-317 (2004).
- [217] Marr, R., and Kopp, A. "Liquid Membrane Technology: a Survey of Phenomena, Mechanism and Models", International Chemical Engineering 22 (1): 44-59 (1982).
- [218] Marriot, J., and Sørensen, E. "A general approach to modeling membrane modules", Chemical Engineering Science 58: 4975-4990 (2003).
- [219] Martinez, M. E., Reyes, A. J. A., Saucedo, T. I., Gonzalez, M. P., Navarro, R., and Avila, R. M. "Study of As(V) transfer through a supported liquid membrane impregnated with trioctylphosphine oxide (Cyanex 921)", Journal of Membrane Science 302: 119-126 (2007).
- [220] Maysa, S., and El, S. "Uranium extraction from gattar sulfate leach liquor using Aliquat-336 in a liquid emulsion membrane process", Hydrometallurgy 68: 51-56 (2003).
- [221] Meera, R., Francis, T., and Reddy, M. L. P. "Studies on the liquid-liquid extraction of mercury (II) from acidic chloride solutions using Cyanex 923", Hydrometallurgy 61: 97-103 (2001).
- [222] Metin, A., Deniz, T., and Hasaletin, D. "Transition metal cations extraction by ester and ketone derivatives of chromogenic azocalix (4) arenas", Journal of Hazardous Materials 154: 51-54 (2008).

- [223] Mohapatra, P. K., Lakshmi, D. S., and Manchanda V. K. "Diluent effect on Sr(II) Extraction using di-*t*-butyl cyclohexane 18 crown 6 as the extraction and its correlation with transport data obtained from supported liquid membrane studies", Desalination 198: 166-172 (2006).
- [224] Mohapatra, P. K., Lakshmi, D. S., Mohan, D. and Manchanda, V. K. "Uranium pertraction across a PTFE flat sheet membrane containing Aliquat 336 as the carrier", Separation and Purification Technology 51(1): 24-30 (2006).
- [225] Mohapatra, P. K., Lakshmi, D. S., Mohanb, D., and Manchanda, V. K. "Selective transport of cesium using a supported liquid membrane containing di-*t*-butyl benzo 18 crown 6 as the carrier", Journal of Membrane Science 232(1-2): 133-139 (2004).
- [226] Mojtaba, S., and Mohammad, H. M. "Highly efficient and selective membrane transport of silver(I) using hexathia-18-crown-6 as a specific ion carrier", Separation and Purification Technology 20:147-153 (2000).
- [227] Molinari, R., Drioli, E., and Pantano, G. "Stability and effect of diluents in supported liquid membranes for Cr(III), Cr(VI), and Cd(II) recovery", Separation Science Technology 24: 1015-1032 (1989).
- [228] Mortaheb, H. R., Kosuge, H., Mokhtarani, B., Amini, M. H., and Banihashemi, H. R. "Study on removal cadmium from wastewater by emulsion liquid membrane", Journal of Hazardous Materials 165(1-3): 630-636 (2008).
- [229] Nagy, E., and Hadik, P. "Analysis of mass transfer in hollow-fiber membranes", Desalination 145: 147-152 (2002).
- [230] Naheed, B. A., Chaudry, M., and Mazhar, M. "Cobalt(II) transport through triethanolamine cyclohexanone supported liquid membranes", Journal of Membrane Science 234: 157-165 (2004).
- [231] Naheed, B., Chaudry, M.A., and Mazhar, M. "Triethanolamine-cyclohexanone supported liquid membrane study for extraction and removal of nickel ions from nickel plating wastes", Journal of Membrane Science 283: 182-189 (2006).
- [232] Nakano, M., Takahashi, K., and Takeuchi, H. "A Method for Continuous Operation of Supported Liquid Membranes", Journal of Chemical Engineering of Japan 20: 326-328(1987).
- [233] Nakashio, F. "Recent advances in separation of metals by liquid surfactant membranes", Journal of Chemical Engineering Japan 26: 123-133 (1993).

- [234] Nanoti, A., Ganguly, S. K., Goswami, A. N., and Rawat, B. S. "Removal of phenols from wastewater using liquid membranes in a micro porous hollow-fiber-membrane extractor", *Industrial and Engineering Chemistry Research* 36: 4369-4373 (1997).
- [235] Noble, R. D. "Shape factors in facilitated transport through membranes", *Industrial and Engineering Chemistry Fundamentals* 22: 139-144 (1983).
- [236] Norasikin, O., Hanapi, M., and Masahiro, G. B. "Separation of silver from photographic wastes by emulsion liquid membrane system", *Journal of Membrane Science* 282: 171-177 (2006).
- [237] O'Hara, P. A., and Bohrer, M. P. "Supported Liquid Membrane for Copper Transport", *Journal of Membrane Science* 44: 273-287 (1989).
- [238] Ohto, K., Fujimoto, Y., and Inoue, K. "Stepwise extraction of two lead ions with a single molecule of calyx (4) arene tetracarboxylic acid", *Analytica Chimica Acta* 387: 61-69 (1999).
- [239] Ohto, K., Murakami, E., Shinohara, T., Shiratsuchi, K., Inoue, K., and Iwasaki, M. "Selective extraction of silver(I) over palladium(II) with ketonic derivatives of calixarenes from highly concentrated nitric acid", *Analytica Chimica Acta* 341: 275-283 (1997).
- [240] Omar, A., Abdelaziz, G., and Hactke, K. "Removal of Ag (I), Cu (II)and Zn (II) ions with a supported liquid membrane containing cryptands as carriers", *Desalination* 161: 255-303 (2004).
- [241] Ortiz, I., Alonso, A. I., Urtiaga, A. M., Demircioglu, M., Kocacik, N., and Kabay, N. "An integrated process for the removal of Cd and U from wet phosphoric acid", *Industrial and Engineering Chemistry Research* 38: 2450-2459 (1999).
- [242] Ortiz, I., Bringas, E., San Román, M. F., and Urtiaga, A. M. "Selective separation of zinc and iron from spent pickling solutions by membrane-based solvent extraction: Process viability", *Separation Science and Technology* 39: 2441-2455 (2004).
- [243] Ortiz, I., and San Román, M. F. "Analysis of the back-extraction of cadmium-nickel-D2EHPA organic phases", *Separation Science and Technology* 37: 607-625 (2002).
- [244] Ortiz, I., Galán, B., and Irabien, A. "Kinetic analysis of the simultaneous nondispersive extraction and back-extraction of chromium(VI)", *Industrial and Engineering Chemistry Research* 35: 1369-1377 (1996).

- [245] Ortiz, I., Galán, B., and Irabien, A. "Membrane mass transport coefficient for the recovery of Cr(VI) in hollow fiber extraction and back-extraction modules", *Journal of Membrane Science* 118: 213-221 (1996).
- [246] Ortiz, I., Galán, B., San Román, F., and Ibáñez, R. "Kinetics of separating multicomponent mixtures by nondispersive solvent extraction: Ni and Cd", *AIChE Journal* 47: 895-905 (2001).
- [247] Ortiz, I., San Román, F., and Galán, B. "Kinetics of the recovery of Cd from highly concentrated aqueous solutions by non-dispersive solvent extraction", *Chemical Engineering Journal* 81: 129-136 (2001).
- [248] Ortiz, I., San Román, M. F., Corvalán, S. M., and Eliceche, A. M. "Modeling and optimization of an emulsion pertraction process for removal and concentration of Cr(VI)", *Industrial and Engineering Chemistry Fundamentals* 42: 5891-5899 (2003).
- [249] Ortiz, I., Urtiaga, A., Abellán, M. J., and San Román, F. "Application of hollow fiber membrane contactors for catalyst recovery in the WPO process", *Annals of the New York Academy of Sciences* 984: 17-28 (2003).
- [250] Ouchi, M., Shibutani, Y., Yakabe, K., Shono, T., Shintani, H., Yoneda, A., Hakushi, T., and Edwin W. "Silver and thallium(I) complexation with dibenzo-16-crown-4", *Bioorganic and Medicinal Chemistry* 7(6): 1123-1126 (1999).
- [251] Pabby, A. K., Haddad, R., Alguacil, F. J., and Sastre, A. M. "Improved kinetics-based gold cyanide extraction with mixture of LIX79+TOPO utilizing hollow fiber membrane contactors", *Chemical Engineering Journal* 100: 11-22 (2004).
- [252] Pabby, A. K., Rizvi, S. S. H., and Sastre, A. M. "Handbook of Membrane Separations. Chemical, Pharmaceutical, Food and Biotechnological Applications", CRC Press, Boca Raton (2009).
- [253] Pan, L., and Zhang, Z. "Solvent extraction and separation of palladium (II) and platinum (IV) from hydrochloric acid medium with dibutyl sulfoxide", *Minerals Engineering* 22: 1271-1276 (2009).
- [254] Pancharoen, U., Ramakul, P., and Pattawee Kongka, W. "Purely Extraction and Separation of Mixture of Cerium (IV) and Lanthanum (III) Via Hollow Fiber Supported Liquid Membrane", *Journal of Industrial and Engineering Chemistry* 11(6): 926-931 (2005).

- [255] Pancharoen, U., Ramakul, P., Patthaveekongka, W., and Hronec, M. "Feasibility Study on the Separation of Uranium and Thorium by a Hollow Fiber Supported Liquid Membrane and Mass Transfer Modeling", *Journal of Industrial and Engineering Chemistry* 12(5): 673-681 (2006).
- [256] Pancharoen, U., Poonkum, W., and Lothongkum, A. W. "Treatment of arsenic ions from produced water through hollow fiber supported liquid membrane", *Journal of Alloys and Compounds* 482: 328-334 (2009).
- [257] Pancharoen, U., Somboonpanya, S., Chaturabul, S., and Lothongkum, A. W. "Selective removal of mercury as HgCl_4^{2-} from natural gas well produced water by TOA via HFSLM", *Journal of Alloys and Compounds* 489: 72-79 (2010).
- [258] Pancharoen, U., Wongsawa, T., and Lothongkum, A. W. "A Reaction Flux Model for Extraction of Cu(II) with LIX 84I in HFSLM", *Separation Science and Technology*, in press.
- [259] Papedopulous, T., and Sirkar, K. K. "Separation of 2-propanol/n-heptane mixture by pertraction", *Industrial and Engineering Chemistry Research* 32: 663-673(1993).
- [260] Papoutsakis, E., Ramkrishna, D., and Kim, H. C. "The extended Graetz problem with Dirichlet wall boundary conditions", *Journal of Applied Sciences Research* 36: 13-40 (1980).
- [261] Parhi, P. K., Das, N. N., Sarangi, K. "Extraction of cadmium from dilute solution using supported liquid membrane", *Journal of Hazardous Materials* 172: 773-779 (2008).
- [262] Park, K. H., Reddy, B. R., Jung, S. H., and Mohapatra, D. "Transfer of cobalt and nickel from sulfate solution to spent electrolyte through solvent extraction", *Journal of Hazardous Material* 51(3): 265-271 (2006).
- [263] Parthasarathy, N., Pelletier, M., and Buffle, J. "Hollow fiber based supported liquid membrane: a novel analytical system for trace metal analysis", *Analytica Chimica Acta* 350: 183-195 (1997).
- [264] Patthaveekongka, W., Vijitchalermpong, N., and Pancharoen, U. "Selective Recovery of Palladium from Used Aqua Regia by Hollow Fiber Supported Liquid Membrane", *Korean Journal of Chemical Engineering* 14 (4): 263-269 (2003).
- [265] Patthaveekongka, W., Ramakul, P., Assabumrungrat, S., and Pancharoen, U. "Transport of Cerium, Lanthanum, Neodemium and Palladium via Hollow Fiber Supported Liquid Membrane on Equilibrium Theory", *Journal of the Chinese Institute of Chemical Engineers* 37 (3): 227-238 (2006).

- [266] Pierre, F. X., Souchon, I., and Marin, M. "Recovery of sulfur aroma compounds using membrane-based solvent extraction", *Journal of Membrane Science* 187: 239-253 (2001).
- [267] Pierre, F. X., Souchon, I., Athes-Dutour, V., and Marin, M. "Membrane-based solvent extraction of sulphur aroma compounds: influence of operating conditions on mass transfer coefficients in a hollow fiber contactor", *Desalination* 148: 199-204 (2002).
- [268] Prapasawat, T., Ramakul, P., Satayaprasert, C., Pancharoen, U., and Lothongkum, A. W. "Separation of As(III) and As(V) by hollow fiber supported liquid membrane based on the mass transfer theory", *Korean Journal of Chemical Engineering* 25(1): 158-163 (2008).
- [269] Prasad, R., and Sirkar, K. K. "Dispersion-free solvent extraction with micro porous hollow-fiber modules", *AIChE Journal* 34: 177-188 (1988).
- [270] Prasad, R., and Sirkar, K. K. "Hollow fiber solvent extraction of pharmaceutical products", *Journal of Membrane Science* 47: 235-259 (1989).
- [271] Prasad, R., Frank, G. T., and Sirkar, K. K. "Non-dispersive solvent extraction using micro porous membrane", *AIChE symposium series* 84: 42-53(1988).
- [272] Prashart, S. K., Vijay Kumar V. M. "Application of ELM process for enrichment of molybdenum from aqueous solutions", *Journal of Membrane Science* 201: 123-128 (2002).
- [273] Preston, J. S. "The recovery of rare earth oxides from a phosphoric acid by product, Part4, The preparation of magnet-grade neodymium oxide from the light rare earth fraction", *Hydrometallurgy* 42: 151-167 (1996).
- [274] Qian, Y., and Kocherginsky, N. M. "Copper removal from ammoniacal wastewater through a hollow fiber supported liquid membrane system: Modeling and experimental verification", *Journal of Membrane Science* 297: 121-129 (2007).
- [275] Qin, Y., and Cabral, JMS. "Lumen mass transfer in hollow-fiber membrane processes with nonlinear boundary conditions", *AIChE Journal* 44: 836-848 (1998).
- [276] Ramachandra, B. R., Rajesh Kumar, J., Phani Raja, K.A., and Varada, R. "Solvent extraction of Hf (IV) from acidic chloride solutions using Cyanex 302", *Minerals Engineering* 17: 939-942 (2004).
- [277] Ramachanda, B.R., Neela Priya, D., and Rajesh Kumar, J. "Solvent extraction of cadmium(II) from sulphate solutions using TOPS99, PC 88A, Cyanex 272 and their mixtures", *Hydrometallurgy* 74: 277-283 (2004).

- [278] Ramakul, P., and Pancharoen, U. "Synergistic Extraction and Separation of Mixture of Lanthanum and Neodymium by Hollow Fiber Supported Liquid Membrane", *Korean Journal of Chemical Engineering* 20 (4): 724- 730 (2003).
- [279] Ramakul, P., Nakararueng, K., and Pancharoen, U. "One-through Selective Separation of Copper, Chromium and Zinc Ions by Hollow Fiber Supported Liquid Membrane", *Korean Journal of Chemical Engineering* 21(6): 1212-1217 (2004).
- [280] Ramakul, P., Pattaweeekongka, W., and Pancharoen, U. "Selective Separation of Trivalent and Tetravalent Lanthanide from Mixture by Hollow Fiber Supported Liquid Membrane", *Journal of Chinese Institute of Chemical Engineering* 36(5): 459-465 (2005).
- [281] Ramakul, P., Pathaveekongka, W., Pancharoen, U. "Mass transfer modeling of membrane carrier system for extraction of Ce(IV) from sulfate media using hollow fiber supported liquid membrane", *Korean Journal of Chemical Engineering* 23: 85-92 (2006).
- [282] Ramakul, P., Songkun, E., Pattaweeekongka, W., Hronec, M. and Pancharoen, U. "Permeation study on the hollow fiber supported liquid membrane for the extraction of Cobalt(II)", *Korean Journal of Chemical Engineering* 23(1): 117-123 (2006).
- [283] Ramakul, P., Prapasawad, T., Pancharoen, U., and Pattaveekongka, W. "Separation of radioactive metal ions by hollow fiber supported liquid membrane and permeability analysis", *J. China. Inst. Chem. Engrs.* 38: 489-494 (2007).
- [284] Ramakul, P., Supajaroont, T., Prapasawat, T., Pancharoen, U., and Lothongkum, A.W. "Synergistic separation of yttrium ions in lanthanide series from rare earths mixture via hollow fiber supported liquid membrane", *Journal of Industrial and Engineering Chemistry* 15:224-228 (2009).
- [285] Rane, M. V., and Venugopal, V. "Study on the extraction of palladium(II) and platinum(IV) using LIX 84I", *Hydrometallurgy* 84: 54-59 (2006).
- [286] Rania, S., Azza, H., Maaly, K., and El Hassanin, A. "Removal of lead by an emulsion liquid membrane Part I", *Desalination* 212: 165-175 (2007).
- [287] Rathore, N. S., Leopold, A., Pabby, A. K., Fortuny, A., Coll, M. T., and Sastre, A. M. "Extraction and permeation studies of Cd(II) in acidic and neutral chloride media using Cyanex 923 on supported liquid membrane", *Hydrometallurgy* 96: 81-87 (2009).

- [288] Rathore, N. S., Sonawane, J. V., Gupta, S. K., Pabby, A. K., Venugopalan, K., and Changrani, R. D., et al, "Separation of uranium and plutonium from aqueous acidic wastes using a hollow fiber supported liquid membrane", *Separation Science and Technology* 39: 1295-1319 (2005).
- [289] Rathore, N. S., Sonawane, J. V., Kumar, A., Venugopalan, A. K., Singh, R. K., Bajpai, D. D. et al, "Hollow fiber supported liquid membrane: a novel technique for separation and recovery of plutonium from aqueous acidic wastes", *Journal of Membrane Science* 189: 119-128 (2001).
- [290] Rauta, D. R., Mohapatra, P. K., Ansari, S. A., Sarkar, A., and Manchanda, V. K. "Selective transport of radio-cesium by supported liquid membrane containing calyx (4) crown-6 ligand as the mobile carrier", *Desalination* 232: 460-466 (2008).
- [291] Rawat, N., Mohapatra, P. K., Lakshmi, D. S., Bhattacharyya, A., and Manchanda, V. K. "Evaluation of a supported liquid membrane a macrocyclic ionophore for selective removal of strontium from nuclear waste solution", *Journal of Membrane Science* 275: 82-88 (2006).
- [292] Recep, A. K. "Extraction and concentration study of cadmium from zinc plant leach solutions by emulsion liquid membrane using trioctylamine as extractant", *Hydrometallurgy* 95: 290-296 (2009).
- [293] Recep, A. K. "Cobalt-nickel separation from acidic thiocyanate leach solution by emulsion liquid membrane (ELMs) using TOPO as carrier", *Separation and Purification Technology* 68: 208-215 (2009).
- [294] Recep, A. K. "Studies on extraction of chromium(VI) from acidic solutions containing various metal ions by emulsion liquid membrane using Alamine336 as extractant", *Journal of membrane Science* 325: 460-466 (2008).
- [295] Recep, A. K. "Transport of cadmium ions from zinc plant leach solutions through emulsion liquid membrane containing Aliquat 336 as carrier", *Separation and Purification Technology* 63: 592-599 (2008).
- [296] Reddy, B. R., Kumar, J. R., and Reddy, A. V. "Solvent extraction of zirconium(IV) from acid chloride solutions using LIX 84-IC", *Hydrometallurgy* 74: 173-177 (2004).
- [297] Reddy, B. R., Kumar, J. R. A., Varada, R., and Priya, D. N. "Solvent extraction of zirconium(IV) from acidic choloride solution using 2-ethyl hexyl phosphonic acid mono-2-ethylhexyl ester (PC-88A)", *Hydrometallurgy* 72(3-4): 303-307(2004).

- [298] Reddy, B. R., Neela, D. P., and Kyung, H. P. "Separation and recovery of cadmium(II), Cobalt(II) and nickel(II) from sulphate leach liquors of spent Ni-Cd batteries using phosphorus based extractants", *Separation and Purification Technology* 50: 161-166 (2006).
- [299] Reddy, B. R., Neela, D. P., Venkateswara, R., and Radhika, P. "Solvent extraction and separation of Cd(II), Ni(II) and Co(II) from chloride leach liquors of spent Ni-Cd batteries using commercial organo-phosphorus extractants", *Hydrometallurgy* 77: 253-261 (2005).
- [300] Reddy, B. R., Priya, D. N., and Kumar, J. R. "Solvent extraction of cadmium(II) from sulphate solutions using TOPS 99, PC 88A, Cyanex 272 and their mixtures". *Hydrometallurgy* 74: 277- 283 (2004).
- [301] Reddy, B. R., Venkateswara, S. R., and Neela, D. P. "Selective separation and recovery of divalent Cd and Ni from sulphate solutions with mixtures of TOPS 99 and Cyanex 471 X", *Separation and Purification Technology* 59: 214-220 (2008).
- [302] Reis, MTA., de Freitas, M. F., Ismael, MRC., and Carvalho, JMR. "Recovery of phenol from aqueous solutions using liquid membranes with Cyanex 923", *Journal of Membrane Science* 305: 313-324 (2007).
- [303] Ren, Z., Zhang, W., Dai, Y., Yang, Y., and Hao, Z. "Modeling of effect of pH on mass transfer of copper(II) extraction by hollow fiber renewal liquid membrane", *Industrial & Engineering Chemistry Research* 47: 4256-4262 (2008).
- [304] Ren, Z., Zhanh, W., Li, H., and Lin, W. "Mass transfer characteristics of citric acid extraction by hollow fiber renewal liquid membrane", *Chemical Engineering Journal* 146: 220-226 (2009).
- [305] Reyes-Aguilera, J. A., Gonzalez, M. P., Navarro, R., Saucedo, T. I., and Avila-Rodriguez, M. "Supported liquid membrane (SLM) for recovery of bismuth from aqueous solutions", *Journal of Membrane Science* 310: 13-19 (2008).
- [306] Rodríguez, M., Viegas, RMC., Luque, S., Coelhoso, I. M., Crespo, JPSG., and Alvarez, J. R. "Removal of valeric acid from wastewaters by membrane contactors", *Journal of Membrane Science* 137: 45-53 (1997).
- [307] Roy, S. C., Sonawane, J. V., Rathore, N. S., Pabby, A. K., Janardan, P., Changrani, R. D., et al, "Pseudo-emulsion based hollow fiber strip dispersion technique (PEHFSD): optimization, modelling

- and application of PEHFSD for recovery of U(VI) from process effluent”, Separation Science and Technology 43: 3305-3332 (2008).
- [308] Ruey-Shin, J., Hsiang-Chien, K., and Wen-Hsin, W. “Analysis of liquid membrane extraction of binary Zn(II) and Cd(II) from chloride media with aliquat336 based”, Journal of Membrane Science 288: 169-177 (2004).
- [309] Runu, C., and Siddharta, D. “Transport of Te⁴⁺ through liquid surfactant membrane using D2EHPA as the carrier”, Journal of Membrane Science 96(3): 233-240 (1994).
- [310] Sabry, R., Hafez, A., Khedr, M., and El-Hassanin, A. “Removal of lead by an emulsion liquid membrane Part I”, Desalination 212: 165-175 (2007).
- [311] Sahoo, G. C., Borthakur, S., Dutta, N. N., and Dass, N. N. “Reactive extraction of cephalosporin antibiotics in hollow fiber membrane”, Bioprocess Engineering 20: 117-125 (1999).
- [312] Saikia, B., Dutta, N. N., and Dass, N. N. “Extraction of L-Phenylalanine in hollow fiber membrane”, Journal of Membrane Science 225: 1-13 (2003).
- [313] Saito, K., Taninaka, I., Murakami, S., and Muromatsu, A. “Extraction behaviour of copper(II) and silver (I) with a thiacrown ether carboxylic acid, 2-(3,6,10,13-tetrathiacyclotetradec-1-oxy) hexanoic acid”, Talanta 46(5): 1187-1194 (1998).
- [314] Saji, J., Prasada Rao, T., Iyer, C. S. P., and Reddy, M. L. P. “Extraction of iron (III) from acidic chloride solutions by Cyanex 923”, Hydrometallurgy 49: 289-296 (1998).
- [315] Samaniego, H., San Román, M. F., and Ortiz, I. “Kinetics of zinc recovery from spent pickling effluents”, Industrial & Engineering Chemistry Research 46: 907-912(2007).
- [316] Samaniego, H., San Román, M. F., and Ortiz, I. “Modeling of the extraction and back-extraction equilibria of zinc from spent pickling solutions”, Separation Science and Technology 41: 757-769 (2006).
- [317] San Román, M. F., Bringas, E., Ortiz, I., and Grossmann, I. E. “Optimal synthesis of an emulsion pertraction process for the removal of pollutant anions in industrial wastewater systems”, Computers & Chemical Engineering 31: 456-465 (2007).
- [318] Sangtumrong, S., Ramakul, P., Satayaprasert, C., Pancharoen, U., and Lothongkum, A. W. “Purely separation of mixture of mercury and arsenic via hollow fiber supported liquid membrane”, Journal of Industrial and Engineering Chemistry 13(5): 751-756 (2007).

- [319] Sarang, K., and Das, R. P. "Separation of copper and zinc by supported liquid membrane using TOPS-99 as mobile carrier", *Hydrometallurgy* 71: 335-342 (2004).
- [320] Sastre, A. M., Kumar, A., Shukla, J. P., and Singh, R. K. "Improved techniques in liquid membrane separations: an overview", *Separation and Purification Technology* 27: 213-298 (1998).
- [321] Schlosser, S., and Sabolová, E. "Three-phase contactor with distributed U-shaped bundles of hollow-fibers for pertraction" *Journal of Membrane Science* 210: 331-347 (2002).
- [322] Schöner, P., Plucinski, P., Nitsch, W., and Daiminger, U. "Mass transfer in the shell side of cross flow hollow fiber modules", *Chemical Engineering Science* 53: 2319-2326 (1998).
- [323] Schultz, G. "Separation Techniques with Supported Liquid Membrane", *Desalination* 68: 191- 202 (1988).
- [324] Sengupta, B., Sengupta, R., and Subrahmanyam, N. "Copper extraction into emulsion liquid membrane using LIX984N-C", *Hydrometallurgy* 81(1): 67-73 (2006).
- [325] Shailesh, S., Pathak, P. N., Mohapatra, P. K., and Manchanda, V. K. "Transport studies of uranium across a supported liquid membrane containing N, N-di (2ethylhexyl) isobutyramide (D2EHIBA) as the carrier", *Journal of Membrane Science* 272: 143-151 (2006).
- [326] Shamsipur, M., Hashemi, O. R., Lippolis, V. "A supported liquid membrane system for simultaneous separation of silver (I) and mercury (II) from dilute feed solutions", *Journal of Membrane Science* 282(1-2): 322-327 (2006).
- [327] Shen, J. Q., Yin, W. P., Zhao, Y. X., and Yu, L. J. "Extraction of alanine using emulsion liquid membranes featuring a cationic carrier", *Journal of Membrane Science* 120: 45-53 (1996).
- [328] Shen, Y. F., Xue, W. Y. "Recovery Palladium, gold and platinum from hydrochloric acid solution using 2-hydroxy-4-sec-octanoyl diphenyl-ketoxime", *Separation and Purification Technology* 56(3): 278-283 (2007).
- [329] Sheng Sheng, F., Hideto, M. and Masaaki, T. "Ce (III) recovery by supported liquid membrane using polyethylene hollow fiber prepared via thermally induced phase separation", *Separation and Purification Technology* 36: 17-22 (2004).
- [330] Shiau, C. Y., and Jung, S. W. "Selective Extraction of metal ions through liquid surfactant membranes", *Journal of Chemical Technology & Biotechnology* 56(1): 27-33 (1993).

- [331] Shiau,C.Y. "Analysis of Transport Rate of Zinc Extraction Through Liquid Surfactant Membrane", Separation Science and Technology 26(12): 1519-1530 (1991).
- [332] Shiau, C. Y., and Chen, P. Z. "Theoretical analysis of copper-ion extraction through hollow fiber supported liquid membranes", Separation Science and Technology 28: 2149-2165 (1993).
- [333] Shukla, J. P., and Misra, S. K."Carrier-mediated transport of uranyl ions across tributyl phosphate-dodecane liquid membranes", Journal of Membrane Science 64: 93-102 (1991).
- [334] Singh, N., and Jang, D. O. "Selective and efficient tripodal receptors for competitive solvent extraction and bulk liquid membrane transport of Hg²⁺", Journal of Hazardous Materials 168: 727-731 (2009).
- [335] Singh. S. K., Misra, S. K., Tripathi, S. C., Singh, D .K. "Studies on permeation of uranium (VI) from phosphoric acid medium through supported liquid membrane comprising a binary mixture of PC88A and Cyanex 923 in n-dodecane as carrier", Desalination 250: 19-25 (2010).
- [336] Sofany, E.A. "Removal of lanthanum and gadolinium from nitrate medium using aliquat 336 impregnated onto XAD-4", Journal of Hazardous materials 153: 948-954 (2007).
- [337] Soko, L., Chimuka, L., Cukrowsk, E., and Pole, S. "Extraction and preconcentration of Manganese (II) from biological fluids (water, milk and blood serum) using supported liquid membrane and membrane probe methods" Analytica Chimica Acta 485: 25-35 (2003).
- [338] Soldenhoff, K., Sharnieh, M., and Manis, A. "Liquid-liquid extraction of cobalt with hollow fiber contactor", Journal of Membrane Science 252: 183-194(2005).
- [339] Sole, K. C., Ferguson, T. L., and Hiskey, J. B. "Solvent Extraction of silver by Cyanex 272, Cyanex 302 and Cyanex 301", Solvent Extraction and Ion Exchange 12(5): 1033-1050 (1994).
- [340] Sonawane, J. V., Kumar, Pabby A., and Sastre, A. M. "Au(I) extraction by LIX-79/n-heptane using the pseudo-emulsion-based hollow-fiber strip dispersion (PEHFSD) technique", Journal of Membrane Science 300: 147-155 (2007).
- [341] Stankovic, V., Outarra, L., Zonnevijlle, F., and Comminellis, C. "Solvent extraction of silver from nitric acid solution by calyx (4) arene amine derivative", Separation and Purification Technology 61(3):366-374 (2007).
- [342] Stevens, G. W., Cheng, C., and Mackay, M. E. "Stabilising emulsion liquid membranes", Separation Science and Technology 31(8): 1025-1033 (1996).

- [343] Sumiko, S., Masumi, Y., and Hiroshi, M. "Stripping of silver from Primene JMT loaded with silver thiocyanate complexes", *Hydrometallurgy* 52(2): 123-135 (1999).
- [344] Surajit, P., Mohapatra, P. K., Tripathi, S. C., Manchanda, V. K. "Studies on uranium(VI) pertraction across a N, N, N-N-tetraoctyl di glycolamide (TODGA) supported liquid membrane", *Journal of Membrane Science* 337: 274-281 (2009).
- [345] Swain, B., Jeoung, J., Lee, J. C., and Lee, G. H. "Separation of Co (II) and Li (I) by supported liquid membrane using Cyanex 272 as mobile carrier", *Journal of Membrane Science* 297: 253-261 (2006).
- [346] Swain, B., Sarangi, K., and Das, R. P. "Effect of different anions on separation of cadmium and zinc by supported liquid membrane using TOPS-99 as mobile carrier", *Journal of Membrane Science* 277: 240-248 (2006).
- [347] Szpakowska, M. "Coupled transport of copper through different types of liquid membranes containing Acorga P-50 as carrier", *Journal of Membrane Science* 109: 77-86 (1996).
- [348] Szpakowska, M., and Nagy, O. B. "Stability of supported liquid membranes containing Acorga P-50 as carrier", *Journal of Membrane Science* 129: 251-261 (1997).
- [349] Tanigaki, M., Shiode, T., Ueda, M., and Eguchi, W. "Facilitated Transport of Zinc Chloride through Hollow Fiber Supported Liquid Membrane. Part 2: Membrane Stability", *Separation Science and Technology* 23 (10 & 11): 1161-1169 (1988).
- [350] Tarditi, A. M., Marchese, J., and Campderros, M. E. "Modelling of zinc (II) transport through a PC-88A supported liquid membrane", *Desalination* 228: 226-236 (2008).
- [351] Taylarides, L.L., Bae, J.H., and Lee, C.K. "Solvent Extraction, Membranes and Ion Exchange in Hydrometallurgical Dilute Metals Separation", *Separation Science and Technology* 22 (2 & 3): 581-617 (1987).
- [352] Teramoto, M., Masuyama, H., Takaya, H., and Asano, S. "Development of Spiral-Type Supported Liquid Membrane Module for Separation and Concentration Metal Ions", *Separation Science and Technology* 22 (11): 2175-2201 (1987).
- [353] Teresa, M., Ries, A., and Carvalho, J. M. R. "Modeling of Zinc extraction from sulphate solutions with bis (2-ethylhexyl) thiophosphoric acid by emulsion liquid membrane", *Journal of Membrane Science* 237: 97-107 (2004).

- [354] Tompkins, C. J., Michaels, A. S., and Peretti, S. W. "Removal of p-nitrophenol from aqueous solution by membrane-supported solvent extraction", *Journal of Membrane Science* 75: 277-292 (1992).
- [355] Tong, Y., Hirata, M., Takanashi, H., Hano, T., Kubota, F., Goto, M., et al. "Extraction of lactic acid from fermented broth with microporous hollow fiber membranes", *Journal of Membrane Science* 143: 81-91 (1998).
- [356] Trivunac, K., Stevanovic, S., and Mitrovic, M. "Pertraction of phenol in hollow-fiber membrane contactors", *Desalination* 162: 93-101(2004).
- [357] Uddin, M. S., and Kathiresan, M. "Extraction of metal ions by emulsion liquid membrane using bi-functional surfactant: equilibrium and kinetic studies", *Separation and Purification Technology* 19: 3-9 (2000).
- [358] Uedee, E., Raimakul, P., Pancharoen, U., and Lothongkum, A. W. "Performance of hollow fiber supported liquid membrane on the extraction of mercury (II) ions", *Korean Journal of Chemical Engineering* 25 (6): 1486-1494 (2008).
- [359] Uheida, A., Zhang, Y., and Muhammed, M. "Transport of palladium (II) through hollow fiber supported liquid membrane facilitated by nonylthiourea", *Journal of Membrane Science* 241: 289-295 (2004).
- [360] Urriaga, A. M., Abellán, M. J., Irabien, J. A., and Ortiz, I. "Membrane contactors for the recovery of metallic compounds. Modeling of copper recovery from WPO processes", *Journal of Membrane Science* 257: 161-170 (2005).
- [361] Urriaga, A. M., Alonso, A., Ortiz, I., El-Reefy, S. A., Pérez de, Ortiz S., and Gallego, T. "Comparison of liquid membrane processes for the removal of cadmium from wet phosphoric acid", *Journal of Membrane Science* 164: 229-240 (2000).
- [362] Urriaga, A. M., and Irabien, J. A. "Internal mass transfer in hollow fiber supported liquid membranes", *AIChE Journal* 39: 521-525 (1993).
- [363] Urriaga, A. M., Irabien, A., and Stroeve, P. "Effect of a variable solute distribution coefficient on mass separation in hollow fibers", *Industrial & Engineering Chemistry Research* 31: 1362-1366 (1992).

- [364] Urriaga, A. M., Ortiz, M. I., and Irabien, J. A. "Supported liquid membranes for the separation-concentration of phenol. 1. Viability and mass transfer evaluation", *Industrial & Engineering Chemistry Research* 31: 877-886 (1992).
- [365] Urriaga, A. M., Ortiz, M. I., Salazar, E., and Irabien, J. A. "Supported liquid membranes for the separation-concentration of phenol. 2. Mass-transfer evaluation according to fundamental equations", *Industrial & Engineering Chemistry Research* 31: 1745-1753 (1992).
- [366] Urriaga, A. M., Zamacona, S., and Ortiz, M. I. "Analysis of a NDSX process for the selective removal of Cd from phosphoric acid", *Separation Science and Technology* 34: 3279-3296 (1999).
- [367] Usapein, P.; Lothongkum, A.W.; Ramakul, P. & Pancharoen, U. "Efficient transport and selective extraction of Cr (VI) from waste pickling solution of the stainless steel-cold rolled plate process using Aliquat 336 via HFSLM", *Korean Journal of Chemical Engineering* 26 (3): 791-798 (2009).
- [368] Vajda, M., Havalda, I., and Mácek, R. "Membrane-based solvent extraction and stripping of zinc in a hollow-fibre contactor operating in circulating mode", *Desalination* 163: 19-25 (2004).
- [369] Valenzuela, F., Basualto, C., Tapia, C., and Sapag, J. "Application of hollow-fiber supported liquid membranes technique to the selective recovery of a low content of copper from a Chilean mine water", *Journal of Membrane Science* 155: 163-168 (1999).
- [370] Valenzuela, F., Nakashio, F., and Kondo, K. "Extraction kinetics of copper with 8-octane-sulfonamidoquinoline in a membrane extractor using a hollow fiber", *The Journal of Applied Research* 24: 33-39 (1994).
- [371] Valenzuela, F., Cabrera, J., Basualto, C., and Hagar, J. S. "Kinetic of copper removal from acidic mine drainage by a liquid emulsion membrane method" *Minerals Engineering* 18: 1224-1232 (2005).
- [372] Valenzuela, F., Cabrera, J., Basualto, C., and Hagar, J. S. "Liquid membrane emulsion process for recovering the copper content of a mine drainage", *Chemical Engineering Research and Design* 87: 102-108 (2008).
- [373] Valenzuela, F., Cabrera, J., Basualto, C., Correa, O., Tapia, C., and Hager, J. S. "Removal of copper ions from a waste mine water by a liquid emulsion membrane method", *Minerals Engineering* 18(1): 33-40 (2004).

- [374] Valenzuela, F., Vega, M. A., Yañez, M. F., and Basualto, C. "Application of a mathematical model for copper permeation from a Chilean mine water through a hollow fiber-type supported liquid membrane". *Journal of Membrane Science* 204: 385-400 (2002).
- [375] Van der Vaart, R., Akkerhuis, J., Feron, P., and Jansen, B. "Removal of mercury from gas streams by oxidative membrane gas absorption", *Journal of Membrane Science* 187: 151-157 (2001).
- [376] Van de Voorde, I., Pinoy, L., and De Ketelaere, R. F. "Recovery of nickel ions by supported liquid membrane (SLM) extraction", *Journal of Membrane Science* 234: 11-21 (2004).
- [377] Venkateswaran, P., Gopalakrishnan, A. N., and Palanivelu, K. "Di(2-ethylhexyl) phosphoric acid-coconut oil supported liquid membrane for the separation of copper ions from copper plating wastewater", *Journal of Environmental Science* 19(12): 1446-1453 (2006).
- [378] Viegas, RMC., Rodríguez, M., Luque, S., Alvarez, J. R., Coelhos, I. M., and Crespo, JPSG. "Mass transfer correlations in membrane extraction: analysis of Wilson-plot methodology", *Journal of Membrane Science* 145: 129-142 (1998).
- [379] Volkel, W., Halwachs W., and Schugerl, K. "Copper extraction by means of a liquid surfactant membrane process", *Journal of Membrane Science* 6: 19-31 (1980).
- [380] Wannachod, P., Chaturabul, S., Pancharoen, U., Lothongkum, A. W., and Patthaveekongka, W. "The effective recovery of praseodymium from mixed rare earths via a hollow fiber supported liquid membrane add its mass transfer related" *Journal of Alloys and Compounds* 509: 354-361 (2011).
- [381] Wisniewski, M. "Extraction of arsenic from sulphuric acid solutions by Cyanex 923", *Hydrometallurgy* 46: 235-241 (1997).
- [382] Yang, M., and Cussler, E. "Reaction dependent extraction of copper and nickel using hollow fibers", *Journal of Membrane Science* 166: 229-238(2000).
- [383] Yang, M. C., and Cussler, E. L. "Designing hollow fiber contactors", *AIChE Journal* 32: 1910–1916 (1986).
- [384] Yang, Q., and Kocherginsky, N. M. "Copper recovery and spent ammoniacal etchant regeneration based on hollow fiber supported liquid membrane technology: from bench-scale to pilot-scale tests", *Journal of Membrane Science* 286: 301-309 (2006).

- [385] Yang, Q., and Kocherginsky, N. M. "Copper removal from ammoniacal wastewater through a hollow fiber supported liquid membrane system: modeling and experimental verification", *Journal of Membrane Science* 297: 121-129 (2007).
- [386] Yang, X. J., Fane, T. "Effect of membrane preparation on the lifetime of supported liquid membranes", *Journal of Membrane Science* 133(2): 269-273 (1997).
- [387] Yang, X. J., Fane, A. G., and Soldenhoff, K. "Comparison of liquid membrane processes for metal separations: permeability, stability, and selectivity", *Industrial & Engineering Chemistry Research* 42: 392-403 (2003).
- [388] Yang, Z. F., Guha, A. K., and Sirkar, K. K. "Novel membrane-based synergistic metal extraction and recovery processes", *Industrial & Engineering Chemistry Research* 35: 1383-1394 (1996).
- [389] Yang, Z. F., Guha, A. K., and Sirkar, K. K. "Simultaneous and synergistic extraction of cationic and anionic heavy metallic species by a mixed solvent extraction system and a novel contained liquid membrane device", *Industrial & Engineering Chemistry Research* 35: 4214-4220 (1996).
- [390] Ye, Z. F., Wang, Y. P., Liu, Y. S., Jiang, Z. L., Shen, X., Zhu, L. G., and Shi, X. F. "Transport of Na⁺, K⁺ ions in a bubbling pseudo-emulsion liquid membrane system with p-tert-butylcalixarenes as carrier", *Journal of Membrane Science* 163: 367-372 (1999).
- [391] Yeh, H. M., and Huang, C. M. "Solvent extraction in multiphase parallel-flow mass exchangers of micro-porous hollow-fiber modules", *Journal of Membrane Science* 103: 135-150 (1995).
- [392] Yi, J. "Effects of the Boundary Layer and Interfacial Reaction on the Time Lag in Supported Liquid Membranes", *Korean Journal of Chemical Engineering* 12(3): 391-395 (1995).
- [393] Yi, J., and Taylarides, L. L. "Modeling chemically active liquid membranes in tubular inorganic supports", *AIChE Journal* 41: 1403-1412(1995).
- [394] Yi, M.H., Nam, S.J., and Chung S.T. 1997. "Separation of L-Valine by Anionic Cerrier-Mediated Transport in a Supported Liquid Membrane", *Korean Journal of Chemical Engineering* 14(4): 263-269.
- [395] Yoshizuka, K., Yasukawa, R., Koba, M., and Inoue, K. "Diffusion-model accompanied with aqueous homogeneous reaction in hollow-fiber membrane extractor", *Journal of Chemical Engineering of Japan* 28: 59-65 (1995).

- [396] Younas, M., Bocquet, S. D., and Sanchez, J. "Extraction of aroma compounds in a HFMC: dynamic modeling and simulation", *Journal of Membrane Science* 323: 386-394 (2008).
- [397] Yun, C., Prasad, R., and Sirkar, K. K. "Hollow fiber solvent extraction removal of toxic heavy metals from aqueous waste streams", *Industrial & Engineering Chemistry Research* 32: 1186-1194 (1993).
- [398] Zaghbani, A., Tayeb, R., Bonnamour, I., Felix, C., Vocanson, F., Lamartine, R., Dhahbi, M., and Seta P. "Affinity membrane for the extraction of Cd²⁺ metal ions by facilitated transport ensured by a new thiocalix (4) arene complexing agent incorporated in supported liquid membranes (SLM)", *Journal of Membrane Science* 258: 5-7 (2005).
- [399] Zha, F. F., Fane, A. G., and Fell, C. J. "Instability mechanisms of supported liquid membranes in phenol transport process", *Journal of Membrane Science* 107(1-2): 59-74 (1995).

หมวด ๔ หนังสือและคำรา

- [1] Reddy, B. R., Venkateswara, S. R., and Neela, D. P. "Selective separation and recovery of divalent Cd and Ni from sulphate solutions with mixtures of TOPS 99 and Cyanex 471 X", *Separation and Purification Technology* 59: 214-220 (2008).
- [2] Reis, MTA., de Freitas, M. F., Ismael, MRC., and Carvalho, JMR. "Recovery of phenol from aqueous solutions using liquid membranes with Cyanex 923", *Journal of Membrane Science* 305: 313-324 (2007).
- [3] Ren, Z., Zhang, W., Dai, Y., Yang, Y., and Hao, Z. "Modeling of effect of pH on mass transfer of copper(II) extraction by hollow fiber renewal liquid membrane", *Industrial & Engineering Chemistry Research* 47: 4256-4262 (2008).
- [4] Ren, Z., Zhanh, W., Li, H., and Lin, W. "Mass transfer characteristics of citric acid extraction by hollow fiber renewal liquid membrane", *Chemical Engineering Journal* 146: 220-226 (2009).
- [5] Reyes-Aguilera, J. A., Gonzalez, M. P., Navarro, R., Saucedo, T. I., and Avila-Rodriguez, M. "Supported liquid membrane (SLM) for recovery of bismuth from aqueous solutions", *Journal of Membrane Science* 310: 13-19 (2008).

- [6] Rodríguez, M., Viegas, R.M.C., Luque, S., Coelhoso, I. M., Crespo, J.P.S.G., and Alvarez, J. R. "Removal of valeric acid from wastewaters by membrane contactors", *Journal of Membrane Science* 137: 45-53 (1997).
- [7] Roy, S. C., Sonawane, J. V., Rathore, N. S., Pabby, A. K., Janardan, P., Changrani, R. D., et al, "Pseudo-emulsion based hollow fiber strip dispersion technique (PEHFSD): optimization, modelling and application of PEHFSD for recovery of U(VI) from process effluent", *Separation Science and Technology* 43: 3305-3332 (2008).
- [8] Ruey-Shin, J., Hsiang-Chien, K., and Wen-Hsin, W. "Analysis of liquid membrane extraction of binary Zn(II) and Cd(II) from chloride media with aliquat336 based", *Journal of Membrane Science* 288: 169-177 (2004).
- [9] Runu, C., and Siddharta, D. "Transport of Te⁴⁺ through liquid surfactant membrane using D2EHPA as the carrier", *Journal of Membrane Science* 96(3): 233-240 (1994).
- [10] Sabry, R., Hafez, A., Khedr, M., and El-Hassanin, A. "Removal of lead by an emulsion liquid membrane Part I", *Desalination* 212: 165-175 (2007).
- [11] Sahoo, G. C., Borthakur, S., Dutta, N. N., and Dass, N. N. "Reactive extraction of cephalosporin antibiotics in hollow fiber membrane", *Bioprocess Engineering* 20: 117-125 (1999).
- [12] Saikia, B., Dutta, N. N., and Dass, N. N. "Extraction of L-Phenylalanine in hollow fiber membrane", *Journal of Membrane Science* 225: 1-13 (2003).
- [13] Saito, K., Tanimaka, I., Murakami, S., and Muromatsu, A. "Extraction behaviour of copper(II) and silver (I) with a thiacyclic ether carboxylic acid, 2-(3,6,10,13-tetrathiacyclotetradec-1-oxy) hexanoic acid", *Talanta* 46(5): 1187-1194 (1998).
- [14] Saji, J., Prasada Rao, T., Iyer, C. S. P., and Reddy, M. L. P. "Extraction of iron (III) from acidic chloride solutions by Cyanex 923", *Hydrometallurgy* 49: 289-296 (1998).
- [15] Samaniego, H., San Román, M. F., and Ortiz, I. "Kinetics of zinc recovery from spent pickling effluents", *Industrial & Engineering Chemistry Research* 46: 907-912(2007).
- [16] Samaniego, H., San Román, M. F., and Ortiz, I. "Modeling of the extraction and back-extraction equilibria of zinc from spent pickling solutions", *Separation Science and Technology* 41: 757-769 (2006).

- [17] San Román, M. F., Bringas, E., Ortiz, I., and Grossmann, I. E. "Optimal synthesis of an emulsion pertraction process for the removal of pollutant anions in industrial wastewater systems". *Computers & Chemical Engineering* 31: 456-465 (2007).
- [18] Sangtumrong, S., Ramakul, P., Satayaprasert, C., Pancharoen, U., and Lothongkum, A. W. "Purely separation of mixture of mercury and arsenic via hollow fiber supported liquid membrane", *Journal of Industrial and Engineering Chemistry* 13(5): 751-756 (2007).
- [19] Sarang, K., and Das, R. P. "Separation of copper and zinc by supported liquid membrane using TOPS-99 as mobile carrier", *Hydrometallurgy* 71: 335-342 (2004).
- [20] Sastre, A. M., Kumar, A., Shukla, J. P., and Singh, R. K. "Improved techniques in liquid membrane separations: an overview", *Separation and Purification Technology* 27: 213-298 (1998).
- [21] Schlosser, S., and Sabolová, E. "Three-phase contactor with distributed U-shaped bundles of hollow-fibers for pertraction" *Journal of Membrane Science* 210: 331-347 (2002).
- [22] Schöner, P., Plucinski, P., Nitsch, W., and Daiminger, U. "Mass transfer in the shell side of cross flow hollow fiber modules", *Chemical Engineering Science* 53: 2319-2326 (1998).
- [23] Schultz, G. "Separation Techniques with Supported Liquid Membrane", *Desalination* 68: 191- 202 (1988).
- [24] Sengupta, B., Sengupta, R., and Subrahmanyam, N. "Copper extraction into emulsion liquid membrane using LIX984N-C". *Hydrometallurgy* 81(1): 67-73 (2006).
- [25] Shailesh, S., Pathak, P. N., Mohapatra, P. K., and Manchanda, V. K. "Transport studies of uranium across a supported liquid membrane containing N, N-di (2ethylhexyl) isobutyramide (D2EHIBA) as the carrier", *Journal of Membrane Science* 272: 143-151 (2006).
- [26] Shamsipur, M., Hashemi, O. R., Lippolis, V. "A supported liquid membrane system for simultaneous separation of silver (I) and mercury (II) from dilute feed solutions", *Journal of Membrane Science* 282(1-2): 322-327 (2006).
- [27] Shen, J. Q., Yin, W. P., Zhao, Y. X., and Yu, L. J. "Extraction of alanine using emulsion liquid membranes featuring a cationic carrier", *Journal of Membrane Science* 120: 45-53 (1996).
- [28] Shen, Y. F., Xue, W. Y. "Recovery Palladium, gold and platinum from hydrochloric acid solution using 2-hydroxy-4-sec-octanoyl diphenyl-ketoxime", *Separation and Purification Technology* 56(3): 278-283 (2007).

- [29] Sheng Sheng. F., Hideto. M. and Masaaki. T. "Ce (III) recovery by supported liquid membrane using polyethylene hollow fiber prepared via thermally induced phase separation", *Separation and Purification Technology* 36: 17-22 (2004).
- [30] Shiau. C. Y.. and Jung. S. W. "Selective Extraction of metal ions through liquid surfactant membranes", *Journal of Chemical Technology & Biotechnology* 56(1): 27-33 (1993).
- [31] Shiau,C.Y. "Analysis of Transport Rate of Zinc Extraction Through Liquid Surfactant Membrane". *Separation Science and Technology* 26(12): 1519-1530 (1991).
- [32] Shiau, C. Y., and Chen, P. Z. "Theoretical analysis of copper-ion extraction through hollow fiber supported liquid membranes", *Separation Science and Technology* 28: 2149-2165 (1993).
- [33] Shukla, J. P., and Misra, S. K."Carrier-mediated transport of uranyl ions across tributyl phosphate-dodecane liquid membranes", *Journal of Membrane Science* 64: 93-102 (1991).
- [34] Singh, N.. and Jang, D. O. "Selective and efficient tripodal receptors for competitive solvent extraction and bulk liquid membrane transport of Hg^{2+} ", *Journal of Hazardous Materials* 168: 727-731 (2009).
- [35] Singh, S. K., Misra, S. K., Tripathi, S. C., Singh, D .K. "Studies on permeation of uranium (VI) from phosphoric acid medium through supported liquid membrane comprising a binary mixture of PC88A and Cyanex 923 in n-dodecane as carrier", *Desalination* 250: 19-25 (2010).
- [36] Sofany, E.A. "Removal of lanthanum and gadolinium from nitrate medium using aliquat 336 impregnated onto XAD-4", *Journal of Hazardous materials* 153: 948-954 (2007).
- [37] Soko, L., Chimuka, L., Cukrowsk, E., and Pole, S. "Extraction and preconcentration of Manganese (II) from biological fluids (water, milk and blood serum) using supported liquid membrane and membrane probe methods" *Analytica Chimica Acta* 485: 25-35 (2003).
- [38] Soldenhoff, K., Shamieh, M., and Manis, A. "Liquid-liquid extraction of cobalt with hollow fiber contactor", *Journal of Membrane Science* 252: 183-194(2005).
- [39] Sole, K. C., Ferguson, T. L., and Hiskey, J. B. "Solvent Extraction of silver by Cyanex 272, Cyanex 302 and Cyanex 301", *Solvent Extraction and Ion Exchange* 12(5): 1033-1050 (1994).
- [40] Sonawane, J. V., Kumar, Pabby A., and Sastre, A. M. "Au(I) extraction by LIX-79/n-heptane using the pseudo-emulsion-based hollow-fiber strip dispersion (PEHFSD) technique", *Journal of Membrane Science* 300: 147-155 (2007).

- [41] Stankovic, V., Outarra, L., Zonnevijlle, F., and Comminellis, C. "Solvent extraction of silver from nitric acid solution by calyx (4) arene amine derivative", Separation and Purification Technology 61(3):366-374 (2007).
- [42] Stevens, G. W., Cheng, C., and Mackay, M. F. "Stabilising emulsion liquid membranes", Separation Science and Technology 31(8): 1025-1033 (1996).
- [43] Sumiko, S., Masumi, Y., and Hiroshi, M. "Stripping of silver from Primene JMT loaded with silver thiocyanate complexes", Hydrometallurgy 52(2): 123-135 (1999).
- [44] Surajit, P., Mohapatra, P. K., Tripathi, S. C., Manchanda, V. K. "Studies on uranium(VI) pertraction across a N, N, N-N-tetraoctyl di glycolamide (TODGA) supported liquid membrane", Journal of Membrane Science 337: 274-281 (2009).
- [45] Swain, B., Jeoung, J., Lee, J. C., and Lee, G. H. "Separation of Co (II) and Li (I) by supported liquid membrane using Cyanex 272 as mobile carrier", Journal of Membrane Science 297: 253-261 (2006).
- [46] Swain, B., Sarangi, K., and Das, R. P. "Effect of different anions on separation of cadmium and zinc by supported liquid membrane using TOPS-99 as mobile carrier", Journal of Membrane Science 277: 240-248 (2006).
- [47] Szpakowska, M. "Coupled transport of copper through different types of liquid membranes containing Acorga P-50 as carrier", Journal of Membrane Science 109: 77-86 (1996).
- [48] Szpakowska, M., and Nagy, O. B. "Stability of supported liquid membranes containing Acorga P-50 as carrier", Journal of Membrane Science 129: 251-261 (1997).
- [49] Tanigaki, M., Shiode, T., Ueda, M., and Eguchi, W. "Facilitated Transport of Zinc Chloride through Hollow Fiber Supported Liquid Membrane. Part 2: Membrane Stability", Separation Science and Technology 23 (10 & 11): 1161-1169 (1988).
- [50] Tarditi, A. M., Marchese, J., and Campderros, M. E. "Modelling of zinc (II) transport through a PC-88A supported liquid membrane", Desalination 228: 226-236 (2008).
- [51] Tavlarides, L.L., Bae, J.H., and Lee, C.K. "Solvent Extraction, Membranes and Ion Exchange in Hydrometallurgical Dilute Metals Separation", Separation Science and Technology 22 (2 & 3): 581-617 (1987).

- [52] Teramoto, M., Masuyama, H., Takaya, H., and Asano, S. "Development of Spiral-Type Supported Liquid Membrane Module for Separation and Concentration Metal Ions", *Separation Science and Technology* 22 (11): 2175-2201 (1987).
- [53] Teresa, M., Ries, A., and Carvalho, J. M. R. "Modeling of Zinc extraction from sulphate solutions with bis (2-ethylhexyl) thiophosphoric acid by emulsion liquid membrane", *Journal of Membrane Science* 237: 97-107 (2004).
- [54] Tompkins, C. J., Michaels, A. S., and Peretti, S. W. "Removal of p-nitrophenol from aqueous solution by membrane-supported solvent extraction", *Journal of Membrane Science* 75: 277-292 (1992).
- [55] Tong, Y., Hirata, M., Takanashi, H., Hano, T., Kubota, F., Goto, M., et al. "Extraction of lactic acid from fermented broth with microporous hollow fiber membranes", *Journal of Membrane Science* 143: 81-91 (1998).
- [56] Trivunac, K., Stevanovic, S., and Mitrovic, M. "Pertraction of phenol in hollow-fiber membrane contactors", *Desalination* 162: 93-101(2004).
- [57] Uddin, M. S., and Kathiresan, M. "Extraction of metal ions by emulsion liquid membrane using bi-functional surfactant: equilibrium and kinetic studies", *Separation and Purification Technology* 19: 3-9 (2000).
- [58] Uedee, E., Ramakul, P., Pancharoen, U., and Lothongkum, A. W. "Performance of hollow fiber supported liquid membrane on the extraction of mercury (II) ions", *Korean Journal of Chemical Engineering* 25 (6): 1486-1494 (2008).
- [59] Uheida, A., Zhang, Y., and Muhammed, M. "Transport of palladium (II) through hollow fiber supported liquid membrane facilitated by nonylthiourea", *Journal of Membrane Science* 241: 289-295 (2004).
- [60] Urtiaga, A. M., Abellán, M. J., Irabien, J. A., and Ortiz, I. "Membrane contactors for the recovery of metallic compounds. Modeling of copper recovery from WPO processes", *Journal of Membrane Science* 257: 161-170 (2005).
- [61] Urtiaga, A. M., Alonso, A., Ortiz, I., El-Reefy, S. A., Pérez de, Ortiz S., and Gallego, T. "Comparison of liquid membrane processes for the removal of cadmium from wet phosphoric acid", *Journal of Membrane Science* 164: 229-240 (2000).

- [62] Urtiaga, A. M., and Irabien. J. A. "Internal mass transfer in hollow fiber supported liquid membranes", AIChE Journal 39: 521-525 (1993).
- [63] Urtiaga, A. M., Irabien, A., and Stroeve, P. "Effect of a variable solute distribution coefficient on mass separation in hollow fibers", Industrial & Engineering Chemistry Research 31: 1362-1366 (1992).
- [64] Urtiaga, A. M., Ortiz, M. I., and Irabien, J. A. "Supported liquid membranes for the separation-concentration of phenol. 1. Viability and mass transfer evaluation", Industrial & Engineering Chemistry Research 31: 877-886 (1992).
- [65] Urtiaga, A. M., Ortiz, M. I., Salazar, E., and Irabien, J. A. "Supported liquid membranes for the separation-concentration of phenol. 2. Mass-transfer evaluation according to fundamental equations", Industrial & Engineering Chemistry Research 110: 1745-1753 (1992).
- [66] Urtiaga, A. M., Zamacona, S., and Ortiz, M. I. "Analysis of a NDSX process for the selective removal of Cd from phosphoric acid", Separation Science and Technology 34: 3279-3296 (1999).
- [67] Usapein, P.; Lothongkum, A.W.; Ramakul, P. & Pancharoen, U. "Efficient transport and selective extraction of Cr (VI) from waste pickling solution of the stainless steel-cold rolled plate process using Aliquat 336 via HFSLM", Korean Journal of Chemical Engineering 26 (3): 791-798 (2009).
- [68] Vajda, M., Havalda, I., and Mácek, R. "Membrane-based solvent extraction and stripping of zinc in a hollow-fibre contactor operating in circulating mode", Desalination 163: 19-25 (2004).
- [69] Valenzuela, F., Basualto, C., Tapia, C., and Sapag, J. "Application of hollow-fiber supported liquid membranes technique to the selective recovery of a low content of copper from a Chilean mine water", Journal of Membrane Science 155: 163-168 (1999).
- [70] Valenzuela, F., Nakashio, F., and Kondo, K. "Extraction kinetics of copper with 8-octane-sulfonamidoquinoline in a membrane extractor using a hollow fiber", The Journal of Applied Research 24: 33-39 (1994).
- [71] Valenzuela, F., Cabrera, J., Basualto, C., and Hagar, J. S. "Kinetic of copper removal from acidic mine drainage by a liquid emulsion membrane method" Minerals Engineering 18: 1224-1232 (2005).
- [72] Valenzuela, F., Cabrera, J., Basualto, C., and Hagar, J. S. "Liquid membrane emulsion process for recovering the copper content of a mine drainage", Chemical Engineering Research and Design 87: 102-108 (2008).

- [73] Valenzuela, F., Cabrera, J., Basualto, C., Correa, O., Tapia, C., and Hager, J. S. "Removal of copper ions from a waste mine water by a liquid emulsion membrane method", Minerals Engineering 18(1): 33-40 (2004).
- [74] Valenzuela, F., Vega, M. A., Yañez, M. F., and Basualto, C. "Application of a mathematical model for copper permeation from a Chilean mine water through a hollow fiber-type supported liquid membrane", Journal of Membrane Science 204: 385-400 (2002).
- [75] Van der Vaart, R., Akkerhuis, J., Feron, P., and Jansen, B. "Removal of mercury from gas streams by oxidative membrane gas absorption", Journal of Membrane Science 187: 151-157 (2001).
- [76] Van de Voorde, I., Pinoy, L., and De Ketelaere, R. F. "Recovery of nickel ions by supported liquid membrane (SLM) extraction", Journal of Membrane Science 234: 11-21 (2004).
- [77] Venkateswaran, P., Gopalakrishnan, A. N., and Palanivelu, K. "Di(2-ethylhexyl) phosphoric acid-coconut oil supported liquid membrane for the separation of copper ions from copper plating wastewater", Journal of Environmental Science 19(12): 1446-1453 (2006).
- [78] Viegas, RMC., Rodríguez, M., Luque, S., Alvarez, J. R., Coelhoso, I. M., and Crespo, JPSG. "Mass transfer correlations in membrane extraction: analysis of Wilson-plot methodology", Journal of Membrane Science 145: 129-142 (1998).
- [79] Volk, W., Halwachs, W., and Schugert, K. "Copper extraction by means of a liquid surfactant membrane process", Journal of Membrane Science 6: 19-31 (1980).
- [80] Wannachod, P., Chaturabul, S., Pancharoen, U., Lothongkum, A. W., and Patthaveekongka, W. "The effective recovery of praseodymium from mixed rare earths via a hollow fiber supported liquid membrane add its mass transfer related" Journal of Alloys and Compounds 509: 354-361 (2011).
- [81] Wisniewski, M. "Extraction of arsenic from sulphuric acid solutions by Cyanex 923", Hydrometallurgy 46: 235-241 (1997).
- [82] Yang, M., and Cussler, E. "Reaction dependent extraction of copper and nickel using hollow fibers", Journal of Membrane Science 166: 229-238(2000).
- [83] Yang, M. C., and Cussler, E. L. "Designing hollow fiber contactors", AIChE Journal 32: 1910–1916 (1986).

- [84] Yang, Q.. and Kocherginsky, N. M. "Copper recovery and spent ammoniacal etchant regeneration based on hollow fiber supported liquid membrane technology: from bench-scale to pilot-scale tests", Journal of Membrane Science 286: 301-309 (2006).
- [85] Yang, Q.. and Kocherginsky, N. M. "Copper removal from ammoniacal wastewater through a hollow fiber supported liquid membrane system: modeling and experimental verification", Journal of Membrane Science 297: 121-129 (2007).
- [86] Yang, X. J., Fane, T. "Effect of membrane preparation on the lifetime of supported liquid membranes", Journal of Membrane Science 133(2): 269-273 (1997).
- [87] Yang, X. J., Fane, A. G., and Sodenhoff, K. "Comparison of liquid membrane processes for metal separations: permeability, stability, and selectivity", Industrial & Engineering Chemistry Research 42: 392-403 (2003).
- [88] Yang, Z. F., Guha, A. K., and Sirkar, K. K. "Novel membrane-based synergistic metal extraction and recovery processes", Industrial & Engineering Chemistry Research 35: 1383-1394 (1996).
- [89] Yang, Z. F., Guha, A. K., and Sirkar, K. K. "Simultaneous and synergistic extraction of cationic and anionic heavy metallic species by a mixed solvent extraction system and a novel contained liquid membrane device", Industrial & Engineering Chemistry Research 35: 4214-4220 (1996).
- [90] Ye, Z. F., Wang, Y. P., Liu, Y. S., Jiang, Z. L., Shen, X., Zhu, L. G., and Shi, X. F. "Transport of Na⁺, K⁺ ions in a bubbling pseudo-emulsion liquid membrane system with p-tert-butylcalixarenes as carrier", Journal of Membrane Science 163: 367-372 (1999).
- [91] Yeh, H. M., and Huang, C. M. "Solvent extraction in multiphase parallel-flow mass exchangers of micro-porous hollow-fiber modules", Journal of Membrane Science 103: 135-150 (1995).
- [92] Yi, J. "Effects of the Boundary Layer and Interfacial Reaction on the Time Lag in Supported Liquid Membranes", Korean Journal of Chemical Engineering 12(3): 391-395 (1995).
- [93] Yi, J., and Tavlarides, L. L. "Modeling chemically active liquid membranes in tubular inorganic supports", AIChE Journal 41: 1403-1412(1995).
- [94] Yi, M.H., Nam, S.J., and Chung S.T. 1997. "Separation of L-Valine by Anionic Cerrier-Mediated Transport in a Supported Liquid Membrane", Korean Journal of Chemical Engineering 14(4): 263-269.

- [95] Yoshizuka, K., Yasukawa, R., Koba, M., and Inoue, K. "Diffusion-model accompanied with aqueous homogeneous reaction in hollow-fiber membrane extractor", Journal of Chemical Engineering of Japan 28: 59-65 (1995).
- [96] Younas, M., Bocquet, S. D., and Sanchez, J. "Extraction of aroma compounds in a HFMC: dynamic modeling and simulation", Journal of Membrane Science 323: 386-394 (2008).
- [97] Yun, C., Prasad, R., and Sirkar, K. K. "Hollow fiber solvent extraction removal of toxic heavy metals from aqueous waste streams", Industrial & Engineering Chemistry Research 32: 1186-1194 (1993).
- [98] Zaghbani, A., Tayeb, R., Bonnamour, I., Felix, C., Vocanson, F., Lamartine, R., Dhahbi, M., and Seta P. "Affinity membrane for the extraction of Cd²⁺ metal ions by facilitated transport ensured by a new thiocalix (4) arene complexing agent incorporated in supported liquid membranes (SLM)", Journal of Membrane Science 258: 5-7 (2005).
- [99] Zha, F. F., Fane, A. G., and Fell, C. J. "Instability mechanisms of supported liquid membranes in phenol transport process", Journal of Membrane Science 107(1-2): 59-74 (1995).
- [100] อุร้า ปานเจริญ 2551. "กราฟทำงานายผลการสกัด ไออ่อน โลหะผ่านเยื่อแผ่นเหลวที่พยุงด้วยเส้นไอกลวง" จัดพิมพ์โดยสำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย ฉบับพิมพ์ครั้งที่ 1.

หมวด ก ข้อมูลจากเว็บไซต์

- [1] http://www.aquatechnology.net/reverse_osmosis.html (28/11/07).
- [2] http://www.barascientific.com/article/forensice/forensic_3.php, (28/12/09).
- [3] <http://www.chem.agilent.com>, (28/12/09).
- [4] <http://www.dmf.go.th/file/Concess270309.png> (28/12/09).
- [5] <http://en.wikipedia.org/wiki/Electrodialysis> (01/03/10).
- [6] <http://www.epa.gov/ORD/NRMRL/std/cppb/pervapor/pervaporationwhatis.htm> (01/03/10).
- [7] <http://www.Jurag.dk/donnan.html> (01/03/10).
- [8] <http://www.nextech.com.my/pro-waterT.htm> (01/03/10).