

## เอกสารอ้างอิง

- นิตยา โนนคำ. 2552. การควบคุมโรคแอนแทรกซ์ในสของกล้วยโดยเชื้อราเอนโดไฟท์. วิทยานิพนธ์ ปริญญาวิทยาศาสตรมหาบัณฑิต, สาขาวิชาโรคพืช, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- Abbanat, D., Leighton, M., Maiese, W., Jones, E. B. G., Pearce, C. and Greenstein, M. 1998. Cell wall active antifungal compounds product by the marine fungus *Hypoxylon oceanicum* L-15G2561. Taxonomy and fermentation. *Journal of Antibiotics*. 51, 296-302.
- Adaskaveg, J.E. and Hartin, R.J. 1997. Characterization of *Colletotrichum acutatum* isolates causing anthracnose of almond and peach in California. *Phytopathology*. 87, 979-987.
- Ananda, K. and Sridhar K. R. 2002. Diversity of endophytic fungi in the roots of mangrove species on the west Coast of India. *Canadian J. Microbiology*. 48: 871-878
- Bister, B. , Bischoff, D., Strobele, M., Riedlinger, J., Reicke, A., Wolter, F., Bull, A. T., Zahner, H., Fiedler, H. P. and Sussmuth, R.D., 2004. Abyssomicin C- a polycyclic antibiotic from a marine *Verrucosisspora* strain as an inhibitor of the p- aminobenzoic acid/tetrahydrofolate biosynthesis pathway. *Angew. Chem. Int. Edit*. 43: 2574-2576
- Bredholdt, H., Galatenko, O. A., Engelhardt, K., Fjaervik, E., Terekhova, L. P. And Zotchev, S. B.2007. Rare actinomycetes bacteria from the shallowwater sediments from of the Trondheim fjord, Norway: Isolation, diversity and biological activity. *Environmental Microbiology*. 9:2756-2764
- Bredholdt, H., Fjaervik, E., Johnsen, G., and Zotchev, S. B.2008. Actinomyetes from sediment in the Trondheim fjord, Norway: Diversity and Biological Activity. *Mar. Drugs*. 6: 12-24
- Bugni, T. and Ireland C.M. 2004. Marine-derived fungi :a chemically and biologically diverse group of microorganisms. *Natural Product Reports* 21, 143-163.
- Bull, A.T., Stach, J.E., Ward, A.C. & Goodfellow, M. (2005) Marine actinobacteria: perspectives, challenges, future directions. *Antonie Van Leeuwenhoek* 87(1), 65-79.
- Bugni, T. and Ireland C.M. 2004. Marine-derived fungi : a chemically and biologically diverse group of microorganisms. *Natural Product Reports*. 21, 143-163.
- Chaeprasert, S., Piapukiew, J., Whalley, A. and Sihanonth, P. 2010. Endophytic fungi from mangrove plant species of Thailand: Their antimicrobial and anticancer poteincial. *Botanica Marina*. 53, 555-564.

- Davis, N. D., Cole, R. T., Dorner, J. W. Weete, J. D., Backman, P. A., Clark, E. M., King, C. C., Schmidt, S. P. and Diener, U. L. 1986. Steroid metabolites of *Acremonium coenophialum*, an endophyte of tall fescue. *Agricultural Food Chemistry*. 34, 105-108.
- Ganesh, M., Vasudevan, M. and Sivakumar, T. 2009. Synergistic activity of methanolic extract of *Thespesia populnea* (Malvaceae) flowers with oxytetracycline. *Bangladesh Journal of Pharmacology*. 4, 13-16.
- Ghanem, N. B., Sabry, S. A. El-Sherif, Z. M. and El-Ela, G. A. Abu. 2000. Isolation and enumeration of marine actinomycetes from seawater and sediments in Alexandria. *J. Gen. Appl. Microbiol.* 46:105-111
- Guan, S.H., Sattler, I., Lin, W.H., Guo, D.A. and Grabley, S. 2005. *p*-Aminoacetophenonic acids produced by a mangrove endophyte: *Streptomyces griseus* subsp. *Journal of Natural products* 68, 1198-1200.
- Guo, B., Wang, Y., Sun, X. and Tang, K. 2008. Bioactive natural products from endophyte: A review. *Applied Biochemistry and Microbiology*. 44,136-142.
- Hostettmann, K. and Marston, A. 1994. Search for new antifungal compounds from higher plants. *Pure and Applied Chemistry*. 66, 2231-2234.
- Hong, K., Gao, A-H., Xie, Q-Y., Gao, H., Zhuang, L., Lin, H-P., Yu, H-P., Yao, S-H., Goodfello, M., and Ruan, J-S. 2009. Actinomycetes for marine drug discovery isolated from mangrove Soils and plants in China. *Mar. Drugs*. 7:24-44
- Intana, W., Suwanno, T. and Chamswang, C. 2005. Use of antifungal metabolite from *Trichoderma virens* for controlling Chinese kale leaf spots caused by *Alternaria brassicicola*. *Walailuk Journal of Science and Technology*. 2, 1-9.
- Isaka, M., Suyamsestakorn, C, Tanticharoen, M., Kongsaree, P. and Thebtaranonth, Y. 2002. Aigialomycins A-E, new resorcylic macrolides from the marine mangrove fungus *Aigialus parvus*. *Journal of Organic Chemistry*. 67, 1561-1566.
- Joseph, B., Priya, R.M. 2011. Bioactive compounds from endophytes and their potential in Pharmaceutical effect: A Review. *American Journal of Biochemistry and Molecular Biology*. 1,291-309.
- Keller, S., Nicholson, G., Drahl, C., Sorensen, E., Fiedler, H. P. and Sussmuth, R.D. 2007. Abyssomicins G and H and atop-abyssomicin C from the marine *Verrucospora* strain AB-18-032. *J. Antibiot.* 60: 391-394.
- Kjer, J. 2009. New natural products from endophytic fungi from mangrove plants structure elucidation and biological screening. *Bioresource Technology*, 2, 3-35. Retrieved December15, 2010, from [http://docserv.uni-duesseldorf.de/servlets/ DerivateServlet/Derivate-17938/Dissertation\\_JuliaKjer.pdf](http://docserv.uni-duesseldorf.de/servlets/DerivateServlet/Derivate-17938/Dissertation_JuliaKjer.pdf).

- Kumaresan, V. and Suryanarayanan, T.S. 2001. Occurrence and distribution of endophytic fungi in a mangrove community. *Mycological Research*. 105, 1388-1391.
- Lam, K. S. 2006. Discovery of novel metabolites from marine actinomycetes. *Current Opinion in Microbiology*. 9: 245-251
- Lazzarini, A., L. Cavaletti., G. Toppo, and F. Marinelli. 2000. Rare genera of actinomycetes as potential producers of new antibiotics. *J. Antonie van Leeuwenhoek* 78: 399-405
- Li, L., Qiao, B. and Yuan, Y. 2007. Nitrogen sources affect Streptolydigin production and related secondary metabolites distribution of *Streptomyces lydicus* AS 4.2501. *Chinese Journal of Engineering*. 15, 403-410.
- Lin, W., Li, L., Fu, H., Sattler, I., Huang, X. and Grabley, S. 2005. New cyclopentenone derivatives from an endophytic *Streptomyces* sp. isolated from the mangrove plant *Aegiceras comiculatum*. *Journal of Antibiotics*. 58, 594-598.
- Lumyong, S., Lumyong, P. and Hyde, K.D. 2004. Endophytes *In* Thai Fungal Diversity. (eds E.B.G. Jones, M. Tantichareon and K.D. Hyde). BIOTEC Thailand, 197-205.
- Maldonado, L. A., Stach, J. E. M., Pathom-aree, W., Ward, A. C., Bull, A. T. and Goodfellow, M. 2005. Diversity of cultivable actinobacteria in geographically widespread marine sediments. *Antonie van Leeuwenhoek*. 87: 11-18
- Menzies, J.G., Koch, C. and Seywerd, F. 1990. Addition to the host range of *Fusarium oxysporum* f. sp. *radicis-lycopersici*. *Plant disease*. 74, 569-572.
- Miller, J.D. 2000. Screening for secondary metabolites *In*: Marine Mycology - A practical approach (eds. K.D. Hyde and S.B. Pointing), Fungal Diversity Research Series I, Fungal Diversity Press, Hong Kong, 158-171.
- Miyadoh, S., H. Anzai, S. Amano and T. Shomura. 1989. *Actinomadura malachitica* and *Microtetraspora viridis* are synonyms and should be transferred as *Actinomadura viridis*. *Int. J. Syst. Bacteriol.* 39:152-158
- Motti, C. A., Bourne, D. G., Burnell, J. N., Dcyle, J. R., Haines, D. S., Liptrot, C. H., Liewellyn, L. E., Ludke, S., Muirhead, A. and Tapiolas, D. M. 2007. Screening marine fungi for inhibitors of the C4 plant enzymes pyruvate phosphate dikinase: Uinguinol as a potential novel herbicide candidate. *Applied and Environmental Microbiology*. 73, 1921-1927.

- Muto, M., Mulabagal, V., Huang, H. C., Takahashi, H., Tsay, H. S. and Huang, J. W. 2006. Toxicity of black nightshade (*Solanum nigrum*) extracts on *Alternaria brassicicola*, causal agent of black leaf spot of Chinese cabbage (*Brassica pekinensis*). *Phytopathology*. 154, 45-50.
- Okami, Y., T. Okazaki, T. Kitahara and H. crassa Umezewa. 1976 . Study on marine micro-organisms : A new antibiotic, Aplasmomycin, Produced by a streptomycetes isolated from shallow sea mud. *Japanese Journal of antibiotic*. 29:1019-1023
- Oh, Ki-Bong., Hamada, Kazu., Saito, Mikako., Lee, Hun-Jun. and Matsuoka, Hideaki. 1999. Isolated and properties of an extracellular  $\beta$ -glucosidase from a filamentous fungus, *Cladosporium resinae*, isolated from kerosene. *Biochemistry*. 63, 281-287.
- Park, J.H., Choi, G.J., Lee, H.B., Kim, K.M., Jung, H.S., Lee, S.W., Jang, K.S. and Cho, K.Y., 2005. Griseofulvin from *Xylaria* sp. Strain F0010, and endophytic fungus of *Abies holophylla* and its antifungal activity against plant pathogenic fungi. *Journal of Microbiology and Biotechnology*. 15, 112-117.
- Pathom-aree, W., Nogi, Y., Sutcliffe, I.C., Ward, A.C., Horikoshi, K., Bull, A.T. and Goodfellow, M. (2006). *Williamsia marianensis* sp. nov., a novel actinomycete isolated from the Mariana Trench. *International Journal of Systematic and Evolutionary Microbiology*. 56: 1123-1126.
- Pretini, O. 1991. Fungal endophytes of tree leaves. *In*: Microbial Ecology of leaves. (eds J. Andrews and S. Hirano), Springer-Verlag, New York, 179-197.
- Proksch, P., Putz, A., Ortlepp, S., Kjer, J. and Bayer, M. 2010. Bioactive natural products from marine sponges and fungal endophytes. *Phytochemistry Reviews*. 9, 475-489.
- Saikkonen, K. 2007. Forest structure and fungal endophytes. *Fungal Biology Reviews*. 21, 67-74.
- Schmeda-Hirschmann, G., Hormazabal, E., Astudillo, L., Rodriguez, J. and Theoduloz, C. 2005. Secondary metabolites from endophytic fungi isolated from the Chilean gymnosperm *Prumnopitys andina* (Lleuque). *World Journal of Microbiology and Biotechnology*. 21, 27- 32.
- Srinon, W., Chuncheen, K., Jirattiwatukul, K., Soyong, K. and Kanokmedhakul, S. 2006. Efficacies of antagonistic fungi against Fusarium wilt disease of cucumber and tomato and the assay of its enzyme activity. *Journal of Agriculture Technology*. 2, 191-201.
- Srivibool, R. and Sukchotiratana, M. 2006. Bioperspective of actinomycetes isolated from coastal Soils: A new source of antimicrobial producers. *Songklanakarin Journal of Science and Technology*. 32:353-358.
- Strobel, G., Daisy, B., Castillo, U., Harper, J. 2004 Natural products from endophytic microorganisms. *J Nat Prod.*;67:257-68.
- Vichitsoonthonkul, T., Boonmakad, C. and Supatrakul, A. 2007. Bioactive compound produced by endophytic fungi of *Stemona* spp. for bacterial plant pathogen control. *Agricultural Science*. 38, 339-343.

- Xiao, J., Xu, J.; Xie, S., Zhang, X., Yu, Z., and Xu, J. 2008. Isolation of mangrove Actinomycetes and their antagonistic activities. *Chin J Appl Environ Biol.* 14: 244-248
- Xie, L.W., Jiang, S.M., Zhu, H.H., Sun, W., Ouyag, Y.C., Dai, S.K. and Xiang, L. 2008. Potential inhibitors against *Sclerotinia sclerotium* produced by the fungus *Myrothecium* sp. associated with the marine sponge *Axinella* sp. *European Journal of Plant Pathology.* 122, 571-578.
- Xing, Yong-Mei., Chen, Juan., Cui, Jin-Long., Chen, Xiao-Mei. and Guo, Shun-Xing. 2009. Antimicrobial activity and biodiversity of endophytic fungi in *Dendrobium devonianum* and *Dendrobium thysiforum* from Vietman. *Current Microbiology.* 10, 284-289.
- Xu, J., Kjer, J., Sendker, J., Wray, V., Guan, H., Edrada, R., Müller, Werner E. G., Bayer, M., Lin, W., Wu, J. and Proksch, P. 2009. Cytosporones, coumarins, and an alkaloid from the endophytic fungus *Pestalotiopsis* sp. isolated from the Chinese mangrove plant *Rhizophora mucronata*. *Bioorganic & Medicinal Chemistr.* 17, 7362–7367.
- Zulfiqar, M., Brlansky, R.H. and Timmer, I.W. 1996. Infection of flower and vegetative tissues of citrus by *Colletotrichum acutatum* and *C. gloeosporioides*. *Mycologia.* 88, 121-128.



