

รายการอ้างอิง

- ชลอ ลีสุวรรณ และ พรเลิศ จันทรรักษ์กุล. (2547). อุตสาหกรรมการเพาะเลี้ยงกุ้งในประเทศไทย. สำนักงานคณะกรรมการวิจัยแห่งชาติ. 206 หน้า.
- บุญรัตน์ ประทุมชาติ. (2545). เอกสารประกอบการสอนวิชาการเพาะเลี้ยงชายฝั่ง. ภาควิชาวาริชศาสตร์, คณะวิทยาศาสตร์. มหาวิทยาลัยบูรพา. 524 หน้า.
- บุญรัตน์ ประทุมชาติ บัลลังก์ เนื่องแสง และณอมศักดิ์ บุญศักดิ์. (2547ก). ผลของการเสริมเกลือแร่ในอาหารและการเปลี่ยนแปลงสรีระเคมีของกุ้งกุลาดำ (*Penaeus monodon*) ที่เลี้ยงระบบพัฒนา. ภาควิชาวาริชศาสตร์, คณะวิทยาศาสตร์. มหาวิทยาลัยบูรพา. 64 หน้า
- บุญรัตน์ ประทุมชาติ พิชายี สว่างวงศ์ และจอร์จ มาซาโด. (2546). ผลของความเค็มน้ำต่อขบวนการลอกคราบและการเปลี่ยนแปลงทางสรีระเคมีของปูทะเล. (*Scylla serrata*). รายงานวิจัย มหาวิทยาลัยบูรพา. 78 หน้า.
- บุญรัตน์ ประทุมชาติ พิชายี สว่างวงศ์ และจอร์จ มาซาโด. (2547ข). ผลของความเค็มน้ำต่อขบวนการลอกคราบและการเปลี่ยนแปลงทางสรีระเคมีของปูม้า (*Portunus pelagicus*) ในรอบวงจรการลอกคราบ. รายงานวิจัย มหาวิทยาลัยบูรพา. 78 หน้า
- สว่างพงษ์ สมมาตร และบุญรัตน์ ประทุมชาติ. (2551). ผลของความเค็มน้ำต่อการเปลี่ยนแปลงออสโมลาลิตีในเลือด และความเข้มข้นของแร่ธาตุ 9 ชนิดในพลาสมาของกุ้งขาว (*Litopenaeus vannamei*). ใน การประชุมวิชาการของมหาวิทยาลัยเกษตรศาสตร์ ครั้งที่ 48 (หน้า 109-118). กรุงเทพฯ: มหาวิทยาลัยเกษตรศาสตร์.
- สว่างพงษ์ สมมาตร. (2552). ผลของความเค็มน้ำต่อสรีระเคมีและการเสริมแร่ธาตุบางชนิดในระบบการเลี้ยงกุ้งขาว (*Litopenaeus vannamei*) เชียงพาณิชย์. วิทยานิพนธ์วิทยาศาสตร์ มหาวิทยาลัย, สาขาวิชาวาริชศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา. 74 หน้า
- ธานินทร์ กำสี้. (2543). ผลของความเค็มน้ำต่อการลอกคราบของปูทะเล (*Scylla* sp.). ปัญหาพิเศษ วิทยาศาสตร์บัณฑิต, ภาควิชาวาริชศาสตร์, คณะวิทยาศาสตร์, มหาวิทยาลัยบูรพา. 41 หน้า
- Boyd, C. E., Thunjai, T., & Boonyaratpalin, M. (2002). Dissolved salts in waters for inland, low-salinity shrimp culture. *Global Aquaculture Advocate*, 5, 40-45.
- Burton, R. F. (1995). Cation balance in crustacean haemolymph : relationship to cell membrane potentials and membrane surface charge. *Comparative Biochemistry and Physiology*, 111(A), 125-131.
- Carvalho, P. S. M. (1992). Bioenergetica do camarao-sete-barbas *Xiphopenaeus kroyeri* (Heller, 1862). Avaliacao do metabolismo, excrecao de amonia e calorimetria. Master of

- Science dissertation, University of Sao Paulo, IOUSP, Sao Paulo, Brazil, 206 pp.
- Castille, F.L., and Lawrence, A.L., (1981). The effect of salinity on the osmotic, sodium and chloride concentrations in the hemolymph of euryhaline shrimp of the genus *Penaeus*. *Comparative Biochemistry and Physiology*, 68(A), 75-80.
- Chen, J. C., & Lin, J. L. (1994). Osmolality and Chloride Concentration in the hemolymph of sub adult *Penaeus Chinensis* subjected to different salinity levels. *Aquacul*, 125, 167-174.
- Chen, J. C., Lin, M. N., Ting, Y. Y., & Lin, J. N. (1995). Survival, haemolymph osmolality and tissue water of *Penaeus chinensis* juvenile acclimated to different salinity and temperature levels. *Comparative Biochemistry and Physiology*, 110(3), 253-258.
- Cheng, K., Hu, C., Liu, Y., Zheng, S., and Qi, X. (2006). Effects of dietary calcium, phosphorus and calcium/phosphorus ratio on the growth and tissue mineralization of *Litopenaeus vannamei* reared in low-salinity water. *Aquaculture*, 251, 472-483.
- Cheng, W., Liub, C. H., Yan, D. F., & Chen, J. C. (2002). Hemolymph oxyhemocyanin, protein, osmolality and electrolyte levels of whiteleg shrimp *Litopenaeus vannamei* in relation to size and molt stage. *Aquaculture*, 211, 325-339.
- Cooper, A. R., & Morris, S. (1997). Osmotic and ionic regulation by *Leptograpsus variegatus* during hyposaline exposure and in response to emersion. *Journal of Experimental Marine Biology and Ecology*, 214, 263-282.
- Cuzon, G., Lawrence, A., Gaxiola, G., Rosas, C., & Guillaume, J. (2004). Nutrition of *Litopenaeus vannamei* reared in tanks or in ponds. *Aquaculture*, 235, 513-551.
- Davis, D. A., & Lawrence, A. L. (1997). Minerals. In *Crustacean Nutrition Advances in World, Aquaculture*, vol 6, D' Abramo L. R., Conklin, D. E., and Akiyama, D. M. (Eds.) (p. 150-163). The World Aquaculture Society, the United States of America.
- Davis, D. A., Boyd, C. E., & Rouse, D. B. (2005). Effects of potassium, magnesium and age on growth and survival of *Litopenaeus vannamei* post-larvae reared in inland low salinity well waters in west Alabama. *World Aquaculture Society*, 36, 416-419.
- Davis, D. A., Samocha, T. M., & Boyd, C. E. (2004). Acclimating pacific white shrimp, *Litopenaeus vannamei*, to inland, low-salinity waters. *Southern Regional Aquaculture Center*, (SRAC), Publication, No. 2601.



- Davis, D. A., Saoud, I. P., McGraw, W. J., & Rouse, D. B. (2002). Considerations for *Litopenaeus vannamei* reared in inland low salinity waters. In: Cruz-Suárez, L. E., Ricque-Marie, D., Tapia-Salazar, M., Gaxiola-Cortés, M. G., Simoes, N. (Eds.) (p. 73-90) Avances en Nutrición Acuícola VI. Memorias del VI Simposium Internacional de Nutrición Acuícola. 3 al 6 de Septiembre del 2002.
- Fa-yi, L., He-fang, L., Hui-liang, W., De-hai, L., & Yu-chuan, T. (1995). Requirements of shrimp *Penaeus chinensis* o'sbeck for potassium, sodium, magnesium and iodine. *Oceanology, Chinese Academy of Sciences*, 13(2), 141-146.
- Ferraris, R. P., Parado-Estapa, F. D., Ladja, J. M., & de Jesus, E. G. (1986). Effect of salinity on the osmotic, chloride, total protein and calcium concentrations in the hemolymph of the prawn *Penaeus monodon* (Fabricius). *Comparative Biochemistry and Physiology*, 83(A), 701-708.
- Greenaway, P. (1972). Calcium regulation in the fresh-water crayfish *Austropotamobius pallipes* (Lereboullet). *Journal of Experimental Biology*, 57, 471-478.
- Kinsey, S. T., & Lee, B. C. (2003). The effect of rapid salinity change on in vivo arginine kinase flux in the juvenile blue crab *Callinectes sapidus*. *Comparative Biochemistry and Physiology*, 135(B), 521-531.
- Kumlu, M., Eroldogan, O. T., & Aktas, M. (2000). Effects of temperature and salinity on larval growth, survival and development of *Penaeus semisulcatus*. *Aquaculture*, 188, 167-173.
- Kumlu, M., & Jones D.A. (1995). Salinity tolerance of hatchery-reared post-larvae of *Penaeus indicus* H. Milne Edwards originating from India. *Aquaculture*, 130, 287-296.
- Kurmaly, K., Yule, A. B., & Jones, D. A. (1989). An energy budget for the larvae of *Penaeus monodon* (Fabricius). *Aquaculture*, 81, 13-25.
- Lee, P. G., & Lawrence, A. L. (1997). Digestibility. In: *Crustacean Nutrition, Advances in World Aquaculture*, vol. 6, D'Abramo, L.R., Conklin, D.E., Akiyama, D.M. (Eds.) (p. 194-260). World Aquaculture Society, Baton Rouge, LA.
- Lemos, D., & Phan, V. N. (2001). Energy partitioning into growth, respiration, excretion and exuvia during larval development of the shrimp *Farfantepenaeus paulensis*. *Aquaculture*, 199, 131-143.

- Li, E., Chen, L., Zeng, C., Chen, X., Yu, N., Lai, Q., & Qin, J. G. (2007). Growth, body composition, respiration and ambient ammonia nitrogen tolerance of the juvenile white shrimp, *Litopenaeus vannamei*, at different salinities. *Aquaculture*, 265, 385-390.
- Li, E., Chen, L., Zeng, C., Chen, X., Yu, N., Lai, Q., & Qin, J. G. (2008). Comparison of digestive and antioxidant enzymes activities, haemolymph oxyhemocyanin contents and hepatopancreas histology of white shrimp, *Litopenaeus vannamei*, at various salinities. *Aquaculture*, 274, 80-86.
- Lignot, J. H., Spanings-Pierrot, C., & Charmantier, G. (2000). Osmoregulatory capacity as a tool In monitoring the physiological condition and the effect of stress in crustacean. *Aquaculture*, 191, 209-245.
- Lin, S. C., Liou, C. H., & Cheng, J. H. (2000). The role of the antennal glands in ion and body volume regulation of cannulated *Penaeus monodon* reared in various salinity conditions. *Comparative Biochemistry and Physiology*, 127(A), 121-129.
- Lin, Y. C., & Chen, J. C. (2001). Acute toxicity of ammonia on *Litopenaeus vannamei* Boone juveniles at different salinity levels. *Journal of Experimental Marine Biology and Ecology*, 259, 109-119.
- Logan, D. T., & Epifanio, C. E. (1978). A laboratory energy balance for the larvae and juveniles of the American lobster *Homarus americanus*. *Marine Biology*, 47, 381-389.
- Lovell, R.T. (1989). *Nutrition and Feeding of Fish*. Van Nostrand Reinhold, New York. 260 pp.
- Lovett, D. L., Verzi, M. P., Clifford, P. D., & Borst, D. W. (2001). Hemolymph levels of Methyl farnesoate increase in response to osmotic stress in the green crab *Carcinus maenas*. *Comparative Biochemistry and Physiology*, 128(A), 299-306.
- Lovett, D., Towle, D., & Fairs, J. (1994). Salinity-sensitive alkaline phosphatase activity in gills of the blue crab, *Callinectes sapidus* Rathbun. *Comparative Biochemistry and Physiology*, 109(B), 163-173.
- Mananes, Lopes A. A., Meligeni, C. D., & Goldemberg, A. L. (2002). Response to environmental salinity of Na^+/K^+ ATPase activity in individual gills of the euryhaline crab *Cyrtograpsus angulatus*. *Journal of Experimental Marine Biology and Ecology*, 274, 75-85.
- Mantel, L. H., & Farmer, L. L. (1983). Osmotic and ionic regulation. In : *The Biology of Crustacea*, vol 5, Internal anatomy and Physiological regulation, Mantel, L.H. (ed) (p. 53-61). Academic Press, New York.

- McFarland, W. N., & Lee, B. D. (1963). Osmotic and ionic concentrations of penaeidean shrimps of the Texas coast. *Bulletin of Marine Science*, 13, 391-417.
- McGraw, W. J., Davis, D. A. Teichert-Coddington, D., & Rouse, D. B. (2002). Acclimation of *Litopenaeus vannamei* postlarvae to low salinity: Influence of age, salinity endpoint, and rate of salinity reduction. *Journal of the World Aquaculture Society*, 337(1), 8-84.
- McGraw, W. J., & Scarpa, J. (2003). Minimum environmental potassium for survival of Pacific white shrimp *Litopenaeus vannamei* (Boone) in freshwater. *Journal of Shellfish Research*, 22, 263-267.
- McNevin A. A., Boyd, C. E., Silapajarn, O., & Silapajarn, K. (2004) Ionic supplementation of pond waters for inland culture of marine shrimp. *Journal of the World Aquaculture Society*, 35, 460-467.
- O' Brien, C.J. (1994). The effects of temperature and salinity on growth and survival of juvenile tiger prawns *Penaeus esculentus* (Haswell). *Journal of Experimental Marine Biology and Ecology*, 183(1), 133-145.
- Pan, L. Q., Luan, Z. H., & Jin, C. X. (2006). Effects of Na^+/K^+ and $\text{Mg}^{2+}/\text{Ca}^{2+}$ ratios in saline groundwaters on $\text{Na}^+-\text{K}^+-\text{ATPase}$ activity, survival and growth of *Marsupenaeus japonicus* postlarvae. *Aquaculture*, 261, 1396-1402.
- Pan, L.Q., Ling-Xu, Jiang, Jing-Jing, Lu-Qing, Pan, M., Ling-Xu, Jiang, Jing-Jing, & Miao. (2005). Effects of salinity and ph on immune parameters of the white shrimp *Litopenaeus vannamei*. *Journal of Shellfish Research*, 24(4), 1223-1227.
- Parado-Estapa, F.D., Ladjja, J.M., de Jesus, E.G., & Ferraris, R.P., (1989). Effect of salinity on hemolymph calcium concentration during the molt cycle of the prawn *Penaeus monodon*. *Marine Biology*, 102(2), 189-193.
- Penaflorida, V. D. (1999). Interaction between dietary levels of calcium and phosphorus on growth of juvenile shrimp *Penaeus monodon*. *Aquaculture*, 172, 281-289.
- Perry, H., Trigg, C., Larsen, K., Freeman, J., Erickson, M., & Henry, R. (2001). Calcium concentration in seawater and exoskeletal calcification in the blue crab *Callinectes sapidus*. *Aquaculture*, 198, 197-208.
- Ponce-Palafox, J., Martinez-Palacios, C. A., & Ross, L. G. (1997). The effects of salinity and temperature on the growth and survival rates of juvenile white shrimp, *Penaeus vannamei*, Boone, 1931. *Aquaculture*, 157, 107-115.

- Potts, W. T. W., & Parry, G. (1964). Osmotic and ionic regulation in animals: In *international series of monographs on pure and applied biology*, Kerkut, G.A. (Ed.) (p. 423) Pergamon press, Oxford.
- Prangnell, D. I., & Fotedar, R. (2005). The effect of potassium concentration in inland saline water on the growth and survival of the western king shrimp, *Penaeus latisulcatus* Kishinouye, 1896. *Journal of Applied Aquaculture*, 17(2), 19-34.
- Prangnell, D. I., & Fotedar, R. (2006a). Effect of sudden salinity change on *Penaeus latisulcatus* Kishinouye osmoregulation, ionoregulation and condition in inland saline water and potassium-fortified inland saline water. *Comparative Biochemistry and Physiology*, 145(A), 449-457.
- Prangnell, D. I., & Fotedar, R. (2006b). The growth and survival of western king prawns, *Penaeus latisulcatus* Kishinouye, in potassium-fortified inland saline water. *Aquaculture*, 259, 234-242.
- Prangnell, D. I., & Fotedar, R. (2009). Effect of sudden change in potassium concentration on *Penaeus latisulcatus* Kishinouye survival, osmolality and health in inland saline water cultures. *Hydrobiologia*, 626, 145-153.
- Pratoomchat, B., Sawangwong, P., Guedes, R., Reis, M. D. L., & Machado, J. (2002a). Cuticle ultrastructure changes in the crab *Scylla serrata* over the molt cycle. *Journal of Experimental Zoology*, 293(4), 414-426.
- Pratoomchat, B., Sawangwong, P., Pakkong, P., & Machado, J. (2002b). Organic and inorganic compound variations in hemolymph, epidermal tissue and cuticle over the molt cycle in *Scylla serrata*. *Comparative Biochemistry and Physiology*, 131(A), 243-255.
- Rainbow, P. S. (1997). Ecophysiology of trace metal uptake in crustaceans. *Estuarine, Coastal and Shelf Science*, 44, 169-175.
- Robertson, J. D. (1960). Osmotic and ionic regulation. In T.H. Waterman (Ed), *Physiology of Crustacean Vol.1* (pp. 317-339). Academic Press, New York.
- Roy, L. A., Davis D. A., & Saoud, I. P. (2006). Effects of lecithin and cholesterol supplementation to practical diets for *Litopenaeus vannamei* reared in low salinity waters. *Aquaculture*, 257, 446-452.

- Roy, L. A., Davis, D. A., Saoud, I. P., & Henry, R. P. (2007a). Branchial carbonic anhydrase activity and ninhydrin positive substances in the Pacific white shrimp, *Litopenaeus vannamei*, acclimated to low and high salinities. *Comparative Biochemistry and Physiology*, 147(A), 404-411.
- Roy, L. A., Davis, D. A., Saoud, I. P., & Henry, R. P. (2007b). Effects of varying levels of aqueous potassium and magnesium on survival, growth, and respiration of the Pacific white shrimp, *Litopenaeus vannamei*, reared in low salinity waters. *Aquaculture*, 262, 461-469.
- Roy, L. A., Davis, D. A., & Whitis, G. N. (2009). Pond-to-pond variability in post-larval shrimp, *Litopenaeus vannamei*, survival and growth in inland low-salinity waters of west Alabama. *Aquaculture Research*, 1-7.
- Rosas, C., Martinez, E., Gaxiola, G., Brito, R., Sanchez, A., & Soto, L. A. (1999). The effect of dissolved oxygen and salinity on oxygen consumption, ammonia excretion and osmotic pressure of *Penaeus setiferus* (Linnaeus) Juveniles. *Journal of Experimental Marine Biology and Ecology*, 234, 41-57.
- Sang, H. M., & Fotedar, R. (2004). Growth, survival, haemolymph osmolality and organosomatic indices of the western king prawn (*Penaeus latisulcatus* Kishinouye, 896) reared at different salinities. *Aquaculture*, 234, 601-614.
- Santos, M. C. F., & Moreira, G. S. (1999). Time course of osmoionic compensations to acute salinity exposure in the ghost crab *Ocypode quadrata* (Fabricius, 1787). *Journal of Experimental Marine Biology and Ecology*, 235, 91-104.
- Saoud, I. P., Davis, D. A., & Rouse, D. B. (2003). Suitability studies of inland well waters for *Litopenaeus vannamei* culture. *Aquaculture*, 217, 373-383.
- Shiau, S. Y., & Hsieh, J. F. (2001). Dietary potassium requirement of juvenile grass shrimp *Penaeus monodon*. *Fisheries Science*, 67, 592-595.
- Shakeeb-Ur-Rahman, Jain, A. K., Reddy, A. K., Kumar, G., and Raju, K. D. (2005). Ionic manipulation of inland saline groundwater for enhancing survival and growth of *Penaeus monodon* (Fabricius). *Aquaculture Research*, 36(12), 1149-1156.
- Skinner, D. M., Marsh, D. J., & Cook, J. S. (1965). Physiological salt solution for the land crab *Gecarcinus lateralis*. *Biological Bulletin*, 129, 355-365.

- Sowers, A. D., Young, S. P., Grosell, M., Browdy, C. L., & Tomasso, J. R. (2006). Hemolymph osmolality and cation concentrations in *Litopenaeus vannamei* during exposure to artificial sea salt or a mixed-ion solution: Relationship to potassium flux. *Comparative Biochemistry and Physiology*, 145(A), 176-180.
- Sowers A. D., Gatlin, D. M., Young, S. P., Isely, J. J., Browdy, C. L., & Tomasso, J. R. (2005). Responses of *Litopenaeus vannamei* (Boone) in water containing low concentrations of total dissolved solids. *Aquaculture Research*, 36, 819-823.
- Soyel, H. U., & Kumlu, M., (2003). The Effects of Salinity on Postlarval Growth and Survival of *Penaeus semisulcatus* (Decapoda: Penaeidae). *Turkish Journal of Zoology*, 27, 221-225.
- Tantulo, U., & Fotedar, R. (2006). Comparison of growth, osmoregulatory capacity, ionic regulation and organosomatic indices of black tiger prawn (*Penaeus monodon* Fabricius, 1798) juveniles reared in potassium fortified inland saline water and ocean water at different salinities. *Aquaculture*, 258, 594-605.
- Tantulo, U., & Fotedar, R. (2007). Osmo and ionic regulation of black tiger prawn (*Penaeus monodon* Fabricius 1798) juveniles exposed to K^+ deficient inland saline water at different salinities. *Comparative Biochemistry and Physiology*, 146(A), 208-214.
- Taylor, E. W., & Whiteley, N.M. (1989). Oxygen transport and acid-base balance in the haemolymph of the lobster, *Homarus gammarus*, during aerial exposure and resubmersion. *Journal of Experimental Marine Biology and Ecology*, 144, 417-436.
- Towle, D.W. (1981). Role of Na^+/K^+ -ATPase in ionic regulation by marine and estuarine animals. *Marine Biology*, 2, 107-122.
- Vijayan, K. K., & Diwan, A. D. (1996). Fluctuations in Ca, Mg, and P Level in the hemolymph, muscle, midgut gland and exoskeleton during the moult cycle of the Indian White rawns, *Penaeus indicus*. (Decapods penaeidae). *Comparative Biochemistry and Physiology*, 14(A), 91-97.
- Villarreal, H., Hinojosa, P., & Naranjo, J. (1994). Effect of temperature and salinity on the oxygen consumption of laboratory produced *Penaeus vannamei* postlarvae. *Comparative Biochemistry and Physiology*, 108(A), 331-336.

- Wang, W. N., Wang, A. L., Wang, D. M., Wang, L., Liu, Y., & Sun, R. Y. (2003). Calcium, phosphorus and adenylate levels and Na^+/K^+ -ATPase activities of prawn, *Macrobrachium nipponense*, during the moult cycle. *Comparative Biochemistry and Physiology*, 134, 297-305.
- Whetstone, J. M., Treece, G. D., Browdy, C. L., & Stokes, A. D. (2002). Opportunities and constraints in Marine Shrimp Farming. *Southern Regional Aquaculture Center. Publication*, 2600, 8 pp.
- Zanotto, F. P., & Wheatly, M. G. (2003). Calcium balance in crustaceans: nutritional aspects of physiological regulation. *Comparative Biochemistry and Physiology*, 133(A), 645-660.
- Zare, S., & Greenway, P. (1998). The effect of moulting and sodium depletion on sodium transport and the activities of Na^+/K^+ -ATPase, and V-ATPase in freshwater crayfish *Cherax destructor* (Crustacea: Parastacidae). *Comparative Biochemistry and Physiology*, 119(A), 39-745.
- Zhu, C., Dong, S., Wang, F., & Huang, G. (2004). Effects of Na/K ratio in seawater on growth And energy budget of juvenile *Litopenaeus vannamei*. *Aquaculture*, 234, 485-496.
- Zhu, C., Dong, S., Wang, F., & Zhang, H. (2006). Effects of seawater potassium concentration on the dietary potassium requirement of *Litopenaeus vannamei*. *Aquaculture*, 258, 543-550.

กิตติกรรมประกาศ

งานวิจัยนี้ได้รับทุนอุดหนุนจากสภาวิจัยแห่งชาติ ประจำปี 2554 และได้รับการเอื้อเฟื้อสถานที่จาก
ภาควิชาวาริชศาสตร์ คณะวิทยาศาสตร์ มหาวิทยาลัยบูรพา



