

บรรณานุกรม

1. Bergmark, E. (1997). Hemoglobin adducts of acrylamide and acrylonitrile in laboratory workers, smokers, and nonsmokers. *Chemical Research Toxicology*. 10: 78-84.
2. Castle, L., M. Campos, and J. Gilbert. (1991). Determination of acrylamide monomer in hydroponically grown tomato fruit by capillary gas chromatography-mass spectrometry. *Journal of Sciences Food Agricultural*. 54: 549-555.
3. Daniali, G., S. Jinap, S. I. M. Zaidul, and N. L. Hanifah. 2010. Determination of acrylamide in banana snacks by gas chromatography-mass spectrometry. *International Food Research Journal*. 17: 433-439.
4. Dearfield, K. L., C. O. Abernathy, M. S. Ottley, J. H. Brantner, and P. F. Hayes. (1988). Acrylamide: its metabolism, developmental and reproductive effects, genotoxicity and carcinogenicity. *Mutational Research*. 195:45-77.
5. Dybing, E., and T. Sanner. 2003. Risk assessment of acrylamide in foods. *Toxicological Sciences*. 75: 7-15.
6. Dybing, E., P. B. Farmer, M. Anderson, T. R. Fennell, S. P. Lalljie, D. J. Muller, S. Olin, B. J. Petersen, J. Schlatter, G. Scholz, J. A. Scimeca, N. Slimani, M. Tornqvist, S. Tuijelaars, and P. Verger. (2005). Human exposure and internal dose assessments of acrylamide in food. *Food Chemical Toxicology*. 43: 365-410.
7. EC. (2000). Risk assessment of acrylamide (CAS No. 79-06-1, EINECS No. 201-173-7). In draft risk assessment report prepared by the UK on behalf of the European Union in the framework of Council Regulation (EEC) 793/93 on the evaluation and control of the risks of "Existing" substances. European Commission, Joint Research Centre, European Chemicals Bureau, Ispra, (October 2000).
8. Fennell, T. R., S. C. Sumner, R. W. Snyder, J. Burgess, R. Spicer, W. E. Bridson, and M. A. Friedman. (2005). Metabolism and hemoglobin adduct formation of acrylamide in humans. *Toxicological Science*. 85: 447-459.
9. Hedegaard, R. V., K. Granby, H. Frandsen, J. Thygesen, and L. H. Skibsted. (2008). Acrylamide in bread. Effect of prooxidants and antioxidants. *European Food Research and Technology*. 227: 519-525.
10. Hoenicke, K. and R. Gattermann. (2005). Studies on the stability of acrylamide in food during storage. *Journal of AOAC International*. 88 (1): 268-273.

11. IARC. (1986). Some Chemicals Used in Plastics and Elastomers. In IARC Monographs on the evaluation of carcinogenic risk of chemicals to human vol. 39, 403. Lyon, France: International Agency for Research on Cancer.
12. IARC. (1987). Overall Evaluations of Carcinogenicity. In IARC Monographs on the evaluation of carcinogenic risk of chemicals to humans supplement 7, 560. Lyon, France: International Agency for Research of Cancer.
13. IARC. (1994). IARC Monographs on the evaluation of carcinogenic risks to humans. 60, 389
14. Klaasen, C.A.M., and J. Doull. (1986). Casaret and Doull's toxicology: The basic science of poisons. New York : Macmillan.
15. Klaus, A. N., and W. Schmahl. (1989) Mutagenic and teratogenic effects of acrylamide in the mammalian spot tests. *Mutational Research*. 226: 157-162.
16. Mottram, D. S., B. L.Wedzicha, and A. T. Dodson. (2002). Acrylamide is formed in the Maillard reaction. *Nature*. 419: 448-449.
17. Schabacker, J., T. Schwend, and M. Wink. (2004). Reduction of acrylamide uptake by dietary proteins in a Caco-2 gut model. *Journal of Agricultural Food Chemistry* 52: 4021-4025.
18. Segerback, D., C. J. Calleman, J. L. Schreoder, L. G. Costa, and E. M. Faustman. (1995). Formation of N-7-(2-carbamoyl-2-hydroxyethyl) guanine in DNA of the mouse and the rat following intraperitoneal administration of [¹⁴C]acrylamide. *Carcinogenesis* 16: 1161-1165.
19. Shairashi, Y. (1978). Chromosome aberrations induced by monomeric acrylamide in bone marrow and germ cells of mice. *Mutation Research* 57: 313-324.
20. Shanker, R., L. K. S. Chauhan, and P. K Seth. (1987). The toxic effects of acrylamide on root tip cells of *Allium cepa*. *Cytologia* 52: 895-899.
21. Shanker, R., and P. K. Seth. (1986). Toxic effects of acrylamide in a fresh water fish, *Heteropneustes fossilis*. *Bull Environmental Contamination Toxicology*, 37: 274-280.
22. Stadler, R. H., I. Blank, N. Varga, F. Robert, J. Hau, P. A. Guy, M. Robert, and S. Riediker. (2002). Acrylamide from Maillard reaction products. *Nature*. 419: 449-450.
23. Svesson, K., L. Abramsson, W. Becker, A. Glymm, K. E. Hellenas, Y. Lind, and R. J. Rosen. (2003). Dietary intake of acrylamide in Sweden. *Food Chemical Toxicology* 41: 1581-1586.
24. Tareke, E., P. Rydberg, S. Eriksson, and M. Tornqvist. (2002). Analysis of acrylamide, a carcinogen formed in heated foodstuffs. *Journal of Agricultural Food Chemistry* 50: 4998-5006.
25. Tareke, E., P. Rydberg, P. Karlsson, S. Eriksson, and M. Tornqvist. (2000). Acrylamide: a cooking carcinogen?" *Chemical Research Toxicology* 13: 517-522.

26. Tilson, H. A. (1981). The neurotoxicity of acrylamide. An overview.” *Neurobehavioral Toxicological Teratology* 3: 455-461.
27. Tilson, H. A., and P. A. Cabe. (1979). The effects of acrylamide given acutely or in repeated doses on fore- and hindlimb functions of rats. *Toxicological Applied Pharmacology* 47: 253-260.
28. Zhang, Y., Y. Dong, Y. Ren, and Y. Zhang. (2006) Rapid determination of acrylamide contaminant in conventional fried foods by gas chromatography with electron capture detector. *Journal of Chromatography A*. 1116: 209-216.
29. Zhang, Y., Y. Ren, H. Zhao, and Y. Zhang. (2007) Determination of acrylamide in Chinese traditional carbohydrate-rich foods using gas chromatography with micro-electron capture detector and isotope dilution liquid chromatography combined with electrospray ionization tandem mass spectrometry. *Analytica Chimica Acta*. 584: 322-332.
30. Zodl, B., D. Schmid, G. Wassler, C. Gundacker, V. Leibetseder, T. Thalhammer, and C. Ekmekcioglu. (2007) Intestinal transport and metabolism of acrylamide. *Toxicology* 232: 99-108.