

เอกสารอ้างอิง

- คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล.(2550). สมุนไพร . นลินชนสุดสัปดาห์, ปีที่ 27 ฉบับที่ 1410, 66.
 ตะโกนา. วันที่ค้นข้อมูล 3 ตุลาคม พ.ศ. 2550, เข้าถึงได้จาก <http://www.anodard.co.th/info/2.doc>
- สำนักงานข้อมูลสมุนไพร. วันที่ค้นข้อมูล 3 ตุลาคม พ.ศ. 2550, เข้าถึงได้จาก
<http://www.medplant.mahidol.ac.th/pubhealth/diospy.html#index>
- Adeniyi BA, Robert MF, Chai H & Fong HS. In vitro cytotoxicity activity of diosquinone, a naphthoquinone epoxide. *Phytother Res.* 2003, 17(3); 282-84.
- Borges-Argaez R, Canche-Chay CI, Pena-Rodriguez LM, Said-Fernandez SG, Molina-Salinas GM. Antimicrobial activity of *Diospyros anisandra*. *Fitoterapia.* 2007, 78; 370-72.
- Buenz EJ, Brent AB, Timothy JM, & Limburg PJ. Cytotoxic properties of *Diospyros Seychellarum* extract. *J Toxicol Sci.* 2007, 32(5); 487-93.
- Chakrabarty S, Roy M, hazra B, & Bhattacharya RK. Induction of apoptosis in human cancer cell lines by diospyrin, a plant-derived bisnaphthoquinonoid, and its synthetic derivatives. *Cancer let.* 2002, 188: 85-93.
- Chau GY, Lui WY, Tsay SH, Chao Y, King KL, Wu CW. Postresectional adjuvant intraportal chemotherapy in patients with hepatocellular carcinoma: a case-control study. *Ann Surg Oncol.* 2006, 13; 1329-1337.
- Chen CR, Cheng CW, Pan MH, Liao YW, Tzeng CY, & Chang CI. Lanostane-type Triterpenoids from *Diospyros discolor*. *Chem Pharm Bull.* 2007, 55(6); 908-11.
- Cragg GM & Newman DJ. Plants as source of anticancer agents. *J Ethnopharmacol.* 2005, 100; 72-79.
- Elmore S. Apoptosis: A review of programmed cell death. *Toxicol Pathol.* 2007, 35; 495-516.
- Farnsworth NR, Akerele O, Bingel AS, Soejarto DD & Guo Z. Medicinal plants in therapy. *Bull World Health Organ.* 1985, 63; 965-81.
- Forgo P. & Kover KE. Gradient enhanced selective experiments in the ¹H NMR chemical shift assignment of the skeleton and side-chain resonances of stigmasterol, a phytosterol derivative. *Steroids.* 2004, 69: 43-50.

- Fornari FA, Randolph JK, Yalowich JC, Ritke MK and Gewirtz DA. Interference by doxorubicin with DNA unwinding in MCF-7 breast tumor cells. *Mol Pharmacol*. 1994, 45 (4), 649-56.
- Furusawa M, Tanaka T, Ito T, Nakaya K, Ohyama M, Inuma M, Murata H, Inatomi Y, Inada A, Nakanishi T, Matsushita S, Kubota Y, Sawa R, & Takahashi Y. Flavonol Glycosides in Leaves of Two *Diospyros* Species. *Chem Pharm Bull*. 2005, 53(5); 591- 93.
- Ganapaty S, Thionus PS, Karagianis GP, Waterman G, Brun R. Antiprotozoal and cytotoxic naphthalene derivative from *Diospyros assimilis*. *Phytochemistry*. 2006, 67; 1950-56.
- Gu JQ, Graf TN, Lee DC, Hee-Byung MQ, Kardono LB, Setyowati FM, Ismail RR, Farnsworth NR, Cordell GA, Pezzuto JM, Swanson SM, David JF, Joseph O, Wall ME, Wani MC, Kinghorn AD, Oberlies NH. Cytotoxic and Antimicrobial Constituents of the Bark of *Diospyros maritima* Collected in Two Geographical Locations in Indonesia. *J Nat Prod*. 2004, 67(7); 1156-61.
- Haque ME, Shekhar HU, Mohamed AU, Rahman H, Islam AM, & Hossain MS. Triterpenoids from the Stem Bark of *Avicennia officinalis*. *J Pharm Sci*. 2006, 5(1-2); 53-7.
- Hebert MJ, Takano T, Holthofer H and Brady HR. Sequential morphologic events during apoptosis of human neutrophils. Modulation by lipoxygenase-derived eicosanoids. *J Immunol*. 1996, 157(7); 3105-15.
- Higa M, Noha N, Yokaryo H, & Yogi S. Three new naphthoquinone derivatives from *Diospyros maritime* Blume. *Chem. Pharm. Bull. (Tokyo)*. 2002, 50; 590-93.
- Hu W & Kavanagh JJ. Anticancer therapy targeting the apoptotic pathway. *Lancet Oncol*. 2003, 4; 721-29.
- Johnson JT. Phytochemicals and cancer. *Proc Nutr Soc*. 2007, 66; 207-215.
- Kappor LD. CRC Handbook of ayurvedic medicinal plants. Boca Raton, Florida, CRC Press, 1990, pp 416-17.
- Kasibhatla S & Tseng B. Why Target Apoptosis in Cancer Treatment? *Mol Cancer Ther*. 2003, 2; 573-580.
- Kaufmann SH, Earnshaw WC. Induction of apoptosis by cancer chemotherapy. *Exp Cell Res*. 2000, 256; 42-49.
- Khan MR, Timi D. Constituents of the root and stem bark of *Diospyros villosiuscula*. *Fitoterapia*. 1999, 70; 209-11.

- Kuo YH, Li SY, Shen CC, Yang LM, Huang HC, Liao WB, Chang CI, Kuo YH & Chen CF. Cytotoxic constituents from the fruit of *Diospyros ferrea*. *Chin Pharm J (Taipei)*. 1997, 49(4); 207-16.
- Kurosaka K, Takahashi M, Watanabe N, and Kobayashi Y. Silent Cleanup of Very Early Apoptotic Cells by Macrophages. *J Immunol*. 2003, 4672–79.
- Lieberthal W, Triaca V and Levine J. Mechanisms of death induced by cisplatin in proximal tubular epithelial cells: apoptosis vs. necrosis. *Am J Physiol Renal Physiol*. 1996, 270(4); 700–8.
- Mallavadhani UV., Panda AK., & rao YR. Pharmacology and chemotaxonomy of *Diospyros*. *Phytochemistry*. 1998, 49; 901-51.
- Moshi MJ, Masimba PJ, Nondo RS, Mbwambo ZH, Kapingu MC, Mohamed M, Kimbokota F. Anticonvulsant activity of extracts of *Diospyros fischeri* stem bark. *Afr J Trad CAM*. 2007, 4(1); 94-8.
- Parkin DM, Bray F, Ferlay J, Pisani P. Global cancer statistics, 2002. *CA Cancer J Clin*. 2005, 55; 74-108.
- Primeau AJ, Rendon A, Hedley D, Lilge L and Tannock IF. The distribution of the anticancer drug doxorubicin in relation to blood vessels in solid tumors. *Clin cancer res*. 2005, 11(24); 8782–88.
- Reed JC. Apoptosis-regulating proteins as targets for drug discovery. *Trends Mol Med*. 2001, 7; 314–319.
- Samuelsson G. Drugs of natural origin: a textbook of pharmacognosy. 4th ed., Stockholm, Swedish *Pharmaceu-tical Press*, 1999.
- Shashi BM, & Asish PK. Review article number 98: ¹³C NMR spectra of pentacyclic triterpenoids-A compilation and some salient features. *Phytochemistry*. 1994, 37(6); 1517-75.
- Shoeb M. Anticancer agents from medicinal plants. *Bangladesh J Pharmacol*. 2006, 1; 35-41.
- Tangmouo J, Meli AL, Komguem J, Kuate V, Nguonou FN, Lontsi D, Beng VP, Choudhary MI, Sondengum BL. Crassiflorone, a new naphthoquinone from *Diospyros crassiflora* (Hien). *Tetrahedron Letts*. 2006, 47; 3067-70.
- Tangmouo JG, Ho R, Matheeussen A, Lannang AM, Komguem J, Messi BB, Maes L, & Hostettmann K. Antimalarial activity of extract and norbergenin derivatives from the stem bark of *Diospyros sanza-minika* A. Chevalier (Ebenaceae). *Phytother Res*. 2010, 24(11); 1676-9.

- Ting CY, Hsu CT, Hsu Su, Su JS, Chen TY, Tarn WY, Kuo YH, Whang-Peng J, Liu LF, & Hwang J. Isodiopyrin as a novel human DNA topoisomerase I inhibitor. *Biochem Pharmacol.* 2003, 66; 1981-91.
- Vermeulen K, Van Bockstaele DR, Berneman Z N. Apoptosis: Mechanisms and relevance in cancer. *Ann Hematol.* 2005, 84; 627-639.
- Wang S, Konorev EA, Kotamraju S, Joseph J, Kalivendi S and Kalyanaraman B. Doxorubicin induces apoptosis in normal and tumor cells via distinctly different mechanisms. *J Biol Chem.* 2004, 279(24); 25535-43.
- Yan XZ, Kuo YH, Lee TJ, Shih TS, Chen CH, McPhail DR, McPhail AT & Lee KH. Antitumor agent. Part 106. Cytotoxic components of *Diospyros morrisiana*. *Phytochemistry* 1989; 28(5): 1541-3.
-



