

5.4 เอกสารอ้างอิง

- 1) E. Uguzdogan, E.B. Denkbaz, E. Ozturk, S.A.Tuncel, O.S. Kabasakal, Preparation and characterization of polyethyleneglycolmethacrylate (PEGMA)-co-vinylimidazole (VI) microspheres to use in heavy metal removal, *Journal of Hazardous Materials*, article in press.
- 2) A. Demirbas, Heavy metal adsorption onto agro-based waste materials: A review, *Journal of Hazardous Materials*, 157 (2008), 220-229.
- 3) M.V. Dinu, E.S. Dragan, Heavy metal adsorption on some iminodiacetate chelating resin as a function of the adsorption parameters, *Reactive & Functional Polymers*, 68 (2008) 1346-1354.
- 4) A. Duran, M. Soylak, S.A. Tuncel, Poly(vinyl pyridine-poly ethyl glycol methacrylate-ethylene glycol dimethacrylate) based for heavy metal removal, *Journal of Hazardous Materials*, 155 (2008), 114-120.
- 5) C.Y. Chen, C.L. Chiang, C.R. Chen, Removal of heavy metal ions by a chelating resin containing glycine as chelating groups, *Separation and Purification Technology*, 54 (2007) 396-403.
- 6) C. Liu, R. Bai, L. Hong, Diethylenetriamine-grafted poly(glycidyl methacrylate) adsorbent for effective copper ion adsorption, *Journal of Colloid and Interface Science*, 303 (2006), 99-108.
- 7) G. Bayramoglu, M.Y. Arica, Ethylenediamin grafted poly(glycidylmethacrylate-co-methylmethacrylate) adsorbent for removal of chromate anions, *Separation and Purification Technology*, 45 (2005) 192-199.
- 8) A. Demirbas, E. Pehlivan, F. Gode, T. Altun, G. Arslan, Adsorption behavior of Cu(II), Zn(II), Ni(II), Pb(II), and Cd(II) from aqueous solution on Amberlite IR-120 synthetic resin, *Journal of Colloid and Interface Science*, 282 (2005), 16-21.
- 9) N.Bicak, D.C. Sherrington, S. Sungur, N. Tan, A glycidyl methacrylate-based resin with pendent urea groups as a high capacity mercury specific sorbent, *Reactive & Functional Polymers*, 54 (2003) 141-147.
- 10) B.F. Senkal, N. Bicak, Glycidyl methacrylate based polymer resins with diethylene triamine tetra acetic acid functions for efficient removal of Ca(II) and Mg(II), *Reactive & Functional Polymers*, 49 (2001) 151-157.

- 11) D.S.S. Nunes, F.M.B. Coutinho, Acrylonitrile-divinylbenzene copolymer beads: influence of pre-polymerization step, stirring conditions and polymerization initiator type on the polymer particles characteristics, *European Polymer Journal*, 38 (2002) 1159-1165.
- 12) P.J. Dowding, J.W. Goodwin, B. Vincent, The characterization of porous styrene-glycidyl methacrylate copolymer beads prepared by suspension polymerization, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 145 (1998), 263-270.
- 13) M.D. Ahmed, A.A. Asem, M.M.M. Ewais, M.E. Anas, O.A. Mahmoud, Removal of uranium(VI) from aqueous solutions using glycidyl methacrylate chelating resins, *Hydrometallurgy*, 95 (2009), 183–189.
- 14) L. Changkun, B. Renbi and S.L. Quan, Selective removal of copper and lead ions by diethylene triamine-functionalized adsorbent: Behaviors and mechanisms, *Water Research*, 42 (2008), 1511– 1522.
- 15) A. Denizlli, R. Say, B. Garipean, S. Patir, Methacryloylamidoglutamic acid functionalized poly(2-hydroxyethyl methacrylate) beads for UO_2^{2+} removal, *Reactive & Functional Polymers*, 58 (2004) 123-130.



