

## REFERENCE

- A Britton and K McPherson. Mortality in England and Wales attributable to current alcohol consumption. **BMJ** 2001; 55:383-388.
- Babor T et al. **Alcohol: no ordinary commodity**. United States of America: World Health Organization and Oxford University press; 2004.
- Bondy SJ. Overview of studies on drinking patterns and their reported consequences. **Addiction** 1996; 91(11): 1661-1674.
- Chisholm D, Rehm J, Van Ommeren M, Monteiro M. Reduction in the global burden of hazardous alcohol use: a comparative cost-effectiveness analysis. **Journal of Studies on Alcohol** 2004; 65(6): 782-93.
- Demers, A, Room R, Bourgault C. **Survey of Drinking Patterns and Problems in Seven Developing Countries**. [online]. 2005 November 22]. Available from :<http://pubs.niaaa.nih.gov/publications/arh27-1/95-109.html>.
- English DR et al. **The quantification of drug-caused morbidity and mortality in Australian**. Canberra: Commonwealth Department of Human Services and Health; 1995.
- Gruenewald, P.J., and Nephew, T.M. Drinking in California: Theoretical and empirical analyses of alcohol consumption patterns. **Addiction** 89(6): 707-723, 1994.
- Gun Chernrunroj. **Monitoring of Alcoholic Beverage Consumption in Thailand**. Paper for alcohol consumption The First National Conference on Alcohol Consumption and Related Problem in Thailand 13-15 July 2548: Bangkok, Thailand.
- Gutjahr E, Gmel G & Rehm J. Relation between average alcohol consumption and disease: an overview. **European Addiction Research** 2001; 7(3): 117-127.
- Hao W. et al. Drinking and drinking patterns and health status in the general populations of five areas of China. **Alcohol and Alcoholism** 2004; 39(1): 43-52.
- Heath, D.B. "An Anthropological View of Alcohol and Culture in International Perspective," pp.328-347 in Heath, D.B., ed., **International Handbook on Alcohol and Culture**. Greenwood Press: Westport, CT; 1995.

- Kajorntham, Y., P. Kajorntham, and B. Sornphaisarn. **Effectiveness of alcohol consumption control measures**. Bangkok: National Health foundation.2004 [In Thai]
- Kim Bloomfield et al. **International Comparisons of Alcohol Consumption**. [online].2005[cited 2005 November 22]. Available from: <http://pubs.niaaa.nih.gov/publications/arh27-1/95-109.html>.
- Klatsky, A.L. Alcohol, coronary disease, and hypertension. **Annual Review of Medicine** 1996; 47: 149-160.
- Knibbe, R.A., and Bloomfield, K. Alcohol consumption estimates in surveys in Europe: Comparability and sensitivity for gender differences. **Substance Abuse** [online].2001[cited 2005 November]. Available from: <http://pubs.niaaa.nih.gov/publications/arh27-1/95-109.html>.
- Kunpfer, C. Abstaining for foetal health: The fiction that even light drinking dangerous. **British Journal of Addiction** 1991; 86, 1063-1073.
- Longnecker, M. Alcoholic beverage consumption in relation to risk of breast cancer: meta-analysis and review. **Cancer Cause and Control**.1994; 5, 73-82.
- Mathers C, VOS T, Stevenson C. **The Burden of Disease and Injury in Australia**.Canberra: Australian Institute of Health and Welfare, [online].2005[cited 2005 November]; Available from: <http://www://pubs.niaaa.nih.gov/publications/marh27-1/95-109.html>.
- Makala, P., Valkonen, T & Martelin, and T. Contribution of deaths related to alcohol use to socioeconomic variation in mortality: register based follow up study.**British Medical Journal** 1997; 315,211-216.
- Michael Wadsworth.Improving methods of estimating alcohol consumption. **Journal of the Royal Statistical Society** 2000; 163:381-402.
- Moore AA et al. Longitudinal patterns and predictors of alcohol consumption in the United States. **Am J Public Health** [online].2005[cited 2005 November]; Available from: <http://www.pubmed.gov>.accessed 23 march27-1/195-199html.
- Nikomborirak, D. **Marketing behavior survey to support fair marketing competition**. Bangkok: Thailand Development Research Institute; 2002 [In Thai].

- Pruitthiphinyo, C. **Review of Alcohol Supply Side Regulation Measures**. Bangkok: Center for Alcohol Studies; 2005. [In Thai].
- Rehm, J, Greenfield, T.K, Walsh, G.W. et al. Assessment methods for alcohol consumption, prevalence of high risk drinking and harm: A sensitivity analysis. **International Journal of Epidemiology** 1999; 28(2): 219–224.
- Rehm J et al. Alcohol consumption and coronary heart disease morbidity and Mortality. **American Journal of Epidemiology** 1997; 146:495-501.
- Rehm J et al. Alcohol-related morbidity and mortality. **Alcohol Research and Health** 2003; 27(1) 39-51.
- Rehm J et al. Alcohol-related harm. **Alcohol Research and Health** 2004; 27(1) 39-51.
- Rehm J et al. On the emerging paradigm of drinking patterns and their social and health consequences. **Addiction** 1996; 91(11): 1615-1621.
- Room R.and Rossow I. The share of violence attributable to drinking: What do we need to know and what research is needed? **Journal of Substance Use** 2001; 6:218-228.
- Room R, Babor TF, Rehm J. Alcohol and Public Health. **Lancet** 2005; 365: 519-30.
- Sornphaisarn, B. **Development of alcohol-related problem control policy**. Bangkok: Center for Alcohol Studies; 2005. [In Thai].
- Sornphaisarn, B. **Thai Alcohol Situation 2006**. Bangkok: Center for Alcohol Studies; 2006. [In Thai].
- Stanton Peele.Utilizing Culture and Behaviour in Epidemiological Models of Alcohol Consumption and Consequences for Western Nations. **Alcohol & Alcoholism** [online].1997 [cited 2005 November 22] Available from: <http://www.TheStantonPeeleAddictionWebsite>.
- Thomas K.Greenfield and William C. Kerr. **Tracking Alcohol Consumption Over Time**. [online]. 2002 [cited 2005 November 22]; Available from: <http://pubs.niaaa.nih.gov/publications/arh27-1/95-109.html>.
- Thamarangsi, T., Why we drink so much. **Journal of Health Science** 2006; 15(3): 335-346. [In Thai].

- V.Pozynax. **Global Trends in Alcohol Consumption, Related Harm and Policy Responses**. Paper for Alcohol consumption The First National Conference on Alcohol Consumption and Related Problem in Thailand 13-15 July 2548: Bangkok, Thailand.
- Woody Caan and Jackie de Belleruche. **Drink, Drugs and Dependence**. Great Britain: MPG Books, Bedmin; 2002.
- Woody Caan and Jackie de Belleruche. **Drink, Drugs and Dependence**. Great Britain: MPG Books, Bedmin; 2002.
- World Health Organization. **The World Health Report 2000-Health Systems: Improving Performance**. Geneva: WHO; 2000.
- World Health Organization. **Global Status Report: Alcohol Policy**. Geneva: WHO; 2004.
- World Health Organization. **International Guide for Monitoring Alcohol Consumption and Related Harm**. Geneva: WHO; 2000.
- World Health Organization. **Global Alcohol Database**. [online] 2004 [cited 2004 June 22]. Available from: [http://www3.who.int/whosid/alcohol\\_apc\\_data\\_process](http://www3.who.int/whosid/alcohol_apc_data_process).
- Zador, P.L. Alcohol-related Relative Risk of fatal driver injuries in relation to driver age and sex. **Journal of Studies on Alcohol** 1991; 52(3): 302-310.

## **APPENDICES**

## Appendix A

Questioners for interview habits of drinking alcoholic beverages

### Part 1 Personal status

1. Sex

Male  female

2 Age  years

3. The highest education

Not attending       early elementary       elementary school  
 Junior High       High School / Vocational  Diploma / Diploma  
 Bachelor       Master's Degree

4. Marital status

Single       Double       Separated  
 Widowed       Divorced

5. Your current occupation

Contractor       Employee       farmer / farmer / planter  
 Government / state / employee of the state       students  
 Trade (Owner)       other specified.....

6. The total family income per month. .... Baht

7. Nature family while now.

Single (parents and / or children)       expand (with grandparents and grandchildren)

### Part 2 interview habit of drinking alcoholic beverages

The following questions are about drinking alcohol such as beer, wine, Spy Wine Cooler juice mixed with alcohol such as whiskey Mekong Sangsom brandy Regency Health Tennessee Cooper China Siang Choon drugs. Liquor industry, immersion worth sugars act drunk or alcoholic beverages other

1. Have you ever drink alcohol or do not. (Not counting a sip or taste a small sip 1-2)

Never       never

2. Age at first alcohol drinking age  years

3. Since the first drink of alcohol until now is the time for how long?

( ) Year  ( ) monthly  ( ) days

Current age of respondents  ( ) years



7. During the past 12 months. The date that your alcohol consumption. You usually drink much kind amount (if you drink several types on the same day to answer all together. If you drink only one type, select the response type only.)

brands of the drink	The type of beverage	Refining, drink wine, Kak, glass, cans, bottles)	Volume (ml)
1.			
2.			
3.			
4.			

8. During the past 12 months. How often do you drink alcohol?

- Daily                       5-6 days per week                       3-4 days per week  
 1-2 days per week    2-3 days per month                       day per month  
 7-11 days in the past 12 months                       4-6 days in the past 12 months  
 2-3 days in the past 12 months                       one day only. 12 months ago

9. During the past 12 months. On drinking the most. You usually drink kind of content does.

brands of the drink	The type of beverage	Refining, drink wine, Kak, glass, cans, bottles)	Volume (ml)
1.			
2.			
3.			
4.			

10. During the past 12 months. How often do you drink any of this

- Daily                       5-6 days per week                       3-4 days per week  
 1-2 days per week    2-3 days per month                       day per month  
 7-11 days in the past 12 months                       4-6 days in the past 12 months  
 2-3 days in the past 12 months                       one day only. 12 months ago

11. During the past 12 months. On moderate drinking. You usually drink kind of content does

brands of the drink	The type of beverage	Refining, drink wine, Kak, glass, cans, bottles)	Volume (ml)
1.			
2.			
3.			
4.			

12. During the past 12 months. How often do you drink any of this

- Daily                       5-6 days per week                       3-4 days per week  
 1-2 days per week    2-3 days per month                       day per month  
 7-11 days in the past 12 months    4-6 days in the past 12 months  
 2-3 days in the past 12 months    one day only 12 months ago

13. During the past 12 months. On drink minimum. You usually drink kind of content does.

brands of the drink	The type of beverage	Refining, drink wine, Kak, glass, cans, bottles)	Volume (ml)
1.			
2.			
3.			
4.			

14. During the past 12 months. How often do you drink any of this

- Daily                       5-6 days per week                       3-4 days per week  
 1-2 days per week    2-3 days per month                       day per month.  
 7-11 days in the past 12 months    4-6 days in the past 12 months  
 2-3 days in the past 12 months    one day only. 12 months ago

15. During the past 12 months. Have you ever drank more consecutive one example more than 6 cans of beer or 3 bottles of wine or more than five large glass or half-flat Or more than half a bottle of wine was about ( ) ( ) days



**Part 3** It is an interview about your drinking alcohol during the past 12 months. To assess alcohol problems (AUDIT: Alcohol Use Disorder Identification Test).

**Notice:** Each of the following questions that asked about experiences of drinking alcohol during the past year by a mean alcoholic beverage of all kinds of alcoholic liquors, including beer, whiskey soaked action Sato spyware wine etc.

Questions	0 Score	1 Score	2 Score	3 Score	4 Score
1. During the past 12 months, how often have I never once a month or less than 2-4 times per month 2-3 times per week 4 or more times per week?	I never	Once per month	2-4 times per month	2-3 times per week	4 or more times per week
2. Choose to answer each question When you drink alcohol In general, about how much you drink per day	1-2 standard drinks	3-4 standard drinks	5-6 standard drinks	7-9 standard drinks	10 standard drinks
In general, if a beer such as Heineken Lion Leo Tiger cheer about how elephants drink per day	1-2 Can (1 large bottle)	3-4 Can (2 large bottles)	5-6 Can (3 big bottles)	7-9 Can (4 large bottles)	10 Canned (6 bottles)
Generally, if drinking, such as the Mekong, Hong Thong white wine drinking around 40 degrees on how to cover	2-3	1 / 4 flat	1 / 2 flat	3 / 4 flat	1 Flat up
If drinking various quantities as compared to alcohol. Then combine it together	~ 25-50 cc. (1-2 cap)	50-100 cc. (~ 1 / 4 flat)	150 cc. (~ 1 / 2 flat)	176-225 cc. (~ 1/2- 3/4 flat)	one or more flat

Questions	0 Score	1 Score	2 Score	3 Score	4 Score
3. How often you drink from up to six standard drinks or beer, four cans or two large bottles or more. Or whiskey and over 3 Refining	Never	Less than once a month	every month	every week	every day or almost every day
4. Have you found that you can not stop drinking when you start to drink or not	Never	Less than once a month	every month	every week	every day or almost every day
5. You do not do things that you should make your dull, but usually due to alcohol or not	Never	Less than once a month	every month	every week	every day or almost every day
6. You need to drink alcohol once in the morning. To life as normal. In case of heavy, drinking last night or not?	Never	Less than once a month	every month	every week	every day or almost every day
7. You feel angry or sad mistake is not good after you drink alcohol or not	Never	Less than once a month	every month	every week	every day or almost every day
8. You can not remember what happened last night. Because you have to drink alcohol or not at all	Never	Less than once a month	every month	every week	every day or almost every day
9. Do you or anyone else was injured as a result of your drinking or not	Never	Less than once a month	every month	every week	every day or almost everyday

Questions	0 Score	1 Score	2 Score	3 Score	4 Score
10.Had friends and relatives, doctors or medical personnel. Expressed our concern is with the fibers of your drinking. Or recommend that you do not stop drinking	Never	Less than once a month	every month	every week	every day or almost every day
<b>Total score</b>					

The amount of alcohol in the drink compared with standard (Standard Drink) in answer to Item 2 and 3 of the AUDIT One standard drink equals 10 grams of alcohol.

1. Wine red 35 degree: two large cap or 30 cc = 1 standard drink,.

If a flat is 350 cc:  $\frac{1}{4}$  flat = 3 standard drinks,  $\frac{1}{2}$  standard drink = 6 flat, 1 flat = 12 standard drinks.

If a bottle is a 700 cc:  $\frac{1}{4}$  bottle = 6 standard drinks,  $\frac{1}{2}$  bottle = 12 standard drinks, 1 bottle = 24 standard drinks.

2. 40 degrees and white wine: 1 Refining or 50 cc = 1.5 standard drinks.

3. Singha beer, 5%, such as Heineken, Tiger Leo Hathaway Chang Draft:  $\frac{3}{4}$  cans / bottles, small = 1 standard drink, a big bottle of 660 cc = 2.5 standard drinks.

4. 6.4% beer, such as elephants:  $\frac{1}{2}$  cans or 1 / 3 = 1 large bottle of drinking standard.

5. Wine, 12%: 1 cup 100 cc = 1 standard drink, Wine Cooler, 1 bottle = 1 standard drink.

6. Industrial action dips 10%: 3 Refining / Tong / drink wine, or 150 cc = 1 standard drink.

7. Wort alcohol liquor soaked native 6%: 4 Refining / Tong / drink wine, or 200 cc = 1 standard drink

**Part 4 is an interview from the effects of alcohol consumption**

During the past 12 months	never	ever not	applicable
1. Drinking alcohol had caused harm family life Or a close relationship with your lover or not			
2. Drinking alcohol had caused harm relationships with family members. Including your child or not			
3. Drinking alcohol had caused harm relationships with friends or social life or not			
4. Have you ever quarrel while drinking alcohol or not			
5. Have you ever had legal problems due to Khai car after drinking alcohol or not			
6. Drinking alcohol had caused harm to study or work opportunities to do your job or not			
7. Drinking alcohol had caused harm to your home or work			
8. Drinking alcohol was causing financial problems to you or not			
9. Have you ever had health problems related to alcohol or not			
10. Have you ever felt guilty or regret after drinking alcohol or not			
11. Have you ever had legal problems related to alcohol or not			
12. Have you ever been unemployed, or nearly out of work because of drinking alcohol or not			
13. Have you ever told your partner will break up with you because of your drinking or not			
14. Have you ever felt resentment because someone criticized you about your drinking or not			

**Appendix B**  
**Summary of indicators and sources of data**

Indicators	Sources of data	Collection methods
<b>Indicators of alcohol use</b>		
Per capita consumption	General population	Survey by Semi-structured questionnaires
Alcohol treatment admissions	Treatment reporting system, or Records of patients admitted to specialized alcohol units	Data collection form
Hospital admission/discharge diagnoses	Hospital records	Data collection form
Cirrhosis	Hospital records	Data collection form
Alcohol-related cancers	Hospital records	Data collection form
Alcohol-related emergencies	Hospital emergency rooms	Data collection form
Alcohol-related deaths	Mortality statistics	Data collection form
Arrest or convictions (1) Drink-driving offences (2) Drunkenness (3) Other alcohol-related offences	Police records, Key informants(arrests or person)	Data collection form and interview guideline
Traffic incidents (1) Accidents (2) Breathalyzer tests	Police records	Data collection form

<b>Indicators</b>	<b>Sources of data</b>	<b>Collection methods</b>
Non-traffic accidents and injuries	Hospital records Ambulance services	Data collection form
<b>Indicators of alcohol availability</b>		
Production	Alcohol industry production figures	Mapping
Alcohol distribution (1) Number of retail outlets (license) (2) Alcohol sales	Municipal statistics Wholesale and retail records, Key informants (sellers)	Data collection form Data collection form and interview guideline
Price of alcoholic beverage	Alcohol industry records, Key informants (sellers) Retail statistics	Data collection form and interview guideline Data collection form

## CURRICULUM VITAE



**Name:** Miss.Darika Chaiyakhun

**Date of birth:** September 27<sup>th</sup>, 1969

**Education:** 1987 - 1991 Diploma in Nursing Science Equivalent to  
Bachelor of Science in Nursing  
1999 - 2000 Master of Nursing Science (Pediatric Nursing)  
Khon Kaen University, Khon Kaen, Thailand  
2005 - 2011 Doctor of Philosophy (Public Health) Khon Kaen  
University, Khon Kaen, Thailand

