

เอกสารอ้างอิง

- สุรินทร์ ปิยะโชคนากุล. พันธุวิศวกรรมเบื้องต้น. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์. 2545: 282หน้า
- Anuntalabhochai S, Chiangda J, Chandet R, Apawat P. Genetic Diversity within Lychee (*Litchi chinensis* Soonn.) based on RAPD analysis. *International Symposium on Tropical and Subtropical Fruit. 26th Nov–1st Dec. Cairhs, Australia.* 2000. p 45.
- Anuracpreeda P, Wanichanon C, Sobhon P. Paramphistomum cervi: Antigenic profile of adults as recognized by infected cattle sera. *Experimental Parasitology.* 2008. 118: 203–207.
- Barber K E, Mkoji G M, Loker E S. PCR–RFLP Analysis of the ITS2 Region to Identify *Schistosoma haematobium* and *S. bovis* from Kenya. *American Journal of Tropical Medicine and Hygiene.* 2000. 62(4): 434–440.
- Caideira R L, Jannotti-passos L K, Lira P M, Cavalho O S. Diagnostic of *Biomphalaria* snails and *Schistosoma mansoni*: DNA obtained from trace of shell organics materials. *Mem. Inst. Oswaldo Cruz, Rio de Janeiro.* 2004. 99(5): 499–502.
- Cucher MA, Carnevale S, Prepelitchi I, Labbe J H, Wisniveski-Colli C. PCR diagnosis of *Fasciola hepatica* in field-collected *Lymnaea columella* and *L. Viatrix* snail. *Vet Parasitol.* 2006. 137: 74–82.
- Dar Y, Vignoles P, Rondelaud D, Dreyfuss G. Larval productivity of *Fasciola gigantica* in two lymnaeid snails. *J Helminthol.* 2004. 78: 215–218.
- Dinkel A, Nickisch–Rosenegk M, Bilger B, Merli M, Lucius R, Romig T. Detection of *Echinococcus multilocularis* in the definitive host: Coprodiagnosis by PCR as an Alternative to necropsy. *Journal of Clinical Microbiology.* 1998. 36(7): 1871–1876.
- Dube S, Masanganise K E, Dube C. Studies on paramphistomes infecting goats and sheep from Gwanda District in Zimbabwe. *ZJST.* 2010. 5: 55–64.
- Eduardo S L, Javellana C R H. *Fischoederius upiensis* New Species from Ruminants in the Philippines with Remarks on Other Species of the Genus *Fischoederius* Stiles & Goldberger, 1910 (Trematoda: Paramphistomoidea: Gastrothylacidae). *Philipp. J. Vet. Med.* 2008. 45: 22–29.
- Eduardo S L. The taxonomy of the family Paramphistomidae Fischoeder, 1901 with special reference to the morphology of species occurring in ruminants. II. Revision

- of the genus *Paramphistomum* Fischöder, 1901. *Systematic Parasitology*. 1982. 4 (3): 189-238.
- Eduardo S L. The taxonomy of the family Paramphistomidae Fischöder, 1901 with special reference to the morphology of species occurring in ruminants. III. Revision of the genus *Calicophoron* Näsmark, 1937. *Systematic Parasitology*. 1983. 5: 25-79.
- Eduardo S L. The taxonomy of the family Paramphistomidae Fischöder, 1901 with special reference to the morphology of species occurring in ruminants IV. Revision of the genus *Gigantocotyle* Näsmark, 1937 and elevation of the subgenus *Explanatum* Fukui, 1929 to full generic status. *Systematic Parasitology*. 1984. 6(1): 3-32.
- Eduardo S L. The taxonomy of the family Paramphistomidae Fischöder, 1901 with special reference to the morphology of species occurring in ruminants. V. Revision of the genus *Cotylophoron* Stiles & Goldberger, 1910. *Systematic Parasitology*. 1985. 7: 125-158.
- Eduardo S L. The taxonomy of the family Paramphistomidae Fischöder, 1901 with special reference to the morphology of species occurring in ruminants. VII. Redescription of *Leiperocotyle congolense* (baer, 1936) Eduardo, 1980 and a new name, *Leiperocotyle gretillati* for *Ceylonocotyle scoliocoelium* var. *benoitii* Grétilat, 1966. *Systematic Parasitology*. 1985. 7 (3): 231-238.
- Hamburger J, He-Na, Xin X Y, Ramzy R M, Jourdane J, Ruppel A. A Polymerase Chain Reaction Assay for Detecting Snails Infected with Bilharzia Parasites (*Schistosoma mansoni*) from very early prepatency. *Am. J. Trop. Med. Hyg.* 1998. 59(6): 872-876.
- Hamburger J, Xin X Y, Ramzy R M, Jourdane J, Ruppel A. Development and laboratory evaluation of a polymerase chain reaction for monitoring *Schistosoma mansoni* infestation of water. *Am. J. Trop. Med. Hyg.* 1998a. 59(3): 468-473.
- Hamburger J, He-Na, Abbasi I, Ramzy R M, Jourdane J, Ruppel A. Polymerase chain reaction assay based on a highly repeated sequence of *Schistosoma haematobium* : A potential tool for monitoring schistosome-infested water. *Am. J. Trop. Med. Hyg.* 2001. 65(6): 907-911.
- Hertel J, Hamburger J, Harberl B, Hass W. Detection of bird schistosomes in lakes by PCR and filter-hybridization. 2002. *Experimental Parasitology*. 101: 57-63.
- Horak I G. Paramphistomiasis of domestic ruminants. *Advances in Parasitology*. 1971. 9:33-71.

- Intapun P M, TanTrawat pan C, Maleewong W, Wongkham S, Wongkham C, Nagashima K. Potent epitopees derived from *Fasciola gigantica* cathepsin L1 in peptide-based immunoassay for the serodiagnosis of human fascioliasis. *Diag Microbe and Infect Disease*. 2005. 53: 125–129.
- Jannotti-Passos L K, Souza C P. Susceptibility of *Biomphalaria tenagophila* and *Biomphalaria straminea* to *Schistosoma mansoni* infection detected by loe stringency polymerase chain reaction. *Rev. Inst. Med. Trop. S. Paulo*. 2000. 42(5):191–194.
- Kanoksil W, Eattanatranon D, Wilasruamee C, Mingphruedh S, Bunyaratvej S. Endoscopic removal of one live Biliary *Fasciola gigantica*. *J Med Assoc Thai*. 2006. 89(12): 2150–2154.
- Kotrla B, Chroustacta K. Paramphistomum ichikawai in Cattle in Southern Moravia. *Veterinary of BRNO*. 1978. 47: 97–101.
- Le T H, De N V, Blair D, Sithithaworn P, McManus D P. *Clonorchis sinensis* and *Opisthorchis viverrini*: Development of a mitochondrial-based multiplex PCR for their identification and discrimination. *Exp Parasitol*. 2006. 112 : 109–114.
- Le T H, De N V, Agatsuma T, Blair D, Vercruysse J, Dorny P, Thi Nguyen T G, McManus D P. Molecular confirmation that *Fasciola gigantica* can undertake aberrant migrations in human hosts. *J clin microb*. 2007. 45(2): 648–650.
- Le T H, De N V, Agatsuma T, Thi Nguyen T G, Nguyen Q C, McManus D P, Blair D. Human fascioliasis and presence of hybrid/introgressed forms of *Fasciola hepatica* and *F. gigantica* in Vietnam. *Inter Journal for Parasitol*. 2008. 38: 725–730.
- Macros L, Maco V, Samalvides F, Terashima A, Espinosa J, Gotuzzo E. Risk factors for *Fasciola hepatica* infection in Children: a case-control study. *Trans Royal Soc Trop Med and Hyg*. 2006. 100: 158–166.
- Maleewong W, Intapun P M, Wongkam C, Wongsaroj T, Komsuwan T, Phumidonming W, Pongsakulchoti P. Detection of *Opisthorchis viverrini* in experimentally infected bithynid snails and cyprinoid fishes by PCR-based method. *J. Parasitol*. 2003. 126: 63–67.
- Mas-Coma S, Funatsu I R, Bargues M D. *Fasciola hepatica* and lymnaeid snails occurring at very high altitude in South America. *J parasitol*. 2001. 123 (Suppl): 115–127.
- Molloy J B, Anderson G R, Fletcher T I, Landmann J, Knight B C. Evaluation of a commercially available enzyme-linked immunosorbent assay for detecting antibodies to *Fasciola hepatica* and *F. gigantica* in cattle, sheep and buffaloes in Australia. *Vet Parasitol*. 2005. 130: 207–212.

- Magalhaes K G, Jannotti-Passos L K, Carvalho O S. Detection of *Lymnaea collumella* infection by *Fasciola hepatica* through multiplex PCR. *Mem Inst Oswaldo Cruz*. 2004. 99(4): 421–424.
- Panyarachun B, Sobhon P, Tinikul Y, Chotwiwatthanakun C, Anupunpisit V, Anuracpreeda P. *Paramphistomum cervi*: Surface topography of the tegument of adult fluke. *Experimental Parasitology*. 2010. 125: 95–99.
- Pontes L A, Dias-Neto E, Rabello A. Detection by polymerase chain reaction of *Schistosoma mansoni* DNA in human serum and feces. *Am. J. Trop. Med. Hyg.* 2002. 66(2): 157–162.
- Rangel-Ruiz L J, Albores-Brahms S T, Gamboa-Aguilar J. Seasonal trends of *Paramphistomum cervi* in Tabasco, Mexico. *Veterinary Parasitology*. 2003. 116: 217–222.
- Sermasawan R, Mongkolsuk S, Pamyim S, Siresinha S. Isolation and Characterization of *Opithorchis viverrini* specific DNA Probe. *J. Mol. And Cell. Probes*. 1991. 5: 399–407.
- Sey O, Prasitirat P. Amphistomes (Trematoda, Amphistomida) of cattle and buffalo in Thailand. *Miscellanea Zoologica Hungarica*. 1994. 9: 11–17.
- Sey O, Prasitirat P, Romratanapun S, Mohkaew K. Morphological studies and identification of rumen flukes of cattle in Thailand. *Rivista di Parassitologia XIV (LVIII)–N*. 1997. 2: 247–256.
- Sirsinha S, Chawengkirttikul R, Sermasawan R. Immunodiagnosis of Opisthorchiasis. *Southeast Asian J. Trop. Med. Public Health*. 1991. 22: 183–197.
- Sripalwit P, Wongsawad C, Chai J Y, Rojanapailul A, Anantalabhochai S. Development of Hat-RADP Technique for the identification of *Stellanchasmus falcatus*. 4th Seminar on Food and Water borne Parasitic Zoonoses, 2nd International Meeting on Gnathostomiasis and Joint International Tropical Medicine Meeting. 2003. p289.
- Sripalwit P, Wongsawad C, Wongsawad P, Anantalabhochai S. High annealing temperature-random amplified polymorphic DNA (HAT-RAPD) analysis of tree paramphistome flukes from Thailand. *Exp Parasitol*. 2007. 115: 98–102.
- Szmidt-Adjidé V, Abrous M, Adjidé C C, Dreyfuss G, Lecompte A, Cabaret J, Rondelaud D. Prevalence of *Paramphistomum daubneyi* infection in cattle in central France. *Veterinary Parasitology*. 2000. 87: 133–138.
- Tesana S, Pamarapa A, Sae Sio OT. Acute cholecystitis and *Fasciola* sp. infection in Thailand: report of two cases. *Southeast Asian J Trop Med Pub Health*. 1989. 20: 447–452.

- Uddin M Z, Farjana T, Begum N, Mondal M M H. Prevalence of Amphistomes in Black Bengal Goats in Mymensingh District. *Bangladesh journal of Veterinary Medicine*. 2006. 4 (2): 103–106.
- Velusamy R, Singh B P, Raina O K. Detection of *Fasciola gigantica* in snails by polymerase chain reaction. *Vet parasitol*. 2004. 120: 85–90.
- World Health Organization(WHO). Control of foodborne trematode infections. World Health Organ *Tech Rep Ser*. 1995. 849: 1– 157.
- Wongratanacheewin S, Phumidonming W, Sermsawan R W, Maleewong W. Development of a PCR– based method for the detection of *Opisthorchis viverrini* in experimentally infected hamster. *J. Parasitol*. 2001. 122: 175–180.
- Wongratanacheewin S, Phumidonming W, Sermsawan R W Pipitgool V, Maleewong W. Detection of *Opisthorchis viverrini* in Human Stool Specimens by PCR. *Journal of Clinical Microbiology*. 2002. 40 (10): 3879–3880.
- Wongsawad C, Wongsawad P, Chai J Y, Paratasilpin T, Anuntalabhochai S. DNA quantities and qualities from various stages of some trematodes using optical and HAT–RAPD methods. *Southeast Asian Journal of Tropical Medicine and Public Health*. 2006. 37(suppl 3): 62–68.
- Wongsawad C, Wongsawad P, Chai J Y, Anuntalabhochai S. *Haplorchis taichui*, Witenberg, 1930: Development of a HAT–RAPD marker for the detection of minute intestinal fluke infection . *Experimental Parasitology*. 2009. 123(2): 158–161.