

## เอกสารอ้างอิง

1. Briggs, M. & Closs, J. (1999). A descriptive study of the use of visual analogue scales and verbal rating scales for the assessment of postoperative pain in orthopedic patients. *Journal of Pain and Symptom Management*, 18(6), 438–446.
2. Mower WR, Sachs C, Nicklin EL, Safa P, Baraff LJ. A comparison of pulse oximetry and respiratory rate in patient screening. *Respir Med* 1996;90:593–9.
3. Curley FJ, Smyrniotis NA. Routine monitoring of critically ill patients. In: Irwin RS, Rippe JM, editors. *Irwin and Rippe's Intensive Care Medicine*. 5th ed. New York: Lippincott Williams & Wilkins; 2003;226–46.
4. Tobin MJ. Respiratory monitoring. *JAMA* 1990;264:244–51.
5. Jubran A. Pulse oximetry. *Crit Care* 1999;3:R11–7.
6. Jubran A. Pulse oximetry. *Intensive Care Med* 2004;30:2017–20.
7. Tremper KK, Barker SJ. Pulse oximetry. *Anesthesiology* 1989;70:98–108.
8. Kallet RH, Tang JF. Bedside monitoring of pulmonary function. In: Fink MP, Abraham E, Vincent JL, Kochanek PM, editors. *Textbook of Critical Care*. 5th ed. Philadelphia: Elsevier Saunders; 2005:445–60.
9. Giuliano KK, Higgins TL. New-generation pulse oximetry in the care of critically ill patients. *Am J CritCare* 2005;14:26–37.
10. Van de LA, Cracco C, Cerf C, Harf A, Duvaldestin P, Lemaire F, et al. Accuracy of pulse oximetry in the intensive care unit. *Intensive Care Med* 2001;27:1606–13.
11. Carter BG, Carlin JB, Tibballs J, Mead H, Hochmann M, Osborne A. Accuracy of two pulse oximeters at low arterial hemoglobin-oxygen saturation. *Crit Care Med* 1998;26:1128–33.
12. Fanconi S. Pulse oximetry for hypoxemia: a warning to users and manufacturers. *Intensive Care Med* 1989;15:540–2.
13. Barker SJ. "Motion-resistant" pulse oximetry: a comparison of new and old models. *Anesth Analg* 2002;95:967–72.

14. Gehring H, Hornberger C, Matz H, Konecny E, Schmucker P. The effects of motion artifact and low perfusion on the performance of a new generation of pulse oximeters in volunteers undergoing hypoxemia. *Respir Care* 2002;47:48–60.
15. Darovic GO. Monitoring oxygenation. In: Darovic GO, editor. Hemodynamic monitoring invasive and noninvasive clinical application. 3rd ed. New York: Saunders; 2002; 263–81.
16. Choe H, Tashiro C, Fukumitsu K, Yagi M, Yoshiya I. Comparison of recorded values from six pulse oximeters. *Crit Care Med* 1989;17:678–81.
17. Fluck RR, Schroeder C, Frani G, Kropf B, Engbretson B. Does ambient light affect the accuracy of pulse oximetry. *Respir Care* 2003;48:677–80.
18. Gaiser RR. Spinal, epidural, and caudal anesthesia. In : Longnecker DE, Murphy FL, eds. Introduction to anesthesia, 9th ed. Philadelphia : W.B. Saunders, 1997 : 216–31.
19. Dob DP, Morgan M. Epidural and spinal anaesthesia. In : Morgan M, Hall GM, eds. Short practice of anaesthesia, 1st ed. London : Chapter & Hall, 1998 : 503–20.
20. Tetzlaff JE. Spinal, epidural, and caudal blocks. In : Morgan GE, Mikhail MS, eds. Clinical anesthesiology, 2nd ed. Stamford : Appleton & Lange, 1996 : 211–44.
21. Baskett PJF. Spinal anaesthesia. In : Baskett PJF, Dow A, eds. Practical procedures in anaesthesia and critical care, 1st ed. London : Mosby, 1995 : 234–9.
22. Baskett PJF. Lumbar puncture. In : Baskett PJF, Dow A, eds. Practical procedures in anaesthesia and critical care, 1st ed. London : Mosby, 1995 : 210–3.
23. Bernards CM. Epidural and spinal anesthesia. In : Barash PG, Cullen BF, eds. Clinical anesthesia, 3rd ed. Philadelphia : Lippincott – Raven, 1997 : 645–68.
24. Brown DL. Spinal, epidural, and caudal anesthesia. In : Miller RD, ed. Anesthesia, 4th ed. New York : Churchill Livingstone, 1994 : 1505–33.
25. พุทธิพรพรณี วรกิจโกคาทร. การรักษาด้วยสารน้ำและอิเล็กโทรไลต์. ใน : วรภา สุวรรณจินดา, อังกา ปราการรัตน์, บรรณาธิการ. ตำราวิสัญญีวิทยา. กรุงเทพฯ : กรุงเทพมหานคร, 2534 : 240–54.