

บรรณานุกรม

- ยวดี พีรพรพิศาล. 2549. สหราชอาณาจักร. ภาควิชาชีววิทยา คณะวิทยาศาสตร์ มหาวิทยาลัยเชียงใหม่ เชียงใหม่.
- ยวดี พีรพรพิศาล. 2546. สหราชอาณาจักร. สถาบันวิจัยและพัฒนาวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยเชียงใหม่ เชียงใหม่.
- ยวดี พีรพรพิศาล จีรพร เพกเกาะ ชยากร ภูมาศ กรองกาญจน์ จันท๊ะ และสุนิสา บุญมา. 2554. การศึกษาสายพันธุ์สาหร่ายขนาดเล็กและพัฒนาสภาวะที่ใช้เพาะเลี้ยงเพื่อหาความเป็นไปได้ในการผลิตเป็นน้ำมันเชื้อเพลิง ภายใต้แผนงานวิจัยเรื่อง “การพัฒนาการผลิตน้ำมันเชื้อเพลิงจากสาหร่ายขนาดเล็ก ระยะที่ 1”. สถาบันวิจัยและพัฒนาวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยเชียงใหม่ เชียงใหม่.
- Amin, S. 2009. Review on biofuel oil and gas production process from microalgae. *Energy Convers. Manage.*, 50: 1834–1840.
- Bajpai, D. and Tyagi, V.K. 2006. Bio-oil: Source, production, composition, properties and its benefits. *Journal of Oleo Science*, 55(10): 487–502.
- Banerjee, A., Sharma, R., Chisti, Y. and Banerjee, U. 2002. *Botryococcus braunii*: A renewable source of hydrocarbons and other chemicals. *Crit. Rev. Microbiol.*, 22:245–279.
- Bligh, E.G. and Dyer, W.J. 1959. A rapid method of total lipid extraction and purification. *Can. J. Biochem. Physiol.*, 37:911–917.
- Bollman, R.C. and Robinson, G.G.C., 1977. The kinetics of organic acid uptake by three Chlorophyta in axenic culture. *J. Phycol.*, 13: 1–5.
- Borowitzka, M.A. 1999. Commercial production of microalgae: Ponds, tanks, tubes and fermentors. *J. Biotechnol.*, 70: 313–321.
- BP. 2010. Statistical Review of World Energy June 2010. [online]. Available: www.bp.com/statisticalreview. [2011, Dec. 2].
- Brennan, L. and Owende, P. 2010. Biofuels from microalgae – A review of technologies for production, processing, and extractions of biofuels and co-products. *Renew. Sustain. Energy Rev.*, 14: 557–577.

- Cantrell, K. B., Ducey, T., Ro, K.S., and Hunt, P.G. 2008. Livestock waste-to-bioenergy generation opportunities. *Bioresource Technology*, 99: 7941–7953.
- Chini Zittelli, G., Lavista, F., Bastianini, A., Rodolfi, L., Vincenzini, M. and Tredici, M.R. 1999. Production of eicosapentaenoic acid by *Nannochloropsis* sp. cultures in outdoor tubular photobioreactors. *Journal of Biotechnology*, 70: 299–312.
- Chisti, Y. 2007. Bio-oil from microalgae. *Biotechnology Advances*, 25: 294–306.
- Chiu, S.Y., Kao, C.Y., Chen, C.H., Kuan, T.C., Ong, S.C. and Lin, C.S., 2008. Reduction of CO₂ by a high-density culture of *Chlorella* sp. in a semicontinuous photobioreactor. *Bioresource Technology*, 99: 3389–3396.
- Chun, Y.C., Kuei, L.Y., Aisyah, R., Duu, J.L. and Jo, S.C. 2011. Cultivation, photobioreactor design and harvesting of microalgae for biodiesel production: A critical review. *Bioresources Technology*, 102: 71 – 81.
- Combres, C., Laliberte', G., Sevrin Reysac, J. and de la Nou'e, J., 1994. Effect of acetate on growth and ammonium uptake in the microalga *Scenedesmus obliquus*. *Physiol. Plantarum*, 91: 729 – 734.
- Cook, J.R., 1968. The cultivation and growth of *Euglena*. In: Buetow, D.E. (Ed.), *The Biology of Euglena*, vol. 1. Academic Press, New York, USA, pp. 243–314.
- de-Bashan, L.E. and Bashan, Y., 2010. Immobilized microalgae for removing pollutants: review of practical aspects. *Bioresources Technology*, 101: 1611–1627.
- González-Fernández, C., Molinuevo-Salces, B. and García-González, M.C. 2010. Open and enclosed photobioreactors comparison in terms of organic matter utilization, biomass chemical profile and photosynthetic efficiency. *Ecological Engineering*, 36: 1497 – 1501.
- Gouveia, L. and Oliveira, A.C. 2009. Microalgae as a raw material for biofuels production. *J. Ind. Microbiol. Biotechnol.*, 36: 269–274.
- Gouveia, L., Marques, A.E., da Silva, T.L. and Reis, A., 2009. *Neochloris oleabundans* UTEX #1185: a suitable renewable lipid source for biofuel production. *J. Ind. Microbiol. Biotechnol.*, 36: 821–826.

- Grima, E.M., Belarbi, E.H., Fernandez, F.G.A., Medina, A.R., Chisti, Y., 2003. Recovery of microalgal biomass and metabolites: process options and economics. *Biotechnol. Adv.*, 20: 491–515.
- Guschina, I.A. and Harwood, J.L. 2006. Lipids and lipid metabolism in eukaryotic algae. *Progress in Lipid Research*, 45:160–186.
- Heredia-Arroyo, T., Wei, W., Ruan, R. and Hu, B. 2011. Mixotrophic cultivation of *Chlorella vulgaris* and its potential application for the oil accumulation from non-sugar materials. *Biomass and Bioenergy*, 35: 2245–2253.
- Huang, G.H., Chen, F., Wei, D., Zhang, X.W. and Chen, G., 2010. Biodiesel production by microalgal biotechnology. *Appl. Energ.*, 87: 38–46.
- Illman, A.M., Scragg, A.H. and Shales, S.W., 2000. Increase in *Chlorella* strains calorific values when grown in low nitrogen medium. *Enzyme Microb. Technol.*, 27: 631–635.
- Krienitz, L. and Wirth, M. 2006. The high content of polyunsaturated fatty acids in *Nannochloropsis limnetica* (Eustigmatophyceae) and its implication for food web interactions, freshwater aquaculture and biotechnology. *Limnologica*, 36: 204–210.
- Kunjapur, A.M. and Eldridge, R. B. 2010. Photobioreactor design for commercial biofuel production from microalgae. *Ind. Eng. Chem. Res.*, 49: 3516 – 3526.
- Lee, K. and Lee, C.G. 2001. Effect of light/dark cycles on wastewater treatments by microalgae. *Biotechnol. Bioprocess Eng.*, 6: 194–199.
- Liang, Y.N., Sarkany, N. and Cui, Y., 2009. Biomass and lipid productivities of *Chlorella vulgaris* under autotrophic, heterotrophic and mixotrophic growth conditions. *Biotechnol. Lett.*, 31, 1043–1049.
- Liu, Z., Wang, G. and Zhou, B. 2008. Effect of iron on growth and lipid accumulation in *Chlorella vulgaris*. *Bioresource Technology*, 99: 4717–4722.
- Mata, T.M., Martins, A.A. and Caetano, N.S. 2010. Microalgae for biodiesel production and other applications: a review. *Renew. Sust. Energ. Rev.* 14: 217–232.
- Matsunaga, T., Matsumoto, M. Maeda, Y., Sugiyama, H., Sato, R. and Tanaka, T. 2009. Characterization of marine microalga, *Scenedesmus* sp. strain JPCG GA0024 toward biofuel production. *Biotechnology Letters*, 31: 1367 – 1372.

- Metzger, P. and Largeau, C. 2005. *Botryococcus braunii*: a rich source for hydrocarbons and related ether lipids. *Applied Microbiology and Biotechnology*, 66: 486–496.
- Miao, X. and Wu, Q. 2004. High yield bio–oil production from fast pyrolysis by metabolic controlling of *Chlorella protothecoides*. *Journal of Biotechnology*, 110: 85–93.
- Perez–Garcia, O., de–Bashan, L. E., Hernandez, J.P., Bashan, Y. 2010. Efficiency of growth and nutrient uptake from wastewater by heterotrophic, autotrophic, and mixotrophic cultivation of *Chlorella vulgaris* immobilized with *Azospirillum brasilense*. *J. Phycol.*, 46: 800–812.
- Posten, C. 2009. Design principles of photo–bioreactors for cultivation of microalgae. *Eng. Life Sci.*, 9(3): 165 – 177.s
- Rao, A. R., Dayananda, C., Sarada, R., Shamala, T. R. and Ravishankar, G.A. 2007. Effect of salinity on growth of green alga *Botryococcus braunii* and its constituents. *Bioresource Technology*, 98: 560–564.
- Renaud, S.M., Parry, D.L. and Luong –Van, T. 1994. Microalgae for use in tropical aquaculture I: Gross chemical and fatty acid composition of twelve species of microalgae from the Northern Territory, Australia. *Journal of Applied Phycology*, 6: 337–345.
- Richmond, A., 1986. Cell response to environmental factors. In: Richmond, A. (Ed.), *Handbook for Microalgal Mass Culture*. CRC Press, Boca Raton, FL., USA, pp. 69–99.
- Rodolfi, W. L., Bassi, N., Padovani, G., Bonini, G., Zitelli, G.C., Biondi, N. and Tredici, M.R. 2007. Lipid production from microalgae: strain selection, induction of lipid synthesis and outdoor cultivation in pilot photobioreactors. In: *Proceedings of the 15th European conference and exhibition*, Berlin.
- Saijo, Y., 1975. A method for determination of chlorophyll. *Japanese J. Limnol.*, 36: 103–109.
- Sanchez Miron, A., Contreras Gomez, F. Garcia Camacho, E. Molina Grima, and Chisti, Y. 1999. Comparative Evaluation of Compact Photobioreactors for Large–Scale Monoculture of Microalgae, *J. Biotechnol.*, 70: 249–270.

- Scarsella, M., Belotti, G., De Filippis, P. and Bravi, M. 2010. Study on the optimal growing conditions of *Chlorella vulgaris* in bubble column photobioreactors. Chemical engineering transactions, www.aidic.it/ibic2010/webpapers/58Scarsella.pdf
- Schmidt, R.A., Wiebe, M.G. and Eriksen, N.T., 2005. Heterotrophic high cell-density fed-batch cultures of the phycocyanin producing red alga *Galdieria sulphuraria*. *Biotechnol. Bioeng.* 90: 77–84.
- Shi, X.M., Chen, F., Yuan, J.P. and Chen, H. 1997. Heterotrophic production of lutein by selected *Chlorella* strains. *Journal of Applied Phycology*, 9(5): 445–450.
- Shi, X.-M., Liu, H.-J., Zhang, X.-W. and Chen, F., 1999. Production of biomass and lutein by *Chlorella protothecoides* at various glucose concentrations in heterotrophic cultures. *Process Biochem.*, 34: 341–347.
- Sierra, E., Acién, F.G., Fernández, J.M., García, J.L., González, C., Molina, E. 2008. Characterization of a flat plate photobioreactor for the production of microalgae. *Chem. Eng. J.*, 136–47.
- Takagi, M., Karseno and Yoshida, T. 2006. Effect of salt concentration on intracellular accumulation of lipids and triacylglyceride in marine microalgae *Dunaliella* cells. *Journal of Bioscience and Bioengineering*, 101(3): 223–226.
- Vazhappilly, R. and Chen, F., 1998. Eicosapentaenoic acid and docosahexaenoic acid production potential of microalgae and their heterotrophic growth. *J. Am. Oil Chem. Soc.*, 75: 393–397.
- Wood, B.J.B., Grimson, P.H.K., German, J.B. and Turner, M., 1999. Photoheterotrophy in the production of phytoplankton organisms. *J. Biotechnol.*, 70: 175–183.
- Xiong, W., Li, X.F., Xiang, J.Y. and Wu, Q.Y., 2008. High-density fermentation of microalga *Chlorella protothecoides* in bioreactor for microbio-diesel production. *Appl. Microbiol. Biotechnol.*, 78: 29–36.
- Xu, H., Miao, X.L. and Wu, Q.Y., 2006. High quality biodiesel production from a microalga *Chlorella protothecoides* by heterotrophic growth in fermenter. *Biotechnology*, 126: 499–507.