

เอกสารอ้างอิง

1. McPoil TG, Martin RL, Cornwall MW, et al. Heel pain-plantar fasciitis : clinical practice guidelines. *J Orthop Sports Phys Ther* 2008;38(4):A1-A18.
2. Riddle DL, Pulisic M, Pidcoe P, et al. Risk factor for plantar fasciitis: a matched case-control study. *J Bone Joint Surg [Am]* 2003;85:872-877
3. Crawford F, Atkins D, Edwards J. Interventions for treating plantar heel pain (Cochrane Review). In: *The Cochrane Library, Issue 1*. Oxford: Update Software; 2003. www.update-software.com/cochrane.
4. Singh D, Angel J, Bentley G, et al. Fortnightly review: plantar fasciitis. *BMJ* 1997;315:172-175.
5. Irving DB, Cook JL, Menz HB. Factors associated with chronic plantar heel pain : a systemactic review. *J Sci Med Sport* 2006;9:11-22.
6. Sinaeve F, Vandeputte G. Clinical outcome of surgical intervention for recalcitrant infero-medial heel pain. *Acta Orthop Belg* 2008;74(4):483-488.
7. Stuber K, Kristmanson K. Conservative therapy for plantar fasciitis: a narrative review of randomized controlled trials. *JCCA J Can Chiropr Assoc* 2006;50(2):118-133.
8. Pfeffer G, Bacchetti P, Deland J, et al. Comparison of custom and prefabricated orthoses in the initial treatment of proximal plantar fasciitis. *Foot Ankle Int* 1999; 20(4):214–221.
9. Bedinghaus JM, Niedfeldt MW. Over-the-counter foot remedies. *Am Fam Physician* 2001;64(5):791-796.
10. DeMaio M, Paine R, Mangine R, Drez D. Plantar fasciitis. *Orthopedics* 1993;16:1153-1163.
11. Murphy GA. Disorders of tendons and fascia. In: Canale S, Beaty J. *Campbell's operative orthopaedics*. 11th ed. China: Mosby elsevier; 2008; 4815-4818.
12. DeLee J, Drez D, Miller M. *DeLee and Drez's Orthopaedic Sports Medicine*. 2nd ed. Mosby elsevier; 2008.
13. DiGiovanni BF, Nawoczenski DA, Lintal ME, et al. Tissue-specific plantar fascia-stretching exercise enhances outcomes in patients with chronic heel pain. A prospective, randomized study. *J Bone Joint Surg [Am]* 2003;85:1270-1277.

14. Digiovanni BF, Nawoczenski DA, Malay DP, et al. Plantar fascia-specific stretching exercise improves outcomes in patients with chronic plantar fasciitis. A prospective clinical trial with two-year follow-up. *J. Bone Joint Surg [Am]* 2006; 88: 1775 - 1781.
15. Bennett PJ, Patterson C, Wearing S, Baglioni T. Development and validation of a questionnaire designed to measure foot health status. *J Am Podiatr Med Assoc* 1998;88(9):419-428.
16. Landorf KB, Radford JA, Hudson S. Minimal Important Difference (MID) of two commonly used outcome measures for foot problems. *J Foot Ankle Res* 2010;14;3:7.
17. Landorf KB, Keenan AM, Herbert RD. Effectiveness of foot orthoses to treat plantar fasciitis: a randomized trial. *Arch Intern Med* 2006;166(12):1305-1310.
18. Baldassin V, Gomes CR, Beraldo PS. Effectiveness of prefabricated and customized foot orthoses made from low-cost foam for noncomplicated plantar fasciitis: a randomized controlled trial. *Arch Phys Med Rehabil* 2009;90(4):701-706.