

บรรณานุกรม

1. นันทวัน บุญยะประภัศร, อรุณช โศคชัยเจริญพร. สมุนไพรพื้นบ้าน เล่ม 2. กรุงเทพมหานคร: คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล ศูนย์พันธุวิศวกรรม และเทคโนโลยีชีวภาพแห่งชาติ, บริษัท ประชาชน จำกัด, 2541
2. Abd El Wahab SM, El Fiki NM, Mostafa F, Hassan AEB. Characterization of certain steroid hormones in Punica granatum L.seeds. Bulletin of the Faculty Pharmacy (Cairo University) 1998 ; 36 : 11-15.
3. Anon. Studies on the toxic effects of certain burn escharotic herbs. Chung-Hua I Husch Tsa Chih (New Ser) 1978 ; 4 : 388
4. Carraz GLM, Willemot J, Demenge P. Penta-o-galloy- β -glucose useful as hypoglycemic agent. Fr Demande 2, 380, 299, 1978: 11pp.
5. Chauhan D, Chauhan JS. Flavonoid diglycoside from Punica granatum. Pharmaceutical Biology 2001 ; 39 (2) : 155-7.
6. Comai K, Triscari JB, Sullivan AC. Differences between lean and obese Zucker rats : the effect of poorly absorbed dietary lipid on energy intake and body weight again. J Nutr 1978 ; 108 (5) : 856-35.
7. Daz AK, Mandas SC, Banerjee SK, Sinha S, Saha Bf, Pal M. Studies on the hypoglycaemic activity of Punica granatum seed in streptozotocin induced diabetic rats. Phytother Res 2001 Nov ; 15 (7) : 628-9.
8. Dean PDG, Exlby D, Goodwin TM. Steroid oestrogens in plants:re-estimation of oestrone in pomegranate seeds. Phytochemistry 1971 ; 10 : 2215-6.
9. EL-Toumy SA, Rauwald HW. Two ellagitannins from Punica granatum heartwood. Phytochemistry 2002; 61 : 971-4.
10. Goss, P. E., Qi, S., Hu, H. and Cheung, A. M. (2007). The effects of atamestane and toremifene alone and in combination compared with letrozole on bone, serum lipid and the uterus in an ovariectomized rat model. Breast Cancer Research and Treatment. 103: 293-302.
11. Guillermo, R., Julie, C., Dana, S. W., Hubertus, J., and Wolfgang, W. (2007). Effects of Chronic Genistein Treatment in Mammary Gland, Uterus, and Vagina. Environmental Health Perspectives. 115: 62-68.

12. Gujral, M. L., Varma, D. R., and Sareen, K. N. (1960). Oral contraceptives. Part1. Preliminary observations on the antifertility effect of some indigenous drug. Indian Journal of Medical Research. 48: 46-51.
13. Gupta, S. (1978). Sampling and test of significance. IN : Gupta S, editor. Statistical Methods. New Delhi: Sultan Chand and Sons. 58-76.
14. Heftmann E, Ko ST, Bennett RD. Response of steroids to sulfuric acid in thin-layer chromatography. Phytochemistry 1966 ; 5 : 1337-9.
15. Jochle, W. (1971). Biology and pathology of reproduction in Greek mythology. Contraception. 4: 13.
16. Junko, M.O., Yoko, O. H., Hideyuki, Y., and Hiroyuki, Y. (2004). Pomegranate extract improves a depressive state and bone properties in menopausal syndrome model ovariectomized mice. Journal of Ethnopharmacology. 92: 93-101.
17. Kazmi H, Aslan M, Khan Zu, Buremy MI. A report on the trial of a Unani prescription for diabetes. Rawal Med 1974 ; 3 (2) : 67.
18. Khanna, U., and Chaudhary, R. R. (1968). Antifertility screening of plants. Part I. Investigation of *Butea monosperma* (Lam) Kutze. Indian Journal of Medical Research. 56: 1575-1579.
19. Lau AJ, Holmes MJ, Woo SO. Analysis of adulterants in a traditional herbal medicinal product using liquid chromatography -mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis 2003 ; 31 : 401-6.
20. Lundeen, S. G., Carver, J. M., McKean, M. L. and Winneker, R. C. (1997). Characterization of the ovariectomized rat model levels. Endocrinology. 138: 1552-1558.
21. Rachon, D., Vortherms, T., Seidlova-Wuttke, D. and Wuttke, W. (2008). Effects of black cohosh extract on body weight gain, intra-abdominal fat accumulation, plasma lipids and glucose tolerance in ovariectomized Sprague-Dawley rats. Maturitas. 60: 209-215.
22. Polyrazoglu E, Gokmen V, Aruk N. Organic acids and phenolic compounds in pomegranates (*Punica granatum* L.) grown in Turkey. Journal of Food Composition and Analysis 2002; 15 : 567-75.
23. Ramirez, V. R., et al. (1998). Vegetales empleados en medicina tradicional Norperuana. Banco Agrario del Peru and University of Trujillo, Trujilla, Peru.

24. Selzman, C.H., et al. (1997). Chronic estrogen replacement inhibits aortic intimal hyperplasia independent of serum lipids. *Cardiac Surgery*. 12: 228-34.
25. Singh SP, Lal MB. Toxic effect of Punica granatum fruit skin on the house sparrow (*Passer domesticus* Linn.) *J Sci Res Plants Med* 1980 ; 1 (3-4) : 15-7.
26. Speroff, L., Rowan, J., Symmons, J., Genant, H. and Wilborn, W. (1996). The comparative effect on bone density, endometrium, and lipid of continuous hormones as replacement therapy (CHART study). A randomized controlled trial. *The Journal of The American Medical Association*. 276: 1397-1403.
27. Williamson, E. M., Okpako, D.T., and Evan, F. G. (1996). Selection, preparation and pharmacological evaluation of plant material. *Pharmacological Methods in Phytotherapy Research*. 1: 191-212.
28. Windler, E. E., Kovanen, P. T., Chao, Y. S., Brown, M. S., Havel, R. J. and Goldstein, J. L. (1980). The estradiol-stimulated lipoprotein receptor of rat liver. A binding site that membrane mediates the uptake of rat lipoproteins containing apoproteins B and E. *The Journal of Biological Chemistry*. 255: 1046-1047.
29. Zhan, B. (1995). Multifunctional vaginal suppository for contraception. *Chinese Patent CN*. 1: 103-789.