

บรรณานุกรม

- กลุ่มวิเคราะห์การค้าสินค้าประมงระหว่างประเทศ กองประมงต่างประเทศ กรมประมง. ได้จาก <http://www.fisheries.go.th/it-stat/>
- ถาวร ทันใจ. (2551). การเจริญเติบโตของปลาดุกถูกผสมภายใต้สภาพการควบคุมอุณหภูมิและการเลี้ยงในสภาพแวดล้อมปกติ. การประชุมวิชาการประมง. 40-53
- เขาวนิตย์ ดนยศล และ จีรนนท์ อุไรประสิทธิ์. (2544). ผลการเปลี่ยนแปลงอุณหภูมิต่อการตอบสนองระบบภูมิคุ้มกันปลากระรังและปลากระพงขาว. เอกสารวิชาการฉบับที่ 1/2544. สถาบันวิจัยการเพาะเลี้ยงสัตว์น้ำชายฝั่ง, กรมประมง.
- สิทธิชัย ตันชนะสฤณี. (2549). ความรู้เบื้องต้นเกี่ยวกับคุณภาพน้ำ. ภาควิชาอนุรักษวิทยา คณะวนศาสตร์ มหาวิทยาลัยเกษตรศาสตร์.
- Adewolu, M.A., Aro, O.O. (2009). Growth, feed utilization and haematology of *Clarias gariepinus* (Burchell, 1822) fingerlings fed diets containing different levels of vitamin C. *American Journal of Applied Sciences* 6:1675-1681.
- Adhikari, S., Sarkar, B., Chatterjee, A., Mahapatra, C.T., Ayyappan, S. (2004). Effects of cypermethrin and carbofuran on certain hematological parameters and prediction of their recovery in a freshwater teleost, *Labeo rohita* (Hamilton). *Ecotoxicol. Environm. Safety* 58:220-226.
- Affonso, E.G., Silva, E.C., Tavares-Dias, M., Menezes, G.C., Carvalho, C.S.M., Nunes, E.S.S., Ituassu, D.R., Roubach, R., Ono, E.A., Fim, J.D.I., Marcon, J.L. (2007). Effect of high levels of dietary vitamin C on the blood responses of *matrinxa* (*Brycon amazonicus*). *Comp. Biochem. Physiol.* 147:383-8.
- Ai, Q., Mai, K., Tan, B., Xu, W., Zhang, W., Ma, H., Liufu, Z. (2006). Effects of dietary vitamin C on survival, growth, and immunity of large yellow croaker, *Pseudosciaena crocea*. *Aquaculture* 261:327-36.
- Allen, M.T., Patterson, S.M. (1995). Hemoconcentration and stress: a review of physiological mechanisms and relevance for cardiovascular disease risk. *Biol. Psychol.* 41:1-27.
- Amerio, M., Vignali, C., Italia, A., Gabaudan, J. (2000). Blood and liver concentration of ascorbic acid in *Sparus aurata* fed Rovimix Stay C-25. *J. Appl. Ichthyol.* 16:273-275.

- Anbarasu, K., Chandran, M.R. (2001). Effects of ascorbic acid on the immune response of the catfish, *Mystus gulio* (Hamilton), to different bacterins of *Aeromonas hydrophila*. *Fish and Shellfish Immunology*. 11: 347–355.
- AOAC. Official method of analysis 16 th ed, Association of Official Analytical Chemists, Maryland; 1997.
- Azzi A., Stocker A. (2000). Vitamin E: non-oxidant roles. *Progress in Lipid Research* 39: 231-255.
- Balabanova, L.V., Mikryakov, D.V., Mikryakov, V.R. (2009). Response of common carp (*Cyprinus carpio* L.) leucocytes to hormone-induced stress. *Inland Water Biol.* 2: 86-88.
- Ball, G.F.M. (1994). Water-soluble vitamin assays in human nutrition. Chapman&Hall. pp. 10-98.
- Boyd, C.E., Tucker, C.S. (1998). *Pond Aquaculture Water Quality Management*. Kluwer Academic Publishers, Boston. pp. 90-93.
- Bly, J.E., Buttke, T.M., Meydrech, E.F., Clem, L.W. (1986). The effects of in vivo acclimation temperature on the fatty acid composition of channel catfish (*Ictalurus punctatus*) peripheral blood cells. *Comp. Biochem. Physiol.* 83:791-795.
- Bly, J.E., Buttke, T.M., Clem, L.W. (1990) Differential effects of temperature and exogenous fatty acids on mitogen-induced proliferation in channel catfish T and B lymphocytes. *Comp. Biochem. Physiol.* 95: 417-424.
- Chen, R., Lochmann, R., Goodwin, A., Praveen, K., Dabrowski, K., Lee, K.J. (2004). Effects of dietary vitamins C and E on alternative complement activity, hematology, tissue composition, vitamin concentrations and response to heat stress in juvenile golden shiner (*Notemigonus crysoleucas*). *Aquaculture*. 242: 553-569.
- Chen, W-H., Sun, L-T., Tsai, C-L., Song, Y-L., Chang, C-F. (2002). Cold-stress induced the modulation of catecholamines, cortisol, immunoglobulin M, and leukocyte phagocytosis in tilapia. *Gen. Comp. Endocr.* 126: 90-100.
- Chen, R., Lochmann, R., Goodwin, A., Praveen, K., Dabrowski, K., Lee, K-J. (2003). Alternative complement activity and resistance to heat stress in golden shiners (*Notemigonus crysoleucas*) are increased by dietary vitamin C levels in excess of requirements for prevention of deficiency signs. *J. Nutr.* 2281-2286.

- Chen R., Lochmann R., Goodwin A., Praveen K., Dabrowski K., Lee K. (2007). Alternative complement activity and resistance to heat stress in golden shiners (*Notemigonus crysoleucas*) are increased by dietary vitamin C levels in excess of requirements for prevention of deficiency signs. *J Nutr* 2281-6.
- Close, D.C., Hagerman, A.E. (2006). Chemistry of reactive oxygen species and antioxidants, Chapter 1 pp1-8 In: *Oxidative Stress, Exercise and Aging* (HE Alessio and AE Hagerman Eds), Imperial College Press, London.
- Collazos, M.E., Ortega, E. and Barriga, C. 1994. Effect of temperature on the immune system of a cyprinid fish (*Tinca tinca*, L.). Blood phagocyte function at low temperature. *Fish Shellfish Immunol.* 4 :231–238.
- Cuesta A., Esteban M.A., Ortuno J., Meseguer J. (2001). Vitamin E increases natural cytotoxic activity in seabream (*Sparus aurata* L.). *Fish Shellfish Immunol.* 11:293-302.
- Cuesta A, Esteban M.A., Meseguer J. (2002). Natural cytotoxic activity in seabream (*Sparus aurata* L.) and its modulation by vitamin C. *Fish Shellfish Immunol.* 13: 97-109.
- Das, T., Pal, A.K., Chakraborty, S.K., Manush, S.M., Sahu, N.P., Mukherjee, S.C. (2005). Thermal tolerance, growth and oxygen consumption of *Labeo rohita* fry (Hamilton, 1822) acclimated to four temperatures. *J. Therm. Biol.* 30: 378-383.
- Davis, K.B. (2004). Temperature affects physiological stress responses to acute confinement in sunshine bass (*Morone chrysops* x *Morone saxatilis*). *Comp. Biochem. Physiol.* 139: 433-440.
- Davis, A.K., Maney, D.L., Maerz, J.C. (2008). The use of leukocyte profiles to measure stress in vertebrates: a review for ecologists. *Functional Ecol.* 22: 760-772.
- De Andrade, J.I.A., Ono, E.A., De Menezes, G.C., Brasil, E.M., Roubach, R., Urbinati, E.C., Tavares-Dias, M., Marcon, J.L., Affonso, E.G. (2007). Influence of diets supplemented with vitamins C and E on piracucu (*Arapaima gigas*) blood parameters. *Comp. Biochem. Physiol.* 146: 576-580.
- De Pedro, N., Guijarro, A.I., Lopez-Patino, M.A., Martinez-Alvarez, R., Delgado, M.J. (2005). Daily and seasonal variations in haematological and blood biochemical parameters in the tench, *Tinca tinca* Linnaeus, 1758. *Aquaculture Res.* 36: 1185-1196.
- Demers, N.E., Bayne, C.J. (1997). The immediate effects of stress on hormone and plasma lysozyme in rainbow trout. *Dev. Comp. Immunol.* 21: 363-373.

- Dexiang, C., Ainsworth, J. 1991. Effect of temperature on the immune system of channel catfish (*Ictalurus punctatus*)—II. Adaptation of anterior kidney phagocytes to 10°C. *Comp. Biochem. Physiol.* 100A:913–918.
- Diouf, B., Rioux, P., Blier, P.U., Rajotte, D. (2000). Use of Brook Char (*Salvelinus fontinalis*) physiological responses to stress as a teaching exercise. *Adv. Physiol. Ed.* 23: 18-23.
- Dominguez, M., Takemura, A., Tsuchiya, M. (2005). Effects of changes in environmental factors in the non-specific immune response of Nile tilapia, *Oreochromis niloticus* L. *Aquaculture Res.* 36: 391-397.
- EL-Alwary, M.F.S., EL-Shobaki, F.A., Kholeif, T. (1975). The absorption of iron with or without supplements of single amino acids and of ascorbic acid, in healthy and Fe-deficient children. *Br. J. Nutr.* 33: 351-355.
- EL Naggar, G.O., Lovell, R.T. (1991). L-ascorbyl-2-monophosphate has equal antiscorbutic activity as L-ascorbic acid but L-ascorbyl-2-sulfate is inferior to L-ascorbic acid for channel catfish. *J. Nutr.* 1622-1626.
- Farombi, E.O., Ajimoko, Y.R., Adelowo, O.A. (2008). Effect of Butachlor on Antioxidant Enzyme Status and Lipid Peroxidation in Fresh Water African Catfish, (*Clarias gariepinus*). *Int. J. Environ. Res. Public Health.* 5:423-427.
- Fedoruk, A.N. (1981). A management perspective on stress and infectious diseases in *Clarias* farming. National Inland Fisheries Institute (THA/75/012/WP10), Thailand. 10 pp.
- Fournier, V., Gouillou-Coustans, M.F., Kaushik, S.J. (2000). Hepatic ascorbic acid saturation is the most stringent response criterion for determining the vitamin C requirement of juvenile European sea bass (*Dicentrarchus labrax*). *J. Nutr.* 617-620.
- Fracalossi, D.M., Allen, M.E., Nichols, D.K., Oftedal, O.T. (1998). Oscars, *Astronotus ocellatus*, Have a dietary requirement for vitamin C. *J. Nutr.* 1745-1751.
- Frei, B.B., Ames, B.N. (1998). Relative importance of vitamin E in antiperoxidative defense in human blood plasma and low-density lipoprotein (LDL). In *Vitamin E in health and disease*. Packer, L., Fuchs, J. eds. 132-149.
- George S, Riley C, McEvoy J and Wright J. (2000). Development of a fish in vitro cell culture model to investigate oxidative stress and its modulation by dietary vitamin E. *Mar. Environ. Res.* 50:541-544.

- Heise, K., Puntarulo, S., Nikinmaa, M., Abele, D., Portner, H-O. (2006). Oxidative stress during stressful heat exposure and recovery in the North sea eelpout *Zoarces viviparus* L. *The Journal of Experimental Biology* 209:353-363.
- Holland, M.C.H., Lambris, J.D. (2002). The complement system in teleosts. *Fish Shellfish Immunol.* 12, 399-420.
- Inoue, L.A.K.A., Moraes, G., Iwama, G.K., Affonso, L.O.B. (2008). Physiological stress responses in the warm-water fish matrinxa (*Brycon amazonicus*) subjected to a sudden cold shock. *Acta. Amazonica* 38: 603-610.
- Ispir U., Yonar M.E. (2007). Effects of levamisole on phagocytic activity of rainbow trout (*Oncorhynchus mykiss* W.) *ACTA Vet Brno* 76:493-7.
- Jos, A., Pichardo, S., Prieto, A.I., Repetto, G., Vázquez, C.M., Moreno, M., Cameán, A.M. 2005. Toxic cyanobacterial cells containing microcystins induce oxidative stress in exposed tilapia fish (*Oreochromis* sp.) under laboratory conditions, *Aquat. Toxicol.* 72:261–271.
- Kaur, M., Atif, F., Ali, M., Rehman, H., Raisuddin, S. (2005). Heat stress-induced alterations of antioxidants in the freshwater fish *Channa punctata* Bloch. *J. Fish. Biol.* 67: 1653-1665.
- Kohen, R., Nyska, A. (2002). Oxidation of Biological Systems: Oxidative Stress Phenomena, Antioxidants, Redox Reactions, and Methods for Their Quantification. *Toxicol. Pathol.* 30:620-650.
- Kruse, H., Sorum, H. (1994). Transfer of multiple drug resistance plasmids between bacteria of diverse origins in natural microenvironments. *Applied Environmental Microbiology.* 60: 4015-4021.
- Kumari, J., Sahoo, P.K. (2006). Dietary β -1,3 glucan potentiates innate immunity and disease resistance of Asian catfish, *Clarias batrachus* (L.). *J. Fish Dis.* 29:95-101.
- Kumari, J., Sahoo, P.K., Swain, T., Sahoo, S.K., Sahu, A.K., Mohanty, B.R. (2006). Seasonal variation in the innate immune parameters of the Asian catfish *Clarias batrachus*. *Aquaculture* 252:121-127.
- Langston, A.L., Hoare, R., Stefansson, M., Fitzgerald, R., Wergeland, H., Mulcahy, M. (2002). The effect of temperature on non-specific defense parameters of three strains of

- juvenile Atlantic halibut (*Hippoglossus hippoglossus* L.). *Fish Shellfish Immunol.* 12:61-76.
- Le Morvan, C., Clerton, P., Deschaux, P., Troutaud, D. 1997. Effect of environmental temperature on macrophage activities in carp. *Fish Shellfish Immunol.* 7:209–212.
- Li, Y., Lovell, R.T. (1985). Elevated levels of dietary ascorbic acid increase immune responses in channel catfish. *Journal of Nutrition.* 115: 123-131.
- Lim C., Klesius P.H., Li M.H., Robinson E.H. (2000). Interaction between dietary levels of iron and vitamin C on growth, hematology, immune response and resistance of channel catfish (*Ictalurus punctatus*) to *Edwardsiella ictaluri* challenge. *Aquaculture* 185:313-27.
- Liposchitz, D.A., Bothwell, H., Seftel, H.C., Wapnick, A.A., Charlton, R.W., 1971. The role of ascorbic acid in the metabolism of storage iron. *Brit. J. Haem.* 20:155-165.
- Lushchak, V.I., Bagnyukova, T.V. (2006). Temperature increase results in oxidative stress in goldfish tissues. 1. Indices of oxidative stress. *Comp. Biochem. Physiol.* 143: 30-35.
- Magnadottir, B. (2006). Innate immunity of fish (overview). *Fish and Shellfish Immunology.* 20: 137-51.
- Martinez-Porchas, M., Martinez-Cordova, L.R., Ramos-Enriquez, R. (2009). Cortisol and glucose: reliable indicators of fish stress?. *Pan-American H. of Aquatic Sci.* 4:158-178.
- Martins, M.L., Vieira, F.N., Jeronimo, G.T., Mourino, J.L.P., Dotta, G., Speck, G.M., Bezerra, A.J.M., Pedrotti, F.S., Buglione-Neto, C.C., Pereira, Jr. G. (2009). Leukocyte response and phagocytic activity in Nile tilapia experimentally infected with *Enterococcus* sp. *Fish Physiol. Biochem.* 35: 219-222.
- Matusiewicz, M., Dabrowski, K. (1995). Characterization of ascorbyl esters hydrolysis in fish. *Comp. Biochem. Physiol.* 110B: 739-745.
- Merchie, G., Lavens, P., Storch, V., Ubel, U., Nelis, H., De, Leenheer, A., Sorgeloos, P. (1996). Influence of dietary vitamin C dosage on turbot (*Scophthalmus maximus*) and european sea bass (*Dicentrarchus labrax*) nursery stages. *Comp. Biochem. Physiol.* 114: 123-133.

- Montero, D., Tort, L., Izquierdo, M.S., Robaina, L., Vergara, J.M. (1998). Depletion of serum alternative complement pathway activity in gilthead seabream caused by α -tocopherol and n-3 HUFA dietary deficiencies. *Fish Physiol. Biochem* 18: 399-407.
- Navarre, O., Halver, J. (1989). Disease resistance and humoral antibody production in rainbow trout fed high levels of vitamin C. *Aquaculture* 79: 207–221.
- Ndong, D., Chen, Y-Y., Lin, Y-H., Vaseeharan, B., Chen J-C. (2007). The immune response of tilapia *Oreochromis mossambicus* and its susceptibility to *Streptococcus iniae* under stress in low and high temperatures. *Fish Shellfish Immunol.* 22: 686-694.
- Nikinmaa, M., Huestis, W.H. (1984). Adrenergic swelling of nucleated erythrocytes: cellular mechanisms in a bird, domestic goose, and two teleosts, striped bass and rainbow trout. *J. Exp. Biol.* 113:215-224.
- NRC (National Research Council), Nutrient Requirement of Fish, National Academy Press, Washington, DC, 1993.
- Ortuno, J., Esteban, A., Meseguer, J. (1999). Effects of high dietary intake of vitamin C on non-specific immune response of gilthead seabream (*Sparus aurata* L.). *Fish and Shellfish Immunology.* 9: 429– 443.
- Ortuno, J., Cuesta, A., Esteban, A., Meseguer, J. (2001). Effect of oral administration of high vitamin C and E dosages on the gilthead seabream (*Sparus aurata* L.) innate immune system. *Veterinary immunology and immunopathology.* 79: 167–180.
- Ortuno, J., Esteban, M.A., Meseguer, J. (2003). The effect of dietary intake of vitamins C and E on the stress response of gilthead seabream (*Sparus aurata* L.). *Fish Shellfish Immunol.* 14: 145-156.
- Parihar M.S., Dubey, A.K. (1995). Lipid peroxidation and ascorbic acid status in respiratory organs of male and female freshwater catfish *Heteropneustes fossilis* exposed to temperature increase. *Comp. Biochem. Physiol.* 112C: 309–313.
- Patra, R.W., Chapman, J.C., Lim, R.P., Gehrke, P.C., (2007). The effects of three organic chemicals on the upper thermal tolerances of four freshwater fishes. *Environ. Toxicol. Chem.* 26: 1454-1459.

- Pearce, J., Harris, J.E., Davies, S.J. (2003). The effect of vitamin E on the serum complement activity of the rainbow trout, *Oncorhynchus mykiss* (Walbaum). *Aquaculture Nutr.* 9:337-340.
- Prophete, C., Carlson, E.A., Li, Y., Duffy, J., Steinetz, B., Lasano, S., Zelikoff, J.T. (2006). Effects of elevated temperature and nickel pollution on the immune status of Japanese medaka. *Fish Shellfish Immunol.* 21: 325-334.
- Puangkaew J., Kiron V., Somamoto T., Okamoto N., Satoh S., Takeuchi T., Watanabe T. (2004). Nonspecific immune response of rainbow trout (*Oncorhynchus mykiss* Walbaum) in relation to different status of vitamin E and highly unsaturated fatty acids. *Fish shellfish Immunol* 16: 25-39.
- Pulgar, J., Bozinovic, F., Ojeda, F.P. (1999). Behavioral thermoregulation in the intertidal fish, *Girella laevis* (Kyphosidae): the effect of starvation. *Mar. Freshw. Behav. Phy.* 32: 27-38.
- Rodak, B.F., Fritsma, G.A., Doig, K. (2007). *Hematology: Clinical principles and applications*. 3rd edition. Saunders Elsevier. Pp. 160-174.
- Rupérez, F. J., Barbas, C., Castro, M., Herrera, E. (1999). Determination of α -tocopherol and α -tocopherol acetate in diets of experimental animals. Study of stability in the diets. *J. Chromatogr. A* 839:93–99.
- Sau, S.K., Paul, B.N., Mohanta, K.N., Mohanty, S.N. (2004). Dietary vitamin E requirement, fish performance and carcass composition of rohu (*Labeo rohita*) fry. *Aquaculture* 240:359-368.
- Saurabh, S., Sahoo, P.K. (2008). Lysozyme: an important defence molecule of fish innate immune system. *Aquaculture Res.* 39: 223-239.
- Sealey, W.M., Gatin III, D.M. (2002a). Dietary vitamin C and vitamin E interact to influence growth and tissue composition of juvenile hybrid striped bass (*Morone chrysops* x *M. saxatilis*) but have limited effects on immune responses. *J. Nutr.* 748-755.
- Sealey W.M., Gatin D.M. (2002b). In vitro manipulations of vitamin C and vitamin E concentrations alter intracellular O₂-production of hybrid striped bass (*Morone chrysops* x *Morone saxatilis*) head-kidney cells. *Fish Shellfish Immunol.* 12:131-140.

- Silveira-Coffigny, R., Prieto-Trujillo, A., Ascencio-Valle, F. (2004). Effects of different stressors in haematological variables in cultured *Oreochromis aureus* S. Comp. Biochem. Physiol. 139: 245-250.
- Siwicki, A.K., Anderson, D.P., Rumsey, G.L. (1994). Dietary intake of immunostimulants by rainbow trout affect non-specific immunity and protection against furunculosis. Vet. Immunol. Immunopathol. 41: 125-139.
- Svobodova, Z., Machova, J., Drastichova, J., Groch, L., Luskova, V., Poleszczuk, G., Velisek, J., Kroupova, H. (2005). Haematological and biochemical profiles of carp blood following nitrite exposure at different concentrations of chloride. Aquaculture Res. 36: 1177-1184.
- Svobodova, Z., Vykusova, B., Modra, H., Jarkovsky, J., Smutna, M. (2006). Haematological and biochemical profile of harvest-size carp during harvest and post-harvest storage. Aquaculture Res. 959-965.
- Taoka Y., Maeda H., Jo J-Y., Kim S-M., Park S-I., Yoshikawa T., Sakata T. (2006). Use of live and dead probiotic cells in tilapia *Oreochromis niloticus*. Fisheries Sci. 72:755-66.
- Tocher, D.R., Mourente, G., Eecken, A.V.D., Evjemo, J.O., Diaz, E., Bell, J.G., Geurden, I., Lavens, P., Olsen, Y. (2002). Effects of dietary vitamin E on antioxidant defence mechanisms of juvenile turbot (*Scophthalmus maximus* L.), halibut (*Hippoglossus hippoglossus* L.) and sea bream (*Sparus aurata* L.) Aquaculture Nutri. 8:195-207.
- Tort, L., Padrous, F., Rotllant, J., Crespo, S. (1998). Winter syndrome in the gilthead sea bream *Sparus aurata*. Immunological and histopathological features. Fish and Shellfish Immunology. 8: 37–47.
- Urbinati, E. C., de Abreu, J.S., Camargo, A.C.d.C., Parra, M.A.L. (2004). Loading and transport stress of juvenile matinxá (*Brycon cephalus*, Characidae) at various densities. Aquaculture 229: 389-400.
- Verlhac, V., Obach, A., Gabaudan, J., Schuep, W., Hole, R. (1998). Immunomodulation by dietary vitamin C and glucan in rainbow trout (*Oncorhynchus mykiss*). Fish and Shellfish Immunology. 8: 409– 424.
- Volpatti B.D., Angelo L.D., Jeney G., Heney Z., Anderson D.P., Galeotti M. (1998). Nonspecific immune response in fish fed glucan diets prior to induced transportation stress. J Appl. Ichthyol. 14:201-6.

- Wang, X., Kim, K-W., Bai, S.C., Huh, M-D., Cho, B-Y., 2003. Effects of the different levels of dietary vitamin C on growth and tissue ascorbic acid changes in parrot fish (*Oplegnathus fasciatus*). *Aquaculture* 215: 203-11.
- Wedemeyer, G.A., Barton, B.A., McLeary, D.J. (1990). Stress and acclimation. *Methods for Fish Biology* (eds CB Schreck, PB Moyle) American Fisheries Society, Bethesda, MD. pp.451-89.
- Wedemeyer, G.A., 1996. *Physiology of fish in intensive culture systems*. New York: Chapman & Hall.
- Whiteley, N.M., Christiansen, J.S., Egginton, S. (2006). Polar cod, *Boreogadus saida* (Gadidae), show an intermediate stress response between Antarctic and temperate fishes. *Comp. Biochem. Physiol.* 145: 493-501.
- Wilson, J.X. (2005). Regulation of vitamin C transport. *Annu. Rev. Nutr.* 25: 105–125.
- Xie, Z., Niu, C., Zhang, Z., Bao, L. (2006). Dietary ascorbic acid may be necessary for enhancing the immune response in Siberian sturgeon (*Acipenser baerii*), a species capable of ascorbic acid biosynthesis. *Comp. Biochem. Physiol.* 145: 152-157.