

บรรณานุกรม

- รังสรรค์ พาลพ่าย เกียรติศักดิ์ ทาศรีภู และ มณีวรรณ กมลพัฒนะ. 2543a. ความเป็นไปได้ในการผลิตโค พันธุ์ดีด้วยเทคโนโลยีโคลนนิ่งโดยใช้เซลล์ใบหูเป็นเซลล์ต้นแบบ. **การประชุมวิชาการของมหาวิทยาลัย เกษตรศาสตร์ ครั้งที่ 38** สาขาสัตว์ 1-4 กุมภาพันธ์ 2543.
- รังสรรค์ พาลพ่าย เกียรติศักดิ์ ทาศรีภู และ มณีวรรณ กมลพัฒนะ. 2543b. การโคลนนิ่งตัวอ่อนกระป๋องปลักโดยใช้เซลล์ไฟโบรบลาสจากลูกอ่อนเป็นเซลล์ต้นแบบ. **การประชุมวิชาการของมหาวิทยาลัยเกษตร ศาสตร์ ครั้งที่ 38** สาขาสัตว์ 1-4 กุมภาพันธ์ 2543.
- รังสรรค์ พาลพ่าย และ สรรเพชญ์ โสภณ. 2530. เทคนิคการย้ายฝากตัวอ่อนในโคโดยวิธีไม่ผ่าตัด. มณีวรรณ กมลพัฒนะ (บรรณาธิการ). **การปฏิสนธิในหลอดแก้วและการย้ายฝากตัวอ่อน**. โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย. กรุงเทพฯ. หน้า 133-158.
- รังสรรค์ พาลพ่าย ชูติ เหล่าธรรมธร จันทร์เจ้า ลือทองพานิชย์ สุจิตรา หมั่นไธสง ชวัชชัย เวชยันต์ เสวียน สัมหวาน เพลิน เมินกระโทก สมพงษ์ ปาติตั้ง สุริยา กิจสำเร็จ และ สมบัติ ศิริอุดม เศรษฐ. 2547. การใช้เทคโนโลยีโคลนนิ่งผลิตโคเนื้อและโคนมพันธุ์ดี. **การประชุมวิชาการของมหาวิทยาลัยเกษตรศาสตร์ ครั้งที่ 42** สาขาสัตว์.
- Albarracín JL, Morató R, Rojas C, Mogas T. 2005. Effects of vitrification in open pulled straws on the cytology of *in vitro* matured prepubertal and adult bovine oocytes. **Theriogenology** 63: 890–901.
- Atabay, E.C., Takahashi, Y., Katagiri, S., Nagano, M., Koga, A., Kanai, Y. 2004. Vitrification of bovine oocytes and its application to intergeneric somatic cell nuclear transfer. **Theriogenology** 61: 15–23.
- Baguisi, A., Behboodi, E., Melican, D.T., Pollock, J.S., Destrempes, M.M., Cammuso, C., Williams, J.L. Nims, S.D., Porter, C.A., Midura, P., Palacios, M.J., Ayres, S.L., Denniston, R.S., Hates, M.L., Ziomek, C.A., Meade, H.M., Godke, R.A., Gavin, W.G., Overstrom, E.W. and Echelard, Y. 1999. Production of goats by somatic cell nuclear transfer. **Nat. Biotechnology** 17: 456-461.
- Bondioli, K.R., Westhusin, M.E. and Looney, C.R. 1990. Production of identical bovine offspring by nuclear transfer. **Theriogenology** 33: 165-174.
- Bondioli, K.R. 1993. Nuclear transfer in cattle. **Mol.Reprod.Dev.** 36: 274-275.

- Booth, P.J., Vajta, G., Hoj, A., Holm, P., Jacobsen, H., Greve, T., Callesen, H. 1999. Full-term development of nuclear transfer calves produced from open-pulled straw (OPS) vitrified cytoplasts: work in progress. **Theriogenology** 51:999–1006.
- Carroll J, Depypere H, Matthews CD. 1990. Freeze-thaw-induced changes of the zona pellucida explains decreased rates of fertilization in frozen-thawed mouse oocytes. **J Reprod Fert** 90: 547–553.
- Chang, W.C., Xu, J., Jiang, S., Tian, X.C., Yang, X., and Du, F.L. 2004. Effect of pre-equilibration procedures on the development potential of vitrified bovine oocytes after IVF. **Reprod.Fertil.Steril.** 16: 166.
- Chen SU, Lien YR, Chao KH, Ho HN, Yang YS, Lee TY. 2003. Effects of cryopreservation on meiotic spindles of oocytes and its dynamics after thawing: clinical implications in oocyte freezing-a review article. **Mol Cell Endocrinol** 202: 101–107.
- Cibelli, J.B., Stice, S.L., Golueke, P.J., Kane, J.J., Jerry, J., Blackwell, C., Ponce de Leon, F.A. and Robl, J.M. 1998. Clones transgenic calves produced from nonquiescent fetal fibroblasts. **Science** 280: 1256-1258.
- Dinnyés A, Dai Y, Jiang S, Yang X. 2000. High developmental rates of vitrified bovine oocytes following parthenogenetic activation, *in vitro* fertilization, and somatic cell nuclear transfer. **Biol Reprod** 63: 513–518.
- Dominko T., Mitalipova M., Haley B., Beyman Z., Memili E., and N. First. (1998). Bovine oocyte as a universal recipient cytoplasm in mammalian nuclear transfer. **Theriogenology** 49 : 389.
- Dinnyes, A., Dai, Y., Jiang, S., and Yang, X. 2000. High developmental rates of vitrified bovine oocytes following parthenogenetic activation, *in vitro* fertilization, and somatic cell nuclear transfer. **Biol. Reprod.** 63: 513-518.
- Fahy GM, McFralane DR, Angell CA, Meryman HT. 1984. Vitrification as an approach to cryopreservation. **Cryobiology** 21: 407–426.
- Farin P.W., and C.E. Farin.,(1995) Transfer of bovine embryos produced in vivo or in vitro: Survival and fetal development. **Biol. Reprod.** 52 : 676-682.
- Fuku E, Xia L, Downey BR. 1995 Ultrastructural changes in bovine oocytes cryopreserved by vitrification. **Cryobiology** 2: 139–156.

- Fuller B, Paynter S. Fundamentals of cryobiology in reproductive medicine. 2004. **Reprod Biomed Online** 9: 680–691.
- Gardner, D.K., Lane, M. and Batt, P. 1994. Enhanced rates of cleavage and development for sheep zygotes cultured to the blastocyst stage *in vitro* in the absence of serum and somatic cells: Amino acids, vitamins and culturing embryos in groups stimulate development. **Biol.Reprod.** 50: 390-400.
- Hochi, S., Mitsuhiro, A., Minagawa, G., Kimura, K., Hanada, A. 2001. Effects of cooling and warming rates during vitrification on fertilization of *in vitro*-matures bovine oocytes. **Cryobiology** 41: 69–73.
- Hou, Y.P., Dai, Y.P., Zhu, S.E., Zhu, H.B., Wu, T.Y., Gong, G.C., Wang, H.P., Wang, L.L., Liu, Y., Li, R., Wan, R., Li, N. 2005. Bovine oocytes vitrified by the open pulled straw method and used for somatic cell cloning supported development to term. **Theriogenology** 64:1381–1391.
- Illmensee, K. and Hoppe, P.C. 1981. Nuclear transplantation in *Mus musculus* : Developmental potential of nuclei from preimplantation embryos. **Cell** 23: 9-18.
- Inaba, Y., Dochi, O., and Koyama, H. 2004. Effect of using micro-pipette tips of different diameters and volume of vitrification solution on the viability of IVM bovine oocytes after vitrification. **Reprod.Fertil.Steril.** 16 :171.
- Isachenko, V., Alabart, J.L., Nawroth, F., Isachenko, E., Vajta, G., and Folch, J. 2001. The open pulled straw vitrification of ovine GV-oocytes: positive effect of rapid cooling or rapid thawing or both?. **Cryo-Letters** 22: 157-162.
- Kato, Y., Tani, T., Sotomaru, Y., Kurokawa, K., Kato, J., Doguchi, H., Yasue, H. and Tsunoda, Y. 1998. Eight calves cloned from somatic cells of a single adult. **Science** 282: 2095-2098.
- Keefer, C.L., Keyston, R., Lazaris, A., Bhatia, B., Begin, I., Bilodeau, A.S., Zhou, F.J., Kafidi, N., Wang, B., Baldassarre, H. and Karatzas, C.N. 2002. Production of cloned goats after nuclear transfer using adult somatic cells. **Biol. Reprod.** 66: 199-203.
- Kuwayama M, Kato O. 2000. All-round vitrification method for human oocytes and embryos. **J Assist Reprod Genet** 17: 477 (abstract).
- Kuwayama M, Vajta G, Kato O, Leibo SP. 2005. Highly efficient vitrification method for cryopreservation of human oocytes. **Reprod Biomed** 300: 308 (abstract).

- Lane, M., and Gardner, D.K. 2001. Vitrification of mouse oocytes using a nylon loop. **Mol. Reprod. Dev.** 58: 342-347.
- Lanza R.P., Cibelli, J.B., Daiz, F., Moraes, C.T., Farin, P.W., Farin C.E., Hammer C.J., Weat, M.D., and P. Damiani.,(2000). Cloning of an endangered species (*Bos gaurus*) using interspecies nuclear transfer. **Cloning 2** :79-90.
- Larman MG, Sheehan CB, Gardner DK. 2006. Calcium-free vitrification reduces cryoprotectant-induced zona pellucida hardening and increases fertilization rates in mouse oocytes. **Reproduction** 131: 53–61.
- Laowtammathron C, Lorthongpanich C, Ketudat-Cairns M, Hochi S, Parnpai R. 2005. Factors affecting cryosurvival of nuclear-transferred bovine and swamp buffalo blastocysts: effects of hatching stage, linoleic acid-albumin in IVC medium and Ficoll supplementation to vitrification solution. **Theriogenology** 64: 1185-1196.
- Liebermann, J., and Tucker, M.J. (2002). Effect of carrier system on the yield of human oocytes and embryos as assessed by survival and developmental potential after vitrification. **Reproduction** 124: 483-489.
- Lowther KM, Weitzman VN, Maier D, Mehlmann LM. 2009. Maturation, fertilization, and the structure and function of the endoplasmic reticulum in cryopreserved mouse oocytes. **Biol Reprod** 81: 147-154.
- Martino, A., Songsasen, N., and Leibo, S.P. (1996). Development into blastocysts of bovine oocytes cryopreserved by ultra-rapid cooling. **Biol. Reprod.** 24: 1059-1069.
- Matson PL, Graefling J, Junk SM, Yovich JL, Edirisinghe WR. 1997. Cryopreservation of oocytes and embryos: use of a mouse model to investigate effects upon zona hardness and formulate treatment strategies in an *in vitro* fertilization programme. **Hum Reprod** 12: 1550–1553.
- Matsumoto, H., Jiang, J.Y., Tanaka, T., Sasada, H., and Sato, E. 2001. Vitrification of large quantities of immature bovine oocytes using nylon mesh. **Cryobiology** 42: 139-144.
- Men, H., Monson, R.L., and Rutledge, J.J. 2002. Effect of meiotic stages and maturation protocols on bovine oocyte's resistance to cryopreservation. **Theriogenology** 57: 1095 -1103.
- Morató R, Izquierdo D, Paramio MT, Mogas T. 2008. Cryotop versus open-pull straw (OPS) as carriers for the cryopreservation of bovine oocytes: Effect on spindle and chromosome configuration and embryo development. **Cryobiology** 57: 137–141.

- Onishi, A., Iwamoto, M., Akita, T., Mikawa, S., Takeda, K., Awata, T., Hanada, H., Perry, A.C.F. 2000. Pig cloning by microinjection of fetal fibroblast nuclei. **Science** 289: 1188-1190.
- Papis, K., Shimizu, M., and Izaike, Y. 2000. Factor effect on the survival of bovine oocytes vitrified in droplets. **Theriogenology** 54: 651-658.
- Parnpai, R., Tasripoo, K. and Kamonpatana, M. 1999. Development of cloned swamp buffalo embryos derived from fetal fibroblasts: comparison *in vitro* cultured with or without buffalo and cattle oviductal epithelial cells. **Buffalo J.** 15: 371-384.
- Parnpai, R., Tasripoo, K. and Kamonpatana, M. 2000a. Developmental potential of cloned bovine embryos derived from quiescent and non-quiescent adult ear fibroblasts after different activation treatments. **Theriogenology** 53: 239.
- Parnpai, R., Tasripoo, K. and Kamonpatana, M. 2000b. Comparison of cloning swamp buffalo embryos using fetal fibroblasts and granulosa cells as donor cells. **Proceeding of the 14th International Congress on Animal Reproduction**. Stockholm, July 2-6, 2000. Abstract Vol. 2: 241.
- Parnpai, R., Tasripoo, K. and Kamonpatana, M. 2001. Cloning of pig embryo by using ear fibroblasts and tail muscle cells as donor nuclei : Effect of time after maturation and fusion parameters on the rate of fusion and development of embryo. **Thai J. Agri.Sci.** 34: 187-194.
- Parnpai, R., Tasripoo, K. and Kamonpatana, M. 2002. Comparison of cloning efficiency in bovine and swamp buffalo embryo using fetal fibroblasts ear fibroblasts and granulosa cells. **Theriogenology** 57: 443.
- Parnpai, R. and Tasripoo, K. 2003. Effects of different activation protocols on the development of cloned swamp buffalo embryos derived from granulosa cells. **Theriogenology** 59: 279.
- Polejaeva, I.A., Chen, S-H., Vaught, T.D., Page, R.L., Mullins, J.B., Dai, Y., Boone, J., Walker, S., Ayares, D.L., Colman, A. and Campbell, K.H.S. 2000. Cloned pigs produced by nuclear transfer from adult somatic cells. **Nature** 407: 86-90.
- Prather, R.S., Barnes, F.L., Sim, M.M., Robl, J.M. Eystone, W.H. and First, N.L. 1987. Nuclear transplantation in the bovine embryos: assessment of donor nuclei and recipient oocyte. **Biol.Reprod.** 37: 859-866.
- Prather, R.S., Sim, M.M. and First, N.L. 1989. Nuclear transplantation in early pig embryos. **Biol.Reprod.** 41: 414-418.

- Rall, W.F., and Fahy, G.M. 1985. Ice-free cryopreservation of mouse embryos at -196°C by vitrification. **Nature** 313: 573-575.
- Reggio, B.C., James, A.N., Green, H.L., Gavin, W.G., Behboodi, E., Echelard, Y. and Godke, R.A. 2001. Cloned transgenic offspring resulting from somatic cell nuclear transfer in the goat: oocytes derived from both follicle-stimulating hormones-stimulated and nonstimulated abattoir-derived ovaries. **Biol.Reprod.** 65: 1528-1533.
- Rho GJ, Kim S, Yoo JG, Balasubramanian S, Lee HJ, Choe SY. 2002. Microtubulin configuration and mitochondrial distribution after ultra-rapid cooling of bovine oocytes. **Mol Reprod Dev** 4: 464-470.
- Seidel, G.E. 1995. Sexing, bisection and cloning embryo: perspectives and applications to animal breeding. In: **Proc. of Symposium on Reproduction and Animal Breeding**, Milan, pp. 147-154.
- Shaw JM, Oranratnachai A, Trounson AO. 2000. Fundamental cryobiology of mammalian oocytes and ovarian tissue. **Theriogenology** 53: 59-72.
- Shin, T., S., Kraemer, D., Pryor, J., Lui, I., Rugila, J., Howe, L., Buck, S., Murphy, K. Lyons, L. and Westhusin, M.W. 2002. Nature published online. 14 February 2002. **Nature** 723.
- Somfai T, Ozawa M, Noguchi J, Kaneko H, Karja NWK, Farhudin M, Dinnyes A, Nagai T, Kikuchi K. 2007. Developmental competence of *in vitro*-fertilized porcine oocytes after *in vitro* maturation and solid surface vitrification: Effect of cryopreservation on oocyte antioxidative system and cell cycle stage. **Cryobiology** 55: 115-126.
- Stice, S.L. and Keefer, C.L. 1993. Multiple generation bovine embryo cloning. **Biol.Reprod.** 48: 715-719.
- Succu S, Bebbere D, Bogliolo L, Ariu F, Fois S, Leoni GG, Berlinguer F, Naitana S, Ledda S. 2008. Vitrification of *in vitro* matured ovine oocytes affects *in vitro* pre-implantation development and mRNA abundance. **Mol Reprod Dev** 3: 538-546.
- Tian SJ, Yan CL, Yang HX, Zhou GB, Yang ZQ, Zhu SE. 2007. Vitrification solution containing DMSO and EG can induce parthenogenetic activation of *in vitro* matured ovine oocytes and decrease sperm penetration. **Anim Reprod Sci** 101: 365-371.
- Van der Elst J, Van den Abbeel E, Nerinckx S, Van Steirteghem A. 1992. Parthenogenetic activation pattern and microtubular organization of mouse oocyte after exposure to 1,2-propanediol. **Cryobiology** 29: 549-562.

- Vajta, G., 2000. Vitrification of the oocytes and embryos of domestic animals. **Anim. Reprod. Sci.** 2:357–364.
- Vajta, G., Booth, P.J., Holm, P., Greve, T., and Callesen, H. 1997. Successful vitrification of early stage bovine *in vitro* produced embryos with the open pulled straw (OPS) method. **Cryo-Letters** 18: 191-195.
- Vajta, G., Holm, P., Kuwayama, M., Booth, P.J., Jacobsen, H., Greve, T., and Callesen, H. 1998. Open pulled straw (OPS) vitrification: A new way to reduce cryoinjuries of bovine ova and embryos. **Mol. Reprod. Dev.** 51: 53-58.
- Vanderzwalmen, P, Bertin, G., Debauche, C.H., Standaert, V., and Schoysman, R. (2000). *In vitro* survival of metaphase II oocytes and blastocysts after vitrification in an Hemi Straw (HS) system. **Fertil. Steril.** 74: 215.
- Vignon, X., LeBourthis, D., Chesne, P., Marchal, J., Heyman, Y. and Renard, J.P. 1999. Development of bovine nuclear transfer embryos reconstituted with quiescent and proliferative skin fibroblasts. **Theriogenology** 51: 216.
- Wells, D.N., Misica, P.M. and Tervit, H.R. 1999. Production of cloned calves following nuclear transfer with cultured adult mural granulosa cells. **Biol.Reprod.** 60: 996-1005.
- Wakayama, T., Perry, A.C., Zuccotti, M. Jonhson, K.R. and Yanagimachi, R. 1998. Full-term development of mice from enucleated oocytes injected with cumulus cell nuclei. **Nature** 394: 369-374.
- Willadsen, S.M. 1986. Nuclear transplantation in sheep embryos. **Nature** 320: 63-65.
- Wilmut, I., Schnieke, A.E., McWhir, J., Kind, A.J. and Campbell, K.S.H. 1997. Viable offspring derived from fetal and adult mammalian cells. **Nature** 385: 810-813.
- Yang BC, Im GS, Kim DH, Yang BS, Oh HJ, Park HS, Seong HH, Kim SW, Ka HH, Lee CK. 2008. Development of vitrified-thawed bovine oocytes after *in vitro* fertilization and somatic cell nuclear transfer. **Anim Reprod Sci.** 103:25-37.
- Zakhartchenko, V., Durcova-Hills, G., Stojkovic, M., Schernthaner, W., Prella, K., Steinborn, R., Muller, M., Brem, G. and Wolf, E. 1999. Effects of serum starvation and re-cloning on the efficiency of nuclear transfer using bovine fetal fibroblasts. **J.Reprod.Fert.** 115: 325-331.