REFERENCES

Ahmed, S., E. Nawata, and T. Sakuratani. 2002. Effects of waterlogging at vegetative and reproductive growth stages on photosynthesis, leaf water potential and yield in mungbean. Plant Production Science 5: 117-123.

Ahmed, S., E. Nawata, and T. Sakuratani. 2006. Changes of endogenous ABA and ACC and their correlations to photosynthesis and water relations in mungbean (*Vigna radiata* (L.)Wilczak cv.KPS1) during waterlogging. Environmental and Experimental Botany 57: 278–284.

Almodares, A., and S.M.M. Darany. 2006. Effects of planting date and nitrogen application on yield and sugar content of sweet sorghum. Journal of Environmental Biology 27: 601-605.

Almodares, A., and M.R. Hardi. 2009. Production of bioethanol from sweet sorghum: A review. African Journal of Agricultural Research 4: 772-780.

Almodares, A., A. Sepani, and A. Karve. 1994. Effect of planting date on yield and sugar production of sweet sorghum. Annual of Plant Physiology 8: 49-54.

Almodares, A., R. Taheri, and V. Safavi. 2008a. Sorghum, botany, agronomy and biotechnology. Jahad Daneshgahi of University of Isfahan, Isfahan.

Almodares, A., M.R. Hardi, and H. Ahmadpour. 2008b. Sorghum stem yield and soluble carbohydrates under phonological stage and salinity levels. African Journal of Biotechnology 7: 4051-4055.

Almodares, A., R. Taheri, I.M. Chung, and M. Fathi. 2008c. The effect of nitrogen and potassium fertilizers on growth parameters and carbohydrates of sweet sorghum cultivars. Journal of Environmental Biology 29: 849-852.

Amaducci, A., A. Monti, and G. Venturi. 2004. Non-structural carbohydrates and fibre components in sweet and fibre sorghum as affected by low and normal input techniques. Industrial Crops and Products 20: 111-118.

Analytical Software. 2003. Statistix 8 User's Manual. Analytical Software, Tallassee.

Armstrong, W. 1979. Aeration in higher plants. Advance Botanical Research 7: 225-332.

Armstrong, W., R. Brändle, and M.B. Jackson. 1994. Mechanisms of flood tolerance in plants. Acta Botany Neer 143: 307–358.

Arshard, M., and W. T. J. Frankenberger. 1990. Production and stability of ethylene in soil. Biology and Fertility of Soils 10: 29-34.

Ashraf, M., and H. ur Rehman. 1999. Interactive effects of nitrate and long-term waterlogging on growth, water relations, and gaseous exchange properties of maize (*Zea mays* L.). Plant Science 144: 35–43.

Ashraf, M. 2003. Relationships between leaf gas exchange characteristics and growth of different adapted populations of Blue panicgrass (*Panicum antidotale* Retz.) under salinity or waterlogging. Plant Science 165: 69-75.

Ashraf, M., and M. Arfan. 2005. Gas exchange characteristics and water relations in two cultivars of *Hibicus esculentus* under waterlogging. Biologia Plantarum. 49: 459-462.

Bailey-Serres, J., and L.A.C.J. Voesenek. 2008. Flooding stress: Acclimations and genetic diversity. Annual Review of Plant Biology. 59: 313–339.

Balole, T.V. 2001. Strategies to improve yield and quality of sweet sorghum as a crash crop for small scale farmers in Botswana. Ph.D. Thesis, University of Pretoria, Pretoria.

Barbanti, L., S. Grandi, A. Vecchi, and G. Venturi. 2006. Sweet and multipurpose sorghum (*Sorghum bicolor* (L.) Moench), energy crops in the frame of environmental protection from excessive nitrogen loads. European Journal of Agronomy 25: 30–39.

Baruch, Z. 1994. Responses to drought and flooding in tropical forage grasses. II: leaf water potential, photosynthesis rate and alcohol dehydrogenase activity. Plant and Soil 164: 97-105.

Belayachi, L., and M. Delmas. 1997. Sweet sorghum bagasse: a raw material for the production of chemical paper pulp. Industrial Crop Production 6: 229-232.

Bitzer, M. J., and J.D. Fox. 2000. Processing Sweet Sorghum for Syrup. (cited 28 May 2006) Available from:
http:// www.ca.uky.edu/agc/pubs/agr/agr123/AGR123.pdf.

Bolton, E.F., and M.C. Kenzie. 1946. The effect of early spring flooding on certain forage crops. Science and Agriculture 26:99-105.

Boru, G., M. VAN Ginkel, R. M. Trethowan, L. Boersma, and W. E. Kronstad. 2003. Oxygen use from solution by wheat genotypes differing in tolerance to waterlogging. Euphytica 132: 151-158.

Bradford, K.J. 1983. Effects of soil flooding on leaf gas exchange of tomato plants. Plant Physiology 73: 475–479.

Bragina, T.V., N.A. Rodionova, and G.M. Grenieva. 2003. Ethylene production and activation of hydrolytic enzymes during acclimation of maize seedlings to partial flooding. Russian Journal of Plant Physiology 50: 794-798.

Broadhead, D. M. 1969. Sugar production from sweet sorghum as affected by planting date, after-ripe harvesting and storage. Agronomy Journal 61: 811-812.

Broadhead, D.M. 1972a. Effect of stalk chopping on leaf removal and juice quality of Rio sweet sorghum. Agronomy Journal 64: 306-308.

Broadhead, D.M. 1972b. Effect of planting date and maturity on juice quality of Rio Sweet sorghum. Agronomy Journal 64: 389-390.

Broadhead, D.M., I.E. Strokes, and K.C. Freeman. 1963. Sorgo spacing experiments in Mississippi. Agronomy Journal 55: 164-166.

Broadhead, D.M., K.C. Freeman, and N. Zummo. 1978. 'Wray' a new variety of sweet sorghum for sugar production. Missouri Agriculture and forage experimental station research report No. 4, Missouri, USA.

Blom, C.W.P.M., L.A.C.J. Voesenek, M. Banga, W.M.H.G. Engelaar, J.H.G. M. Rijinders, F.M. Van Steeg, and E.J.W. Visser. 1994. Physiological ecology of riverside species. Annals of Botany 74: 253-263.

Burdick, D.M., and I.A. Mendelssohn. 1990. Relationship between anatomical and metabolism responses to soil waterlogging in the coastal grass *Spartina patens*. Journal of Experimental Botany 41, 223-228.

Changedee, T., S. Morita, J. Abe, K. Ito, R. Tajima, and A. Polthanee. 2008. Root anatomical responses to waterlogging at seedling stage of three cordage fibre crops. Plant Production Science 11: 232-237.

Changdee, T., A. Polthanee, C. Akkasaeng, and S. Morita. 2009. Effect of different waterlogging regimes on growth, some yield and roots development parameters in three fibre crops (*Hibiscus canabinus* L., *Hibicus sabdariffa* L. and *Corchorus olitorious* L.). Asian Journal of Plant Sciences 8: 515-525.

Chavan, U.D., J.V. Patil, and M.S. Shinde. 2009. An assessment of sweet sorghum cultivars for ethanol production. Sugar Technology 11: 319-323.

Chen, H.J., R.G. Qualls, and G.C. Miller. 2002. Adaptive responses of *Lepidium latifolium* to soil flooding: Biomass allocation, adventitious rooting, aerenchyma formation and ethylene production. Environmental and Experimental Botany 48: 119-128.

Chen, H., R.G. Qualls, and R.R. Blank. 2005. Effect of soil flooding on photosynthesis, carbohydrate partitioning and nutrient uptake in the invasive exotic *Lepidium latifolium*. Aquatic Botany 82: 250-268.

Coleman, O.H. 1970. Syrup and sugar from sweet sorghum, pp. 416-440. *In* J.S. Wall, and W.M. Ross (eds.). Sorghum Production and Utilization. AVI Publishing: Westport Connecticut.

Coleman, R.E. 1972. Sweet sorghum for sugar production. Proceeding of American Society of Sugarcane Technology 17: 1-9

Colmer, T.D. 2003. Aerenchyma and an inducible barrier to radial oxygen loss facilitate root aeration in upland, paddy and deep-water rice (*Oryza sativa* L.). Annals of Botany 91: 301-309.

Corredor, D.Y., J.M. Salazar, K.L. Hohn, S. Bean, B. Bean, and D. Wang. 2008. Evaluation and Characterization of Forage Sorghum as Feedstock for Fermentable Sugar Production. Applied Biochemistry and. Biotechnology 158:164-179.

Cowley, W.R. 1969. Sweet sorghum in South Texas: Yield potential and cultural practices. Journal of Rio Grand Horticultural Society 23: 157-162.

Cowley, W.R., and B.A. Smith. 1972. Sweet sorghum as a potential sugar crop in south Texas. International Society of Sugar Cane Technologists 14: 628-633.

Curt. M.D., J. Fernandez, and M. Martinez. 1995. Productivity and water use efficiency of sweet sorghum (*Sorghum bicolor* (L.) Moench) cv. "Keller" in relation to water regime. Biomass Bioenergy 8:401-409.

Curt, M.D., J. Fernandez, J. Gonzalez, and J.L. Gil. 2000. Comparative growth analysis of two sorghum cultivars in Badajoz, Spain, pp. 1877–1880. *In* Proceedings of the First World Conference on Biomass for Energy and Industry, Sevilla, Spain.

Curtis, P.S., and A. Lauchli. 1986. The role of leaf area development and photosynthetic capacity in determining growth of kenaf under moderate salt stress. Australian Journal of Plant Physiology 13: 353-365.

Dalianis, C., M. Christou, S. Sooter, S. Kyritsis, C.H. Zafiris, and G. Samiotakis. 1994. Growth and productivity of sweet sorghum in Greece, pp. 636–642. *In* D.O. Hall, G. Grassi and H. Scheer (eds). Proceeding of the Seventh E.U. Biomass Conference on Biomass for Energy and Industry. Ponte Press: Bochum, Germany.

Daniel, H. P., E.L. William, K.K. Brian, and R.H. Thomas. 1991. A comparison of sweet sorghum cultivars and maize for ethanol production. Production Agriculture Journal 4: 377–381.

Dat, J., N. Caplli, H. Folzer, D. Bourgeade, and P.M. Bodot. 2004. Sensing and signaling during plant flooding. Plant Physiology and Biochemistry 42: 273-282.

Davies, C.L., D.W. Turner, and M. Dracup. 2000. Yellow lupin (*Lupinnus luteus*) tolerates waterlogging better than narrow-leafed lupin (*L. angustifolius*). II. Leaf gas exchange, plant water status, and nitrogen accumulation. Australain Journal of Agricultural Research 51: 711-719.

DEDE (Department of Alternative Energy Development and Efficiency Ministry, Thailand). 2009a. Alternative energy target in 2022. (cited 16 June 2009) Available from: http://www.dede.go.th/dede/fileadmin/upload/pictures_eng/pdffile/AE_Target_in_2022.pdf.

DEDE. 2009b. Supply, demand and types of feedstock for ethanol production. (cited 16 June 2009) Available from: http://www.dede.go.th/dede/fileadmin/upload/pictures_eng/pdffile/Ethanol_Supply_Demand_and_Feedstock.doc.

Dennis, E.S., R. Dolferus, M. Ellis, M. Rahman, Y. Wu, F.U. Hoeren, A. Grover, K.P. Ismond, A.G. Good, and W.J. Peacock. 2000. Molecular strategies for improving waterlogging tolerance in plants. Journal of Experimental Botany 51: 89-97.

Dias-Filho, M.B., and C.J.R. de Carvalho. 2000. Physiological and morphological responses of *Brachiaria* spp. to flooding. Pesquisa Agropecuária Brasileira 35: 1959-1966.

Dias-Filho, M.B. 2002. Tolerance to flooding in five *Brachiaria brizantha* accessions. Pesquisa Agropecuária Brasileira 37: 439-447.

Doggett, H. 1970. Sorghum. 1st ed. Longmans, Green and Co. Ltd.: London.

Doggett, H. 1988. Sorghum. 2nd ed. Longmans, Green and Co. Ltd.: London.

Dolciotti, I., S. Mambelli, S. Grandi, and G. Venturi. 1998. Comparison of two sorghum genotypes for sugar and fiber production. Industrial Crops and Products 7: 265–272.

Drew, M.C., and E.J. Sisworo. 1979. The development of waterlogging damage in young barley plants in relation to plant nutrient status and changes in soil properties. New Phytologist 82: 301–314.

Drew, M.C., C-J He, and P.W. Morgan. 2000. Programmed cell death and aerenchyma formation in roots. Trends in plant science, Review 5: 123-127.

Eastin, J.D. 1972. Photosynthesis and translocation in relation to plant development, pp. 214-246. *In* N.G.P. Rao, and L.R. House (eds.). Sorghum in the Seventies. Oxford and IBH Publishing Co.: New Delhi,

Eastin, J.D., J.H. Hultquist, and C.Y. Sullivan. 1973. Physiological maturity on grain sorghum. Crop Science 13: 175-178.

Else, M. A., F. Janowiak, C.J. Atkinson, and M. B. Jackson. 2009. Root signals and stomatal closure in relation to photosynthesis, chlorophyll a fluorescence and adventitious rooting of flooded tomato plants. Annals of Botany 103:313–323.

Evans, D.E. 2003. Aerenchyma formation, (Tansley review). New Phytologist, 161: 35-49.

FAO (Food and Agriculture Organization). 2002. Sweet sorghum in China. (cited 13 December 2004) Available from: http://www.fao.org/Ag/magazine/0202sp2.htm.

FAO. 2008. The State of Food and Agriculture; Biofuels: prospects, risks and opportunities. (cited 20 October 2008) Available from: http://www.fao.org/docrep/011/i0100e/i0100e00.htm.

Ferraris, R. 1981. Agronomic assessment of sweet sorghum as an alcohol fuels source. National conference from Crops. (Society of Automotive Engineers – Melbourne, Australasia), pp. 3 1.1-3 1.10.

Ferraris, R. 1981a. Early assessment of sweet sorghum as an agro-industrial crop. I. Varietal evaluation. Australian Journal of Experimental Agriculture and Animal Husbandry 21: 75-82.

Ferraris, R. 1981b. Early assessment of sweet sorghum as an agro-industrial crop. II. Maturity factor. Australian Journal of Experimental Agriculture and Animal Husbandry 21: 83-90.

Ferraris, R., and G.A. Steward. 1979. New options for sweet sorghum. Journal of the Australian Institute of Agricultural Science 45: 156-164.

Freeman, K.C., D.M. Broadhead, and N. Zummo. 1973. Culture of sweet sorghum for syrup production. Agriculture Research Service. Agricultural .Handbook. No. 441. US. Department of Agriculture. Washington DC.

Gao, C., Y. Zhai, Y. Ding, and Q. Wu. 2010. Application of sweet sorghum for biodiesel production by heterotrophic microalga Chlorella protothecoides. Applied Energy 87: 756-761.

Gibberd, M.R., J.D. Gray, P.S. Cocks, and T.D. Colmer. 2001. Waterlogging tolerance among a diverse range of Trifolium accessions is related to root porosity, lateral root formation and aerotropic rooting. Annals of Botany 88: 579-589.

Gilbert, R.A., C.R. Rainbolt, D.R. Morris, and A.C. Bennett. 2007. Morphological responses of sugarcane to ling-term flooding. Agronomy Journal 99: 1622-1628.

Gilbert, R.A., C.R. Rainbolt, D.R. Morris, and J.M. McCray. 2008. Sugarcane growth and yield responses to a 3-monts summer flood. Agricultural Water Management 95: 283–291.

Glaz, B., D.R. Morris, and S.H. Daroup. 2004a. Sugarcane photosynthesis, transpiration and stomatal conductance due to flooding and water table. Crop Science 44:1633–1641

Glaz, B., D.R. Morris, and S.H. Daroup. 2004b. Periodic flooding and water table effects on two sugarcane genotypes. Agronomy Journal 96: 832-838.

Glaz, B., and R.A. Gilbert. 2006. Sugarcane response to water table, periodic flood and foliar nitrogen on organic soil. Agronomy Journal 98: 616-621.

Gnansounou, E., A. Dauriat, and C.E. Wyman. 2005. Refining sweet sorghum to ethanol and sugar: economic trade-offs in the cortex of North China. Bioresource Technology 96: 985-1002.

Gomez, A.A., and A.A. Evangelista. 1977. Performance of promising sorghum varieties in uncultivated lowland paddy. Philippines Journal of Crop Science 2:17-18.

Gomez, K.A., and A.A. Gomez. 1984. Statistical Procedures for Agricultural Research. 2nd ed. John Wiley and Sons: New York.

Grable, A.R. 1966. Soil aeration and plant growth. Advance Agronomy 18: 57–106.

Grassi, G. 2001. Sweet sorghum: One of the best world food-feed-energy crop. (cited 11 May 2008) Available from: http://www.wipmunich.de/downloads/dissemination/newsletters_brochures/Leaflet-6-SweetSorghum.pdf.

Grassi, G., P. Moncada, and H. Zibetta. 1992. Promising industrial energy crop, sweet sorghum. Recent development in Europe. EUR-14684-EN, Commission of the European Commodities, Brussels.

Guiying, L, G. Weibin, A. Hicks, and K.R. Chapman. 2003. Training manual for sweet sorghum. FAO/CAAS/CAS: Bangkok.

Hasan, M.F., M.R. Alam, M.A. Jabber, M.K. Begum, and M.A.S. Miah. 2003. Effects of water-logging on juice quality and yield of sugarcane. Pakistan. Journal of Biological Science 6: 1151-1155.

Hensen, R.W., and R. Ferraris. 1985. Post harvest changes in fermentable sugars in sweet sorghum (*Sorghum bicolor* cv. Wray). Journal of Science Food and Agriculture 36: 557-560.

Hawkins, H.J., and O.A.M. Lewis. 1993. Combination effect of NaCl salinity, nitrogen form and calcium concentration on the growth and ionic content and gaseous properties of *Triticum aestivum* L. cv. Gamtoos. New Phytologist 124: 161-170.

He, C.J., P.W. Morgan, and M.C. Drew. 1996. Transduction of an ethylene signal is require for cell death and lysis in the root cortex of maize during aerenchyma formation induced by hypoxia. Plant Physiology 112: 463-472.

He, C.J., P.W. Morgan, and M.C. Drew. 1994. Induction of enzymes associated with lysigenous aerenchyma formation in roots of *Zea mays* L. during hypoxia or nitrogen starvation. Plant Physiology 105: 861-865.

Henshaw, T.L., R.A. Gilbert, J.M.S. Scholberg, and T.R. Sinclair. 2007a. Soya bean (*Glycine max* L. Merr.) genotype response to early-season flooding: I. Root and nodule development. Journal of Agronomy and Crop Science 193: 177-188.

Henshaw, T.L., R.A. Gilbert, J.M.S. Scholberg, and T.R. Sinclair. 2007b. Soya bean (*Glycine max* L. Merr.) genotype response to early-season flooding: II. Aboveground growth and biomass. Journal of Agronomy and Crop Science 193: 189-197.

Herrera, W.T., and H.G. Zandstra. 1979. The response of some major upland crop to excess soil moisture. Paper presented at the 10th annual Specific Meeting of the Crop Science Societies of the Philippines on 23-25 April 1979 at the University of Philippines at Los Banos, Laguna, Philippines.

Hills, F.J., R.T. Lewellen, and I.O. Skoyen. 1990. Sweet sorghum cultivars for alcohol production. California Agriculture 44: 14-16.

Hipp, B.W., W.R. Cowley, C.J. Gerard, and A.B. Smith. 1969. Influence of solar radiation and date of planting on yield of sweet sorghum. Crop Science 10:91-92.

Huang, B, J.W. Johnson, S. Nesmith, and D.C. Bridges. 1994a. Growth, physiological and anatomical responses of to wheat genotypes to waterlogging and nutrient supply. Journal of Experimental Botany 45: 193-202.

Huang, B.R., J.W. Johnson, D.S. Nesmith, and D.C. Bridges. 1994b. Root and shoot growth of wheat genotypes in response to hypoxia and subsequent resumption of aeration. Crop Science 34: 1538-1544.

Hopper, J.R., V.E. Ross, and D.E. McCloud. 1975. Double cropping rice under natural rainfall in central Luzon, Philippines. Proceeding Soil and Crop Science Society of Florida, USA 34: 162-167.

House, L.R. 1985. A guide to sorghum breeding. 2nd ed. ICRISAT: Andhra Pradesh.

ICRISAT (International Crops Research Institute for the Semi-Arid Tropics). 1981. Proceeding of the international workshop on intercropping. 10-13 Jan 1979. Hyderabad, India, Andhra Pradesh, India.

ICRISAT. 2004. ICRISAT develops sweet sorghum for ethanol production. (cited 13 December 2004) Available from: http://www.icrisat.org/Media/2004/media13.htm.

Inman-Bamber, N.G. 1980. An evaluation of sweet sorghum as a sugar crop in the Midlands Mistbelt. Proceedings of the South African Sugar Technologists' Association, June 1980, p. 105-108

Irving, L.J., Y.B. Sheng, D. Woolley, and C. Matthew. 2007. Physiological effects of waterlogging on two lucern varieties grown under glasshouse conditions. Journal of Agronomy and Crop Science 193: 345-356.

Isbell, V.R., and P.W. Morgan. 1982. Manipulation of apical dominance in sorghum with growth regulator. Crop Science 22: 30-35.

Jackson, M.B. 1985. Ethylene responses of plants to soil waterlogging and submergence. Annual Review Plant Physiology 36: 145-174.

Jackson, M.B. 2004. The impact of flooding stress on plants and crops. (cited 11 May 2005) Available from: http://www.plantstress.com/Articles/waterlogging_i/waterlog_i.htm

Jackson, M.B., and T.D Colmer. 2005. Response and adaptation by plants to flooding. Annals of Botany 96: 501-505.

Jaisil, P. 1986. Sorghum. Faculty of Agriculture, Khon Kaen University, pp. 132-157. (in Thai).

Jaisil, P., and J. Sanitchon. 2002. Study on factors affecting to quality of sweet sorghum. Department of Agronomy, Faculty of Agriculture, Khon Kaen University, Thailand. (English abstract).

Jaisil, P., and C. Apornrat. 2006a. Feasibility study on sweet sorghum production as an additional raw material for commercial ethanol production. Faculty of Agriculture, Khon Kaen University, Thailand. (English abstract).

Jaisil, P., and J. Sanitchon. 2006b. Sweet sorghum breeding for using as a raw material for ethanol production. Department of Agronomy, Faculty of Agriculture, Khon Kaen University, Thailand. (English abstract).

Jaisil, P., and J. Sanitchon. 2007. Sweet sorghum breeding for using as a raw material for ethanol production. Department of Plant Science and Agricultural Resources, Faculty of Agriculture, Khon Kaen University, Thailand. (English abstract).

Jaisil, P., C. Apornrat, and A. Kidkarn. 2007. Effects of planting dates on stalk yield and agronomic characters of sweet sorghum cv. KKU40. Khon Kaen Agricultural journal 35(Special Volume):188-193. (English abstract).

Janssen, G., C.K. McClelland, and W.H. Metzger. 1930. Sap extraction of sorghum and the localization of juice and sugars in internodes of the plant. Journal of American Society of Agronomy 22: 627-639.

Justin, S.H.F.W., and W. Armstrong. 1987. The anatomical characteristics of roots and plants response to soil flooding. New Phytologist 105: 465-495.

Kaewkannetra, P., P. Tanonkeo,V. Tanamool, and T. Imai. 2008. Biorefinery of squeeze sweet sorghum juice into value added product of biopolymer. Abstracts/ Journal of Biotechnology 136S: S402–S459.

Kanemasu, E.T., D.L. Bark, and E. Chinchoy. 1975. Effect of soil temperature on sorghum emergence. Plant and Soil 43: 411-417.

Kende, H., E. van der Knaap, and H.T. Cho. 1998. Deepwater rice: a model plant to study stem elongation. Plant Physiology 118: 1105-1110.

Kirk, G.J.D., J.L. Solivas, and M.C. Alberto. 2003. Effects of flooding and redox conditions on solute diffusion in soil. European Journal f soil Science 54: 617-624.

KKU-FORD. 1977. Annual Report, KKU-Ford Cropping System Project. Faculty of Agriculture, KhonKaen Univesity, Khon Kaen, Thailand.

Köppen, S.G. Reinhardt, and S. Gärtner. 2009. Assessment of energy and greenhouse gas inventories of Sweet Sorghum for first and second generation bioethanol. (cited 11 June 2010) Available from: ftp://ftp.fao.org/docrep/fao/012/ak484e/ak484e00.pdf

Kubo, K., Y. Shimazaki, H. Kobayashi, and A. Oyanagi. 2007. Specific variation in shoot growth and root traits under waterlogging conditions of the seedlings of Tribe Triticeae including Mizutakamoji (*Agropyron humidum*). Plant Production Science 10: 91-98.

Kuma, S.R., P.K. Shrotria, and J.P. Deshmukh. 2008. Characterizing nutrient management effect on yield of sweet sorghum genotypes. World Journal of Agricultural Science 4: 787-789.

Lann, P, M.J. Berrevoets, S. Lythe, W. Armstrong, and C.W.P.M. Blom. 1989. Root morphology and aerenchyma formation as indicators of the flood-tolerance of *Rumex* species. Journal of Ecology 77: 693-703.

Laan, P., M. Tosserams, C.W.P.M. Blom, and B.W. Veen. 1990. Internal oxygen transport in *Rumex* species and its significant for respiration under hypoxic conditions. Plant and Soil 122: 39-46.

Laanbroek, H. J. 1990. Bacterial cycling of minerals that affect plant growth in waterlogged soils: a review. Aquatic Botany 38: 109-125.

Lafarge, T.A., and G.L. Hammer. 2002. Tillering in grain sorghum over a wide range of population densities: Modelling dynamics of tiller fertility. Annals of Botany 90: 99-110.

Lantican, R.M. 1980. Desirable characteristics of dryland crops for pre-and –post-rice planting. Paper presented at the cropping system conference held on 3-7 March 1980. IRRI, Los Banos, Laguna, Philippines.

Lantican, R. M. 1982. Desirable characteristics of upland crops for planting before or after wetland rice, pp. 61-68. *In* International Rice Research Institute (ed.), Report of a Workshop on Cropping Systems Research in Asia. IRRI. Los Banos, Laguna, Manila, Philippines.

Lantican, R. M., and C. D. Garaza. 1977. Varietal responses of soybeans to cropping seasons in the Philippines. Philippines Journal of Crop Science 2:72-77.

Li, M., D. Yang, and W. Li. 2007. Leaf gas exchange characteristics and chlorophyll fluorescence of three wetland plants in response to long-term soil flooding. Photosynthetica 45: 222-228.

Li, B-Z., V. Balan, Y-J. Yuan, and B.E. Dale. 2010. Process optimization to convert forage and sweet sorghum bagasse to ethanol based on ammonia fibre expansion (AFEX) pretreatment. Bioresource Technology 101: 1285-1292.

Limpinuntana, V. 2001. Physical factors as related to agricultural potential and limitation in northeast Thailand, pp. 3-18. *In* S.P. Kam, C.T. Hoanh, G. Trebiul and B. Hardy (eds.), Natural resources management issue in the Korat Basin of Northeast Thailand: an overview. IRRI: Los Banos.

Limpinuntana, V., and H. Greenway. 1979. Sugar accumulation in barley and rice grown in solutions with low concentrations of oxygen. Annals of Botany 43: 373-381.

Lingle, S.E. 1987. Sucrose metabolism in the primary culm of sweet sorghum during development. Crop Science 27: 1214-1219.

Linkemer, G., J.E. Board, and M.E. Musgrave. 1998. Waterlogging effects on growth and yield components in late- planted soybean. Crop Science 38: 1576-1584.

Lizaso, J.I., and J.T. Ritchie. 1997. Maize shoot and root response to root zone saturation during vegetative stage. Agronomy Journal 89: 125-134.

Lorbiecke, R. and M. Sauter. 1999. Adventitious root growth and cell cycle induction in deepwater rice. Plant Physiology, 119: 21-29.

Lu, Y., A. Watanabe, and M. Kimura. 2004. Contribution of plant photosynthates to dissolved organic carbon in a flooded rice soil. Biogeochemistry 71: 1-15.

Mal´ezieux, E., Y. Crozat, C. Dupraz , M. Laurans, D. Makowski, H. Ozier-Lafontaine, B. Rapidel, S. de Tourdonnet, and M. Valantin-Morison. 2009. Mixing plant species in cropping systems: concepts, tools and models. A review. Agronomy Sustainable Development 29: 43–62.

Malik, A.I., T.D. Colmer, H. Lambers, T.L. Setters, and M. Schortemeyer. 2001. Changes in physiological and morphological traits of roots and shoots of wheat in response to different depths of waterlogging. Australian Journal of Plant Physiology 28: 1121-1131.

Malik, A.I., T.D. Colmer, H. Lambers, T.L. Setter, and M. Schortemeyer. 2002. Short-term waterlogging has long-term effects on the growth and physiology of wheat. New Phytologist 153: 225-236.

Mano, Y., F. Omori, T. Takamizo, B. Kindiger, R.M. Bird, and C.H. Loaisiga. 2006. Variation for root aerenchyma formation in flooded and non-flooded maize and teosinte seedlings. Plant and Soil 281: 269-279.

Mariani, G., A. Belocchi, G. Calabro, and D. Nisi. 1989. Sorghum for cellulose production. Cellulosa and Carta 2: 14–22.

Martin, J.H., W.H. Leonard and D.L. Stamp. 1975. Principles of field crop production. 3rd ed. Collier Macmillan International Edition: London.

Massacci, A., A. Battistelli and F. Loreto. 1996. Effect of drought stress on photosynthetic characteristics, growth and sugar accumulation of field grown sweet sorghum. Australian Journal of Plant Physiology 23: 331-340.

Mastrorilli, M., N. Katerji, G. Rana, and P. Steduto. 1995. Sweet sorghum in Mediterranean climate: radiation use and biomass water use efficiencies. Industry Crops Production 3:253-260.

Mastrorilli, M., N. Katerji, and G. Rana. 1999. Productivity and water use efficiency of sweet sorghum as affected by soil water deficit occurring at different vegetative growth stages. European Journal of Agronomy 11: 207-215.

Matsuura, A., S. Inanaga, T. Tetsuka, and K. Murata. 2005. Differences in vegetative growth response to soil flooding between common and tartary Buckwheat. Plant Production Science 8: 525-532.

Meechoui, S. 2001. Physiological responses of barley under waterlogging condition. Ph.D. Thesis. Graduate School, Chiang Mai University. Thailand.

McBee, G.G., and F.R. Miller. 1982. Carbohydrates in sorghum culms as influenced by cultivars, spacing and maturity over a diurnal period. Crop Science 22: 381-385.

McCormick, A.J., M.D. Cramer, and D.A. Watt. 2006. Sink strength regulates photosynthesis in sugarcane. New Phytologist 171: 759-770.

McDonald, M.P., N.W. Galwey, and T.D. Colmer. 2001. Waterlogging tolerance in the tribe Triticeae: the adventitious roots of *Critesion marinum* have a relatively high porosity and a barrier to radial oxygen loss. Plant, Cell and Environment 24: 585-589.

McDonald, M.P., N.W. Galwey, and T.D. Colmer. 2002. Similarity and diversity in adventitious root anatomy as related to root aeration among a range of wetland and dryland grass species. Plant, Cell Environment 25: 441-451.

McFarlane, N.M., T.A. Ciavarella, and K.F. Smith. 2003. The effects of waterlogging on growth, photosynthesis and biomass allocation in perennial ryegrass (*Lolium perenne* L.) genotypes with contrasting root development. Journal of Agricultural Science 141: 241-248.

Mengel, K., and E.A. Kirby. 2001. Principles of plant nutrition. 5thed. Kluwer Academic Publishers: Dordrencht, pp 605-650.

Mollard, F.O.P, G. G. Striker, E.L. Polschuk, A.S. Vega, and P. Insausti. 2008. Flooding tolerance of *Paspalum dilatatum* (Poaceae: Paniceae) from upland and lowland positions in a natural grassland. Flora 203: 548-556.

Monti, A., and G. Venturi. 2003. Comparison of the energy performance of fibre sorghum, sweet sorghum and wheat monocultures in northern Italy. European Journal of Agronomy 19: 35-43.

Murty, D.S., R. Tabo, and O. Ajayi. 1994. Sorghum hybrid seed production and Management. Information Bulletin no. 41. ICRISAT, pp. 44-55.

Musgrave, M. E. 1994. Waterlogging effects on yield and photosynthesis in eight winter wheat cultivars. Crop Science 34: 1314-1318.

Naidoo, G. 1983. Effects of flooding on leaf water potential and stomatal resistance in *Bruguiera gymnorrhiza* (L.) Lam. New Phytologist 93: 369-376.

Naidoo, G., and S.G Mundree. 1993. Relationship between morphological and physiological responses to waterlogging and salinity in *Sporobus virginicus* (L.) Kunth. Oecologia 93: 360-366.

Nan, L., G. Best, and C.C.C. Nesto. 1994. Integrated energy systems in China - The cold Northeastern region experience. (cited 11 May 2006) Available from: http://www.fao.org/docrep/t4470e/t4470e00.htm.

Naylor, R., A.J Liska, M.B. Burke, W.P. Falcon, J.C. Gaskell, S.D. Rozelle, and K.G. Cassman. 2007. The ripple effect: biofuels, food security and the environment. Environment 49:31–43.

Negro, M. J., M. L. Solano, P. Ciria, and J. Carrasco. 1999. Composting of sweet sorghum bagasse with other wastes. Short communication. Bioresource Technology 67: 89–92.

Nilsen, E.T., and D.M. Orcutt. 1996. The physiology of plants under stress: Abiotic factors. John Wiley & Sons, Inc: New York.

Orchard, P.W., and R.S. Jessop. 1984. The response of sorghum and sunflower to short-term waterlogging. I. Effects of stage of development and duration of waterlogging on growth and yield. Plant and Soil 81: 119-132.

Orchard, P.W., and R.S. Jessop. 1985. The response of sorghum and sunflower to short-term waterlogging. II. Root growth effects. Plant and Soil 88: 421-430.

Orchard, P.W., R.S. Jessop, and H.B. So. 1986. The response of sorghum and sunflower to short-term waterlogging. IV. Water and nutrient uptake effects. Plant and Soil 91: 87-100.

Pandey, S. 1998. Nutrient management technologies for rainfed rice in tomorrow's Asia: economic and institutional considerations, pp. 3-28. *In* J.K. Ladha, L.J. Wade, A. Dobermann, W. Reichardt, G.J.D Kirk and C. Piggin (eds.). Rainfed lowland rice: advances in nutrient management research. Proceedings of the International Workshop on Nutrient Management Research in Rainfed Lowlands, 12-15 October 1998, Ubon Ratchathani, Thailand. IRRI, Los Banos, Phillippines.

Pang, J., M. Zhou, N. Mendham, and S. Shabala. 2004. Growth and physiological responses of six barley genotypes to waterlogging and subsequent recovery. Australian Journal of Agricultural Research 55: 895-906.

Pardales, J.R.Jr., Y. Kono, and A. Yamauchi. 1991. Response of the different root system components of sorghum to incidence of waterlogging. Environmental and Experimental Botany 31: 107-115.

Patrick Jr. W.H., and C.N. Reddy. 1978. Chemical changes in rice soils, pp. 361–379. *In* Soils and Rice. International Rice Research Institute, Manila, Philippines.

Patwardhan, A.S., J.L Nieber, and I.D. Moor. 1988. Oxygen, carbondioxide and water transfer in soils: mechanism and crop responses. Transaction of American Society of Agricultural and Biological Engineers 31: 1383-1395.

Peacock, J.M. 1982. Response and tolerance of sorghum to temperature stress, pp. 143-160. *In* L.R. House, L.K. Mughogho and J.M. Peacock (eds.), Sorghum in the Eighties. Proceedings of the International Symposium on Sorghum, Patancheru. India. 2-7 November 1981. ICRISAT.Patancheru. India.

Pezeshki, S.R. 2001. Wetland plant responses to soil flooding. Environmental and Experimental Botany 46: 299-312

Pezeshki, S.R., R.D. DeLaune, and J.F. Meeder. 1997. Carbon assimilation and biomass partitioning in *Avicennia germinans* and *Rhizophora mangle* seedlings in response to soil redox conditions. Environmental and Experimental Botany 37: 161–171.

Phillips, I.D.J. 1964. Root-shoot hormone relation. II. Changes in endogenous auxin concentrations produced by flooding of the root system in *Helianthus annuus*. Annals of Botany 28: 37-45.

Pholsen, S., and N. Sornsungnoen. 2004. Effects of nitrogen and potassium rate and plant distances on growth, yield and fodder quality of a forage sorghum (*Sorghum bicolor* L. Moench). Pakistan Journal of Biological Sciences 7: 1793-1800.

Polthanee, A. 1989. Field-level drainage requirement of pre-rice mungbean crop in a waterlogged prone environment. Ph.D. thesis, Graduate School University of the Philippines Los Banos Philippines.

Polthanee, A. 1997. Indigenous Farming Practices and Knowledge in Northeast Thailand. Khon Kaen Publishing: Khon Kaen.

Polthanee, A. 2001. Rice-based cropping systems in the Korat basin of northeast Thailnad. pp. 19-26. *In*: Kam, S.P., C.T. Hoanh, G. Trebiul and B. Hardy (eds). Natural resources management issue in the Korat Basin of Northeast Thailand: an overview. Los Banos, Philippines.

Polthanee, A., and G.G. Marten. 1986. Rainfed cropping system in Northeast Thailand. pp. 103-131. *In*: G.G. Marten (ed.). Traditional agriculture in southeast: A human ecology perspective. Westview Press. Boulder, Colorado.

Polthanee, A., and T. Changdee. 2008. Influence of adventitious root removing and timing of fertilizer application in flooded soil on growth, yield and N, P, K uptake of Kenaf (*Hibicus cannabinus* L.) under greenhouse and field conditions. Asian Journal of Plant Sciences 7: 352-359.

Polthanee, A., T. Changdee, J. Abe, and S. Morita. 2008. Effects of flooding on growth, yield and aerenchyma development in adventitious roots in four cultivars of kenaf (*Hibiscu cannabinus* L.). Asian Journal of Plant Science 7: 544-550.

Ponnamperuma, F. N. 1972. The chemistry of submerged soil. Advances in Agronomy 24: 29-95.

Ponnamperuma, F.N. 1984. Effects of flooding on soils, pp. 9-45. *In* T.T. Kozlowski, (ed.). Flooding and Plant Growth. Academic Press. New York and London.

Poornima, S., V. Geethalakshmi, and M. Leelamathi. 2008. Sowing dates and nitrogen levels on yield and juice quality of sweet sorghum. Research Journal of Agriculture and Biological Sciences 4: 651-654.

Pradet, A., and J.L. Bomsel. 1978. Energy metabolism in plants under hypoxia and anoxia, pp. 89-118. *In* D.D. Hook, and Crawford, R.M.M. (eds.). Plant life in anaerobic environment. Ann Arbor Science Publisher Inc.: Collingwood, Michigan.

Probert, M.E., and B.A. Keating. 2000. What soil constraints should be included in crop and forest models? Agriculture, Ecosystems and Environment 82: 273–281.

Promchum,J., P. Jaisil, and T. Tula. 2003. Weed control in sweet sorghum grown under rainfed conditions in Northeast Thailand. Department of Agronomy, Faculty of Agriculture, Khon Kaen University, Thailand. (English abstract).

Promkhambut, A. A. Younger, A. Polthanee, and C. Akkasaeng. 2010a. Morphological and physiological responses of sorghum (*Sorghum bicolor* L. Moench) to waterlogging. Asian Journal of Plant Sciences 9: 183-193.

Promkhambut, A., A. Polthanee, C. Akkasaeng, and A. Younger. 2010b. A flood-free period combined with early planting is required to sustain yield of pre-rice sweet sorghum (*Sorghum bicolor* L. Moench). Accepted by Acta *Agriculturae* Scandinavica, Section B - Plant Soil Science.

Rajagopal, D., S.E. Sexton, D. Roland-Host, and D. Zilberman. 2007. Challenge of biofuel: filling the tank without emptying the stomach? Environmental Research Letters 2, 30 November.

Rao, N.G.P. 1975. Sorghum Production Program. Indian Farming 25:7-14.

Rao, D. B, C.V. Ratnavathi, K. Karthikeyan, P.K. Biswas, S.S. Rao, B.S. Vijay Kumar, and N. Seetharama. 2004. Sweet sorghum cane for bio-fuel production: A SWOT analysis in Indian context. Rajendranagar, Hyderabad , Andhra Pradesh, India: National Research Centre for Sorghum.

Reddy, B.V.S., S.Ramesh, R. P. Sanjanna, P.M. Ramaih, and K. Rajashekar. 2005. Sweet sorghum- A potential alternative raw material for bioethanol and bio-energy. International Sorghum and Millets Newsletter 46: 79-86.

Reddy, B.V.S., B. Ramaiah, A. A. Kumar, and R.P. Sanjana. 2007a. Selection of restorers and varieties for stalk sugar traits in sorghum. Journal of SAT Agricultural Research 5:1-3.

Reddy. B.V.S., P.S. Reddy, A.A. Kumar, and B. Ramaiah. 2007b. Variation in the quality parameters of sweet sorghum across different planting dates of sowing. Journal of SAT Agricultural Research 5:1-3.

Reddy, B.V.S, A. A. Kumar, and S. Ramesh. 2007c. Sweet sorghum: A water saving bio-energy crop (cited 11 May 2008) Available from: http://www.icrisat.org/Biopower/BVSReddyetalSweetSorghumWatersavingJan2007.pdf.

Reddy, P.S., B.V.S. Reddy, A.A. Kumar, and P.S. Rao. 2008. Standardization of nitrogen fertilizer rate for sugar yield optimization in sweet sorghum. SAT eJournal 6: 1-4.

Rooney, W.L., J. Blumenthal, B. Bean, and J.E. Mullet. 2007. Designing sorghum as a dedicated bioenergy feedstock. Biofuels, Bioproducts and Biorefining 1: 147-157.

Sakellariou-Makrantonaki, M., D. Papalexix, N. Nakos, and I.K. Kalavrouzitis. 2007. Effect of modern irrigations methods on growth and energy production of sweet sorghum (var. Keller) on a dry year in Central Greece. Agricultural Water Management 90: 181-189.

Samad, A., C.A.M.M. Saifuzzaman, and M. van Ginkel. 2001. Waterlogging tolerance, pp. 136–144. *In* M.P. Reynolds, J.I. Ortiz-Monasterio and A McNab (eds). Application of Physiology in Wheat Breeding. CIMMYT, Mexico.

Salahuddin, A. B.M. 1977. Sorghum improvement in Bangadesh. Presented at the International Sorghum Workshop, 6-12 March 1977. ICRISAT, Hyderabad , India

Schaffert, R.E., and L.M. Gourley. 1982. Sorghum as an energy sources. pp. 605-623. *In*: ICRISAT. Sorghum in the Eighties: Proceeding of the International Symposium on Sorghum, 2-7 November 1981, Patancheru, A.P., India.

Schmer, M.R., K. P. Vogel, R. B. Mitchell, and R. K Perrin. 2008. Net energy of cellulosic ethanol from switch grass. Proceedings of the National Academy of Sciences of the United States of America 105: 464-469.

Setter, T.L., and I. Waters. 2003. Review of prospects for germplasm improvement for waterlogging tolerance in wheat, barley and oats. Plant and Soil 253: 1-34.

Shannon, R.D., J.R. White, J.E. Lawson, and B.S. Gilmour. 1996. Methane efflux from emergent vegetation in peat lands. Journal of Ecology 84: 239–246.

Shimamura, S., T. Mochizuki, Y. Nada, and M. Fukuyama. 2003. Formation and function of secondary aerenchyma in hypocotyl, roots and nodules of soybean (*Glycine max*) under flooded conditions. Plant and Soil 251: 351–359.

Smith, C.W., and R.A. Frederiksen. 2000. Sorghum: Origin, history, technology and production. John Wiley and Sons: New York.

Smith, G.A., and D.R. Buxton. 1993. Temperate zone sweet sorghum ethanol production potential. Bioresource Technology 43:71-75.

Smith, G.A., M.O. Babgy, R.T. Lewellan, D.L. Doney, P.H. Moore, F.J. Hills, L.G. Campell, G.J. Hogaboam, G.E. Ceo, and K. Freeman. 1987. Evaluation of sweet sorghum for fermentable sugar production potential. Crop Science 27:788–793.

Soltani, A., and A. Almodares. 1994. Evaluation of the investments in sugar beet and sweet sorghum production. Presented at the National Convention of Sugar Production from Agriculture Products, 13-16 March 1994, Shahid Chamram University, Ahwaz, Iran.

Stoskops, N.C. 1985. Cereal grain crop. A Prentice-Hall Co. Reston: Virginia.

Striker, G.G., P. Insausti, A.A. Grimoldi, E. L. Ploschuk, and V. Vasellati. 2005. Physiological and anatomical basis of differential tolerance to soil flooding of *Lotus corniculatus* L. and *Lotus glaber* Mill. Plant and Soil 276: 301-311.

Taiz, L., and E. Zeiger. 2002. Photosynthesis: Physiological and Ecological Considerations, pp. 171-192. *In* Plant Physiology. Sinauer Associates: Massachusetts.

Tetsushi, H., and M.A. Karim. 2007. Flooding tolerance of sugarcane in relation to growth, physiology and root structure. South Pacific Studies 28: 9–22.

Thomson, C.J., T.D. Colmer, E.L.J. Watkin, and H. Greenway. 1992. Tolerance of wheat (*Triticum aestivum* cvs. Gamenya and Kite) and triticale (Triticosecale cv. Muir) to waterlogging. New Phytologist 120: 335–344.

Thomas, L.T., R.M. Cobill, and E.P. Richard Jr. 2008. Evaluation of sweet sorghum and sorghum × sudangrass hybrids as feedstocks for ethanol production. Bioenergy Research 1:147–152.

Tournaire-Roux, C., M. Sutka, H. Javot., E. Gout, P. Gerbeau, D.-T. Luu, R. Bligny, and C. Maurel. 2003. Cytosolic pH regulates root water transport during anoxic stress through gating of aquaporins. Nature 425: 393-397.

Trought, M.C.T., and M.C. Drew. 1980. The development of water-logging damage in wheat seedlings (*Triticuma estivum* L.). II. Accumulation and redistribution of nutrients by the shoot. Plant and Soil 56.187–199.

Trought, M.C.T., and M.C. Drew. 1982. Effects of waterlogging on young wheat plants (*Triticum aestivum* L.) and on soil solutes at different temperatures. Plant and Soil 69: 311–326.

Tsuchihashi, N., and Y. Goto. 2004. Cultivation of sweet sorghum (*Sorghum bicolor* (L.) Moench) and determination of its harvest time to make use as the raw material for fermentation, practiced during rainy season in dry land of Indonesia. Plant Production Science 7: 442-448.

Turgut, I., U. Bilgili, A. Duman, and E. Acikgoz. 2005. Production of sweet sorghum (*Sorghum bicolor* L. Moench) increases with increased plant densities and nitrogen fertilizer levels. Acta Agriculturae Scandinevica, Section B-Plant and Soil Science 55: 236-240.

Umaharan, P., R.P. Ariyanayagam, and S.Q. Haque. 1997. Effect of short-term waterlogging applied at various growth phases on growth, development and yield in *Vigna unguiculata*. Journal of Agricultural Science, Cambridge 128: 189-198.

Vanderllip, R.L., and H.E. Reeves. 1972. Growth stages of sorghum [*Sorghum bicolor* (L) Moench.]. Agronomy Journal 64: 13–16.

Van Noordwijk, M., and G. Brouwer. 1993. Gas-filled root porosity in response to temporary low oxygen supply in different growth stages. Plant and Soil 152: 187-199.

Vartapetian, B.B., and M.B. Jackson. 1997. Plant adaptations to anaerobic stress: a review. Annals of Botany 79 (Supplement A): 3-20.

Villareal, R., and S.N. Lai. 1976. Developing vegetable crop varieties for intensive cropping systems, pp. 373-389. *In* International Rice Research Institute. Proceedings, Symposium on Cropping Systems Research and Development for the Asian Rice Farmer, 21-24 September 1976. Los Baños, Philippines.

Visser, E.J.W., and L.A.C.J. Voesenek. 2004. Acclimation to soil flooding: sensing and signal-transduction, (a review). Plant and Soil 254: 197-214.

Visser, E.J.W., C.W.P.M. Blom, and L.A.C.J. Voenesek. 1996. Flooding-induced adventitious rooting in Rumex: morphology and development in an ecological perspective. Acta Botany Neerl 45: 17-28.

Visser, E., R. Nabben, C. Blom, and L. Voesenek. 1997. Elongation by primary lateral roots and adventitious roots during conditions of hypoxia and high ethylene concentrations. Plant, Cell and Environment 20: 647-653.

Visser, E., T. Colmer, C. Blom, and L. Voesenek. 2000. Changes in growth, porosity and radial oxygen loss from adventitious roots of selected mono- and dicotyledonous wetland species with contrasting types of aerenchyma. Plant Cell and Environment 23: 1237-1245.

Voesenek, L.A.C.J., J.J. Benschop, J. Bou, M.C.H. Cox, H.W. Groeneveld, F.F. Millenaar, R.A.M. Vreeburg, and A.J.M. Peeters. 2003. Interactions between plant hormones regulate submergence-induced shoot elongation in the flooding-tolerant dicot *Rumex palustris*. Annals of Botany 91: 205–211.

Watkin, E.L.J., C.J. Thomson, and H. Greenway. 1998. Root development in two wheat cultivars an one triticale cultivar grown in stagnant agar and aerated nutrient solution. Annals of Botany 81: 349-354.

Wample, R. L., and R.W. Davis. 1983. Effect of Flooding on Starch Accumulation in Chloroplasts of Sunflower (*Helianthus annuus* L.). Plant Physiology 73: 195-198.

Willey, R.W., M.R. Rao, M.S. Reddy, and M. Natarajan. 1982. pp 477-490. *In* ICRISAT (ed.) Sorghum in the Eighties: Proceedings of the International Symposium on Sorghum, 2-7 Nov. 81. Patancheru, Andhra Pradesh, India.

Woods, J. 2000. Integrating sweet sorghum and sugarcane for bioenergy: Modelling the potential for electricity and ethanol production in SE Zimbabwe. Ph.D. Thesis. Division of Life Sciences King's College London, University of London.

Woods, J. 2001. The potential for energy production using sweet sorghum in southern Africa. Energy for Sustainable Development 5: 31-38.

Wortmann C, R. Ferguson, and D. Lyon. 2008. Sweet sorghum as a biofuel crop in Nebraska. Paper presented at the 2008 Joint Annual Meeting, Celebrating the International Year of Planet Earth, 5–9 October 2008, Houston, Texas. (cited 7 September 2009) Available from: http://crops.confex.com/ crops/2008am/techprogram/ P44581.HTM.

Wright, G.C. 1981. Adaptation of grain sorghum to drought stress. Ph.D. Thesis, University of New England, Armidale, Australia.

Ye, Y., N.F.Y. Tam, Y.S. Wong, and C.Y. Lu. 2003. Growth and physiological responses of two mangrove species (*Bruguiera gymnorrhiza* and *Kandelia candel*) to waterlogging. Environmental and Experimental Botany 49: 209-221.

Zaidi, P.H., S. Rafique, and N.N. Singh. 2003. Response of maize (*Zea mays* L.) genotypes to excess soil moisture stress: morpho-phsysiological effects and basis of tolerance. European Journal of Agronomy 19: 383-399.

Zaidi, P.H., S. Rafique, P.K. Rai, N.N. Singh, and G. Srinivasan. 2004. Tolerance to excess moisture in maize (*Zea mays* L.): susceptible crop growth stage and identification of tolerant genotypes. Field Crops Research 90: 189-202.

Zandstra, H.G., D.E. Samarita, and A.N. Pontipedra. 1982. Growing Season Analyses for Rainfed Wetland Fields. IRRI. Los Baños, Philippines

Zartman, R.E., and R.T. Woyewodzic. 1979. Root distribution patterns of two hybrid grain sorghum under field conditions. Agronomy Journal 71: 319-325.

Zhao, Y.L., A. Dolat, Y. Steinberger, X. Wang, A. Osman, and G.H. Xie. 2009. Biomass yield and changes in chemical composition of sweet sorghum cultivars grown for biofuels. Field Crops Research 11:55-64.

Zhuo, W., and X. Lin. 1995. Effects of waterlogging at different growth stages on physiological characteristic and seed yield of winter rape (*Brassica napus* L.). Field Crops Research 44: 103-110.