

เอกสารและสิ่งอ้างอิง

กนกพร ลีลาวีโรจน์สกุล. 2545. ผลของกะทิที่ผ่านความร้อนต่อคุณสมบัติของไอศกรีมกะทิ. วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยเกษตรศาสตร์.

กรรณ อรรถนิตย์. 2539. การผลิตน้ำกะทิตึ้นรูปแปลงไขมันบางส่วนด้วยน้ำมันพืชบรรจุ กระป๋อง. วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยเกษตรศาสตร์.

เกรียงศักดิ์ ไชยโรจน์. 2531. การสกัดสารระเหย. คณะวิทยาศาสตร์ มหาวิทยาลัยเชียงใหม่, เชียงใหม่.

เครือวัลย์ อัดตะวิริยะสุข. 2534. คุณภาพเมล็ดข้าวทางกายภาพและการแปรสภาพเมล็ด ศูนย์วิจัยข้าวปทุมธานี. สถาบันวิจัยข้าว กรมวิชาการเกษตร, กรุงเทพฯ. 51น.

งามชื่น คงเสรี. 2531. คุณภาพการหุงต้มรับประทานและปัจจัยที่เกี่ยวข้อง, น. 94-101 ใน สถาบันวิจัยข้าว. การปรับปรุงคุณภาพข้าวสำหรับผู้ค้าในธุรกิจ. สถาบันวิจัยข้าว กรมวิชาการเกษตร, กรุงเทพฯ.

ระรื่น บุญดวง และ สมพล อุชชิน. 2533. เอกสารอ้างอิงแนะนำข้าวและธัญพืชเมืองหนาว พันธุ์ดี 59 พันธุ์. งานเอกสารวิชาการฝ่ายฝึกอบรม สถาบันวิจัยข้าว กรมวิชาการเกษตร, กรุงเทพฯ. 31 น.

ศูนย์วิจัยข้าวพัทลุง. 2534. คู่มือข้อมูลพันธุ์ข้าวไทย. ศูนย์วิจัยข้าวพัทลุง สถาบันวิจัยข้าว กรมวิชาการเกษตร, กรุงเทพฯ. 46 น.

สถาบันวิจัยข้าว. 2528. พันธุ์ข้าว กข. ของไทย. สถาบันวิจัยข้าว กรมวิชาการเกษตร, กรุงเทพฯ. 43 น.

อนันต์ พลธานี. 2533. ข้าวหอม : พืชเศรษฐกิจที่ควรพัฒนา. แก่นเกษตร 18: 55-59.

Abbott, N., P. Etievant, S. Issanchou and D. Langlois. 1993. Critical evaluation of two commonly used techniques for the treatment of data from extract dilution sniffing analysis. *J. Agric. Food Chem.* 41(10): 1698-1703.

- Adda, J. 1986. Flavour of dairy products, pp. 151–172. *In* G. G. Birch and M. G. Lindley, Eds. **Developments in Food Flavours**. Elsevier Applied Science Publishers, New York.
- Acree, T. E. 1993. Gas chromatography–olfactometry, pp. 77–94. *In* H. Chi–Tang and H. M. Charles, eds. **Flavor Measurement**. Marcel Dekker, Inc., New York.
- Allen, R.R. 1965. Volatile flavor constituents in coconut oil. **Chem. Ind.** 36: 1560.
- Anon. 1984. Coconut cream, raw, NDB no. 12115. Cited by C.C. Seow, C.C. and C.N. Gwee. Coconut milk : Chemistry and Technology. **Int. J. Food Sci. Technol.** 32: 189–201.
- Arumughan, C., C. Balachandran and A. Sundaresan. 1993. Development of a process for coconut cream on commercial scale. **J. Food Sci. Technol.** 30: 408– 412.
- Badings, H.T. and C. de Jong. 1984. Headspace analysis for the study of aroma compounds in milk and dairy products, pp. 401–417. *In* P. Schrier, eds. **Analysis of Volatiles**. Marcel Dekker, Inc., New York.
- Badings, H.T. 1991. Milk, pp. 91–106. *In* H. Maarse, eds. **Volatile Compounds in Food and Beverages**. Marcel Dekker, Inc., New York.
- Balance, P.E. 1961. Production of volatile compounds related to the flavor of foods from the Strecker degradation of DL–methionine. **J. Sci. Food Agric.** 12: 532– 536.
- Bendall, J.G. 2001. Aroma compounds of fresh milk from New Zealand cows fed different diets. **J. Agric. Food Chem.** 49(10): 4825–4823
- Blank, I. 1986. Gas chromatography–olfactometry in food aroma analysis, pp. 293–329. *In* T.H. Parliment and R. Croteau, eds. **Biogenesis of Aromas**. American Chemical Society, Washington, DC.

- Blank, I. 2002. Gas chromatography–olfactometry in food aroma analysis, pp. 297–331. In R. Marsili, ed. **Flavor, Fragrance and Odor Analysis**. Marcel Dekker, Inc., New York.
- Boelens Aroma Chemical Information Service. 1999. **ESO 2000 Database of Essential Oils**.
- Bullard, R.W. and G. Holguin. 1966. Volatile Components of unprocessed rice (*Oryza sativa* L.). **J. Agric. Food Chem.** 25(1): 99–103.
- Buttery, G.R., L.C. Ling, B.O. Juliano and T.G. Jean. 1983. Cooked rice aroma and 2-acetyl-1-pyrroline. **J. Agric. Food Chem.** 31(4): 823–826.
- Buttery, G.R., J.G. Turnbaugh and L.C. Jean. 1988. Contribution of volatiles to rice aroma. **J. Agric. Food Chem.** 36(5): 1006–1009.
- Buttery, G.R., J.O. William, G.R. Takeoka and Y. nam. 1991. Volatile flavor compounds of rice cakes. **J. Agric. Food Chem.** 47: 4353–4356.
- Buttery, G.R., L.C. Ling, D.J. Stern. 1997. Studies on popcorn aroma and flavor volatiles. **J. Agric Food Chem.** 45: 837–843.
- Buccat, E. F., A.L. and G.C. Manalac. 1973. Production of protein and other food products from coconut. Cited by J.A. Bazon, O.N. Gonzalez, S.Y. de Leon and P.C. Sanchez. **Coconut as Food**. Philippines Coconut Research and Development Formation, Inc., Quezon City, Philippines. 239p.
- Burfield, T. 2002. Odour profiling (of essential oils) and subjectivity. **The Magazine Page**. Available Source: <http://www.users.globalnet.co.uk/~nodice/new/magazine/odprofile.htm>, December 27, 2002.

- Cadwallader, K.A. 2001. เอกสารประกอบการสอนวิชา 052518 Chemistry and Analysis of Food Flavor. ภาควิชาวิทยาศาสตร์และเทคโนโลยีการอาหาร, คณะอุตสาหกรรมเกษตร, มหาวิทยาลัยเกษตรศาสตร์.
- Chang, S.S. 1989. Food flavors. **Food Technol.** 43(12): 99-106.
- Chikubu, S. 1970. Stale flavor of stored rice. **JARQ.** 5: 63-68.
- Contarini, G., M. Povolò, R. Leardi and P.M. Toppino. 1997. Influence of heat treatment on the volatile compounds of milk. **J. Agric. Food Chem.** 45: 3171-3177.
- Cronin, D.A. 1982. Techniques of analysis of flavor: chemical methods including sample preparation, pp. 15-48. In I.D. Morton and A.J. Macleod, eds. **Food Flavours: Part A. Introduction.** Elsevier Scientific Publishing Co., Amsterdam.
- Czerny M. and P. Schieberle. 2002. Important aroma compounds in freshly ground whole meal and white wheat flours and identification and quantitative changes during sourdough fermentation. **J. Agric. Food Chem.** 50: 6835-6840.
- Derail C., T. Hofmann and P. Schieberle. 1999. Differences in key odorants of handmade juice of yellow-flesh peaches (*Prunus persica* L.) induced by the workup procedure. **J. Agric. Food Chem.** 47: 4742-4745
- Dimick, P. S.; Walker, N. J.; Patton, S. 1969. Occurrence and biochemical origin of aliphatic lactones in milk fat - a review. **J. Agric. Food Chem.** 17: 649-655.
- Dyer, R. H. and G. E. Martin. 1979. Gas-liquid chromatography determination of gamma-nonalactone in alcoholic flavors and beverages. **J. Assoc. Off. Anal. Chem.** 62: 659-661.

- Eberhardt, R., H. Woidich and W. Pfannhauser. 1981. Analysis of natural and artificial coconut flavoring in beverages, pp. 377–383. *In* P. Schreier (ed.). **Flavour** 81. Walter de Gruyter, Berlin.
- Engel, W., W. Bahr and P. Schieberle. 1999. Solvent assisted flavour evaporation a new and versatile technique for the careful and direct isolation of aroma compounds from complex food matrices. **Eur. Food Res. Technol.** 209: 237–241.
- Ferreira, V., J. P. Ka and M. Azwar. 2002. Aroma extract dilution analysis: Precision and optimal experimental design. **J. Agric. Food Chem.** 50(6): 1508–1514.
- Fisher, C. and T.R. Scott. 1997. **Food Flavors : Biology and Chemistry**. Ateneum Press Ltd., Gateshead, Tyne and Wear, UK.
- Friedrich, J.E., T.E. Acree and E.H. Lavin. 2001. Selecting standards for gas chromatography–olfactometry, pp. 148–155. *In* J.V. Leland, P. Schieberle, A. Buettner and T.E. Acree, eds. **Gas Chromatography–Olfactometry: The State of the Art**. American Chemical Society, Washington, D.C.
- Fritsch H.T. and P. Schieberle. 2005. Identification based on quantitative measurements and aroma recombination of the character impact odorants in a Bavarian Pilsner–type Beer. **J. Agric. Food Chem.** 53: 7544–7551
- Galliard, T. 1983. Enzymatic degradation of cereal lipids, pp. 111–147. *In* P.J. Barnes. **Lipids in Cereal Technology**. Academic Press, New York.
- Gatfield, I. L. 1999. Biotechnological Production of Natural Flavor Materials, pp 211–227. *In* Roy T., E.L. Wick and I. Hornstein, eds. **Flavor Chemistry: Thirty Year of Progress**. Kluwer Academic, New York.
- Grosch, W.A. 1982. Lipid degradation products and flavour, chapter 5. *In* Norton I.D. and A. J. MacLeod, eds. **Food Flavours**. Elsevier Science Publishers, Amsterdam, The Netherlands.

- Grosch, W.A. 1993. Detection of potent odorants in foods by aroma extract dilution analysis. **Trends in Food Science and Technology** 4(3): 68-73.
- Grosch, W.A. 1994. Determination of potent odourants in foods by aroma extract dilution analysis (AEDA) and calculation of odour activity values (OAVs). **Flavour Fragr. J.** 9: 147-158.
- Grosch, W. 2001. Evaluation of the key odorants of foods by dilution experiments, aroma models and omission. **Chem. Senses** 26(5): 533-545.
- Gwee, C. N. 1988. New technologies open the passage into new usage of coconut milk product, pp. 157-162. *In* S. Maneepun, P. varangoon and B. Phithakpol, eds. **Food Science and Technology in Industrial Development Vol. 1.** Institute of Food Research and Product Development, Bangkok.
- Heath, H.B. 1981. **Source Book of Flavors.** The AVI publishing Co., Inc., Connecticut.
- Heiler, C. and P. Schieberle. 1996. Studies on the metallic off-flavor in buttermilk: Identification of potent aroma compounds. **Lebensm. Wiss. u. Technol.** 29(5): 460-464.
- Jayalekshmy, A., C.S. Narayanan and A.G. Mathew. 1991. Identification of volatile flavor compounds in roasted coconut. **J. Am. Oil Chem. Soc.** 68: 873-880.
- Jezussek, M., B.O. Juliano and P. Schieberle. 2002. Comparison of key aroma compounds in cooked brown rice varieties based on aroma extract dilution analyses. **J. Agric. Food Chem.** 50(5): 1101-1105.
- Julino, B.O. 1992. Structure, chemistry and function of rice grain and its fractions. **Cereal Foods World.** 37: 772-779.

- Julino, B.O., L.U. Onate and A.M.D. Mundo. 1965. Relation of starch, protein content and gelatinization temperature to cooking and eating qualities of milled rice. **J. Food Technol.** 19: 1006-1010.
- Karagul-Yuceer, Y., MA. Drake and K.R. Cadwallader. 2001. Aroma-active components of nonfat dry milk. **J. Agric Food Chem.** 49(6): 2948-2953.
- Karagul-Yuceer, Y., K.N. Vlahovich, MA. Drake and K.R. Cadwallader. 2003. Characteristic aroma components of rennet casein. **J. Agric. Food Chem.** 51(23): 6797-6801.
- Kellard, B., D.M. Busfield and J.L. Kinderlerer. 1985. Volatile off-flavor compounds in desiccated coconut. **J. Sci. Food Agric.** 36: 415-420.
- Kinderlerer, J.L. and B. Kellard. 1987. Alkylpyrazine produced by bacterial spoilage of heat-treated and gamma-irradiation coconut. **Chem. Ind.** 16: 567-568.
- Kohashi, T., S. Kimura and N. Matsui. 1950. Octyl alcohols from reduction of coconut oil-fat acids at high temperature and pressure. **J. Nippon Oil Technol. Soc.(Japan).** 3: 9.
- Kwon, K., K.H. Park and K.C. Rhee. 1996. Fractionation and characterization of proteins from coconut (*Cocos nucifera* L.). **J. Agric. Food Chem.** 44: 1741-1745.
- Laksanalamai, V. and S. Langantileke. 1993. Comparison of aroma compound (2-acetyl-1-pyrroline) in leaves from Pandan (*Pandanus amaryllifolious*) and Thai fragrant rice (Khao Dawk Mali-105). **Cereal Chem.** 70: 381-384.
- Leahy, M. and G. Reineccius. 1984. Comparison of Methods for the Isolation of Volatile Compounds from Aqueous Model Systems, pp.19 *In* P. Schreier, ed. **Analysis of Volatiles: Method Applications.** Walter de Gruyter, New York.

- Leffingwell, J.C. 1998. Flavor-Base 98. **Flavor-Base Database**, Version Date July 01, 1998.
- Lin, F.M. and W.F. Wilkens. 1970. Volatile flavor compounds of coconut meat. **J. Food Sci.** 35: 538-539
- Maga, J.A. 1976. Lactones in foods, pp 1-56. *In Critical Reviews in Food Science and Nutrition*. CRC Press: Boca Raton, FL.
- Maga, J.A. 1978. Simple phenol and phenolic compounds in food flavor. **CRC Crit. Rev. Food Sci. Nutr.** 10(4): 323-372.
- Maga, J.A. 1984. Rice product volatiles: a review. **J. Agric. Food Chem.** 32(5): 964-976.
- Maga, J.A. 1991. Nuts, pp. 671-688. *In* H. Maarse (ed.). **Volatile Compounds in Foods and Beverages**. Marcel Dekker, Inc., New York.
- Mayol, A.R. and T.E. Acree. 2001. Advances in gas chromatography-olfactometry, pp. 1-10. *In* J.V. Leland, P. Schieberle, A. Buettner and T.E. Acree, eds. **Gas Chromatography-Olfactometry: The State of the Art**. American Chemical Society, Washington, D.C.
- Mistry, B.S., T. Reineccius and L.K. Olson. 1986. Gas chromatography-olfactometry for the determination of key odorants in foods, pp. 265-292. *In* T.H. Parliment and R. Croteau, eds. **Biogenesis of Aromas**. American Chemical Society, Washington, DC.
- Moio, L., J. Dekkimpe, P. X. Etievant and F. Addeo. 1993. The neutral volatile compounds of water buffalo milk. **J. Food Sci.** 1:43-56.

- Padley, F.B. 1994. The control of rancidity in confectionery products, pp. 230–255. *In* J.C. Allen and R.J. Hamilton, eds. **Rancidity in Foods 3rd ed.** Blackie Academic and Professional, London.
- Pai, J.S., S.S. Lomano and W.W. Nawar. 1979. Effect of heat treatments on the volatile composition of coconut oil. **J. Am. Oil Chem. Soc.** 56: 494–497.
- Parliment, T.H. and R.J. McGorrin. 2000. Critical flavor compounds in dairy products, pp. 44–71. *In* Sara J.R. and H. Chi-Tang, eds. **Flavor Chemistry.** American Chemical Society, Washington DC.
- Parliment, T.H. 2002. Solvent Extraction and Distillation techniques, pp. 1–23. *In* Ray M., ed. **Flavor, Fragrance and Odor Analysis.** Marcel Dekker, Inc., New York.
- Paule, M.C. and J.J. Powers. 1989. Sensory and chemical examination of aromatic and nonaromatic rice. **J. Food. Sci.** 54(2):343–346.
- Pfannhauser, W., R. Eberhardt and H. Woidich. 1992. Aroma analysis in food chemistry by GC-MS techniques : Determination of natural and artificial coconut flavour. **Mikrochimica Acta I.** (3/4): 159–167.
- Reineccius, G. 1994. **Source Book of Flavors 2nd ed.** Chapman & Hall, New York.
- Rijkens, F. and H. Boelens. 1975. The future of aroma research, pp. 203–220. *In* H. Maarse and P.J. Groenen, eds. **Aroma Research.** Proc. Int., Symp. Aroma Res., Pudoc, Wageningen.
- Ropkins K. and A. J. Taylor. 1996. The isolation of flavor compounds from food by enhanced solvent extraction methods, pp. 297–300. *In* A.J. Taylor and D.S. Morgan, eds. **Flavor Science: Recent Developments.** Royal Society of Chemistry, Cambridge, U.K.

- Rowe, D.J. 1998. Aroma chemicals for savory flavors. **Perfumer & Flavorist** 23: 9-14.
- Roy T., E.L. Wick and I. Hornstein. 1999. **Flavor Chemistry: Thirty Year of Progress**. Kluwer Academic, New York.
- Ruth, S.M. 2001. Methods for gas chromatography-olfactometry: a review. **Biomolecular Engineering**. 17(4-5): 121-128.
- Rychlik, M., P. Schieberle and W. Grosch. 1998. **Compilation of Odor Thresholds, Odor Qualities and Retention Indices of Key Food Odorants**. Deutsche Forschungsanstalt für Lebensmittelchemie and Institute für Lebensmittelchemie der Technischen Universität München, Garching, Germany.
- Saittagaroon, S., S. Kawashiki and M. Namiki. 1984. Aroma constituents of roasted coconut. **Agric. Biol. Chem.** 48 : 2301-2307.
- Salunkhe, D.K., J.K. Chavan, R.N. Adsule and S.S. Kadam. 1992. **World Oilseeds : Chemistry, Technology and Utilization**. Van Nostrand Reinhold, New York.
- Schieberle P. and W. A. Grosch. 1987. Evaluation of the flavor of wheat and rye bread crusted by aroma extract dilution analysis. **Z. Lebensm-Unters. Forsch.** 185(27) : 111-113.
- Schnermann P. and P. Schieberle. 1997. Evaluation of key odorants in milk chocolate and cocoa mass by Aroma Extract Dilution Analyses. **J. Agric. Food Chem.** 45: 867-872.
- Seow, C.C. and C.N. Gwee. 1997. Coconut milk : Chemistry and Technology. **Int. J. Food Sci. Technol.** 32: 189-201.
- Shaikh, Y. 2002. **Specialty Aroma Chemicals in Flavors and Fragrances**. Allured Publishing Corporation, Illinois.

- Shibamoto, T. 1980. Flavor volatiles formed by heated milk. *In* G. Charalambous, Ed. **The Analysis and Control of Less Desirable Flavors in Foods and Beverages.** Academic Press, New York.
- Shipe, W.F., Bassette, D.D. Deane, W.L. Dunkley, E.G. Hammound, W.J. Harper, D.H. Kleyn, M.E. Morgan, J.H. nelson and R.A. Scanlan. 1978. Off-flavor of milk: Nomenclature, standards and bibliography. **J. Dairy Sci.** 61:855–869.
- Shipe, W. F. 1980. Analysis and control of milk flavor, pp 201–239. *In* G. Charalambous, ed. **The Analysis and Control of Less Desirable Flavors in Foods and Beverages.** Academic Press: NewYork.
- Sides, A., K. Robards and S. Helliwell. 2000. Developments in extraction techniques and their application to analysis of volatiles in foods. **Trends in Analytical Chemistry** 19(5): 322–329.
- Steinhaus, M. and P. Schieberle. 2000. Comparison of the most odor-active compounds in fresh and dried hop cones (*Humulus lupulus* L. Variety Spalter Select) base on GC-olfactometry and odor dilution techniques. **J. Agric. Food Chem.** 48(5): 1776–1783.
- Stofberg, J. 1986. Legislative and consumer perception of biologically generated aroma chemicals, pp. 2–10. *In* T.H. Parliment and R. Croteau, eds. **Biogeneration of Aromas.** American Chemical Society, Washington, DC.
- Takeoka, G. 1999. Flavor chemistry of vegetables Ch.25, pp. 287–304. *In* R. Teranishi, E.L. Wick and I. Hornstein, eds. **Flavor Chemistry: Thirty Years Of Progress.** Kluwer Academic/Plenum Publishers, NY.
- Tressl, L. and W. Albrecht. 1986. Biogenesis of aroma compounds through acyl pathways, pp. 114–133. *In* T.H. Parliament and R. Croteau, eds. **Biogeneration of Aromas.** American Chemical Society, Washington, DC.

- Tressl, L. Friese, F. Fendesack and H. Koppler. 1978. Studies of the volatile composition of hops during storage. **J. Agric Food Chem.** 26(6): 1426-1430.
- Tsugita, T., T.Ohta and H. Kato. 1983. Cooking flavor and texture of rice stored under different conditions. **Agric. Biol. Chem.** 47(3): 543-549.
- Ullrich, F. and W. Grosch. 1988. Identification of the most intense odor compounds formed during autoxidation of methyl linolenate at room temperature. **J. Am. Oil Chem. Soc.** 65(8): 1313-1317.
- Van den Dool, H. and P.D. Kratz. 1963. A generalization of the retention index system including linear temperature programmed gas-liquid partition chromatography. **J. Chromatogr.** 11: 463-471.
- Widjaja, R., J.D. Craske and M. Wootton. 1996a. Comparative studies on volatile components of non-fragrant and fragrant rices. **J. Sci. Food Agric.** 70: 151-161.
- Widjaja, R., J.D. Craske and M. Wootton. 1996b. Changes in volatile components of paddy, brown and white fragrant rice during storage. **J. Sci. Food Agric.** 71: 218-224.
- Wampler, T.P. 1997. Analysis of food volatiles using headspace-gas chromatographic techniques, pp. 27-58. In R. Marsili, ed. **Techniques for Analyzing Food.** Marcel Dekker, Inc., New York.
- Wongpornchai, S., K. Dumri, S. Jongkaewwattana and B. Siri. 2004. Effect of drying method and storage time on the aroma and milling quality of rice (*Oryza sativa* L.) cv. Khao Dawk Mali 105. **J. Food Chem.** 87: 407-414.
- Yajima, I., T. Yanai and M. Nakamura, H. Sakakibara and T. Habu. 1978. Volatile flavor components of cooked rice. **Agric. Biol. Chem.** 42(6) : 1229-1233.

- Yajima, I., T. Yanai and M. Nakamura. 1979. Volatile flavor components of cooked Kaorimai (scented rice, *O.sativa japonica*). **Agric. Biol. Chem.** 43(12) : 2425-2429.
- Yoshihashi, T., N.T. Thi Huang and Hideo I. 2001. Precursors of 2-acetyl-1-pyrroline. A potent flavor compound of an aroma rice variety. **J. Agric Food Chem.** 50(7): 2001-2004.
- Zhou, M., K. Robards, M. Glennie-Holmes and S. Helliwell. 1999. Analysis of volatile compounds and their contribution to flavor in cereals. **J. Agric. Food Chem.** 47(10) : 3941-3953.