

รายการอ้างอิง

- Andlid, T. A., Veide, J. & Sandberg, A. S. (2004). Metabolism of extracellular inositol hexaphosphate (phytate) by *Saccharomyces cerevisiae*. *Int J Food Microbiol*, 97, 157-169.
- Bajwa, W., Meyhack, B., Rudolph, H., Schweingruber, A. M. & Hinnen, A. (1984). Structural analysis of the two tandemly repeated acid phosphatase genes in yeast. *Nucleic Acids Res*, 12, 7721-7739.
- Barrientos, L., Scott, J. J. & Murthy, P. P. N. (1994). Specificity of hydrolysis of phytic acid by alkaline phytase from lily pollen. *Plant Phys*, 106, 1489-1495.
- Bitar, K. & Rinhold, J. G. (1972). Phytase and alkaline phosphatase activities in intestinal mucosae of rat, chicken, calf, and man. *Biochim Biophys Acta*, 268, 442-452.
- Bohn, L., Meyer, A. S. & Rasmussen, S. K. (2008). Phytate: impact on environment *B*, 9, 165-191.
- Cao, L., Wang, W., Yang, C., Yang, Y., Diana, J., Yakupitiyage, A., et al. (2007). Application of microbial phytase in fish feed. *Enzyme Microbial Technol*, 40, 497-507.
- Chu, H. M., Rey, T. G., Lin, T. W., Chou, C. C., Hui, L. S., Hui, L. L., et al. (2004). Structures of *Selenomona sruminantium* Phytase in Complex with Persulfated Phytate: DSP Phytase Fold and Mechanism for Sequential Substrate Hydrolysis. *Struct*, 12, 2015-2024.

- Cosgrove, D. J. (1966). The chemistry and biochemistry of inositol polyphosphates. *Rev Pure Appl Chem*, 16, 209–215.
- Dvorakova, J. (1998). Phytase: Sources, Preparation and Exploitation. *Folia Microbiol*, 43, 323-338.
- Engelen, A. J., Heeft, F. C., Randsdorp, P. H. & Smit, E. L. (1994). Simple and rapid determination of phytase activity. *J AOAC Int*, 77, 760–764.
- Elliott, S., Chang, C. W., Schweingruber, M. E., Schaller, J., Rickli, E. E. & Carbon, J. (1986). Isolation and characterization of the structural gene for secreted acid phosphatase from *Schizosaccharomyces pombe*. *J Biol Chem*, 261, 2936–2941.
- Frolich, W. (1990). Chelating properties of dietary fiber and phytate. The role for mineral availability. *Adv Exp Med Biol*, 270, 83-93.
- Gibson, D. (1987). Production of extracellular phytase from *Aspergillus ficuum* on starch media. *Biotechnol Lett*, 9, 305–310.
- Greiner, R. & Alming, M. L. (2001). Stereospecificity of myo-inositol hexakisphosphate dephosphorylation by phytate-degrading enzymes of cereals. *J Food Biochem*, 25, 229-248.
- Greiner, R. & Carlsson, N. G. (2006). Myo-Inositol phosphate isomers generated by the action of a phytate-degrading enzyme from *Klebsiella terrigena* on phytate. *Canadian J Microbiol*, 52, 759-768.

- Han, Y. W. & Gallagher, D. J. (1987). Phosphatase production by *Aspergillus ficuum*
J Ind Microbiol, 1, 295-301.
- Haefner, S., Knietsch, A., Scholten, E., Braun, J., Lohscheidt, M. & Zelder, O. (2005).
Biotechnological production and applications of phytases. *Appl Microbiol
Biotechnol*, 68, 588–597.
- Idriss, E. E., Makarewicz, O., Farouk, A., Rosner, K., Greiner, R., Bochow, H., et al.
(2002). Extracellular phytase activity of *Bacillus amyloliquefaciens* FZB45
contributes to its plantgrowth-promoting effect. *Microbiol*, 148, 2097–2109.
- Kerovuo, J., Lauraeus, M., Nurminen, P., Kalkkinen, N. & Apajalahti, J. (1998).
Isolation, characterization, molecular gene cloning, and sequencing of
a novel phytase from *Bacillus subtilis*. *Appl Environ Microbiol*, 64, 2079–2085.
- Kerovuo, J., Rouvinen, J. & Hatzack, F. (2000). Analysis of myo-inositol
hexakisphosphate hydrolysis by *Bacillus* phytase: Indication of a novel
reaction mechanism. *Biochem J*, 352, 623-628.
- Kostrewa, D., Wyss, M., D'Arcy, A., Leitch, F. G., Broger, C. & Mitchell, D. (1999)
Crystal structure of phytase *Aspergillus ficuum* at 2.5 Å resolution. *Nat
Struct Biol*, 4, 185-190.
- Kujawski, M. & Zyla, K. (1992). Relationship between citric acid production and
accumulation of phytate-degrading enzymes in *Aspergillus niger* mycelia.
Acta Microbiol Polon, 41, 87-191.
- Kumar, V., Sinha, A. K., Makkar, H. P. S. & Becker, K. (2010). Dietary roles of phytate

and phytase in human nutrition: A review. *Food Chemistry*, 120, 945-959.

Lamrechts, C., Boze, H., Moulin, G. & Galzy, P. (1992). Utilization of phytate by some yeasts. *Biotechnol Lett*, 14, 61-66.

Lei, X. G. & Porres, J. M. (2003). Phytase enzymology, applications, and biotechnology. *Biotechnol Lett*, 25, 1787–1794.

Lei, X. G. & Stahl, C. H. (2001). Biotechnological development of effective phytases for mineral nutrition and environmental protection. *Appl Microbiol Biotechnol*, 57, 474–481.

Lim, D., Golovan, S., Forsberg, C. W. & Jia, Z. (2000). Crystal structures of *Escherichia coli* phytase and its complex with phytate. *nat struct biol*, 7, 109-113.

Liu, B. L., Rafiq, A., Tzeng, Y. M. & Rob, A. (1998). The induction and characterization of phytase and beyond. *Enzyme Microb Technol*, 22, 415–424.

Mullaney, E. J., Daly, C. B., Kim, T., Porres, J.M., Lei, X.G. & Kandan, S. (2002). Site-directed mutagenesis of *Aspergillus niger* NRRL 3135 phytase at residue 300 to enhance catalysis at pH 4.0. *Biochem Biophys Res Com*, 297, 1016–1020.

Mullaney, E. J. & Ullah, A. H. (2003). The term phytase comprises several different classes enzymes. *Biochem Biophys Res Com*, 312, 179 -184.

Nayini, N. R. & Markakis, P. (1984). The phytase of yeast. *Lebensm Wiss Technol*, 17, 24-26.

Oh, B. C., Choi, W. C., Park, S. K. Y. & Oh, T. K. (2004). Biochemical properties

and substrate specificities of alkaline and histidine acid phytases.

Appl Microbiol Biotechnol, 63, 362-372.

Oh, B. C., Kim, M. H., Yun, B. S., Choi, W. C., Park, S. C. & Bae, S. C., et al.

(2006) Ca²⁺-inositol phosphate chelation mediates the substrate specificity of beta-propeller phytase. *Biochemistry*, 45, 9531-9539.

Pasamontes, L., Haiker, M., Wyss, M., Tessier, M. & Loon A. P. G. M. (1997). Gene cloning, purification, and characterization of a heat-stable phytase from the fungus *Aspergillus fumigatus*. *Appl Environ Microbiol*, 63, 1696–1700.

Powar, V. K. & Jagannathan, V. (1982). Purification and properties of phytate-specific phosphatase from *Bacillus subtilis*. *J Bacteriol*, 151, 1102-1108.

Promdonkoy, P., Tang, K., Sornlake, W., Harnpicharnchai, P., Kobayashi, R. S., Ruanglek, V., et al. (2009). Expression and characterization of *Aspergillus* thermostable phytases in *Pichia pastoris*. *FEMS Microbiol Lett*, 290, 18–24.

Piddington, C. S., (1993). The cloning and sequencing of the genes encoding phytase (phy) and pH 2.5 optimum acid phosphatase (aph) from *Aspergillus niger* var *awamori*. *Gene*, 133, 55–62.

Rao, R. K. & Ramakrishnan, C. V. (1985). Studies on inositol phosphatase in rat small intestine. *Enzyme*, 33, 205-215.

Schroder, B., Breves, G. & Rodehutschord, M. (1996). Mechanisms of intestinal phosphorus absorption and availability of dietary phosphorus in pigs. *Dtsch Tieraerztl Wochenschr*, 103, 209–214.

- Sebastian, S., Touchburn, S. P. & Chavez, E. R. (1998). Implications of phytic acid and supplemental microbial phytase in poultry nutrition: a review. *World's Poult Sci J*, 54, 27–47.
- Shieh, T. I. L. & Ware, J. H. (1968). Survey of microorganismus for the production of extracellular phytase. *Appl Microbiol*, 16, 1348-1351.
- Shin, S., Ha, N.C., Oh, B.C., Oh, T.K. & Oh, B.H. (2001). Enzyme mechanism and catalytic property of beta propeller phytase. *Structure*, 9, 851-858.
- Tomschy, A., Tessier, M., Wyss, M., Brugger, R., Broger, C. & Schnoebelen, L., et al. (2000). Optimization of the catalytic properties of *Aspergillus fumigatus* phytase based on the three-dimensional structure. *Protein Sci*, 9, 1304-1311.
- Tye, A. J., Siu, F. K., Leung, T. Y. & Lim, B. L. (2002). Molecular cloning and the biochemical characterization of two novel phytases from *B.subtilis* 168 and *B. licheniformis*. *Appl Microbiol Biotechnol*, 59, 190–197.
- Ullah, A. H. (1988). *Aspergillus ficuum* phytase: partial primary structure, substrate selectivity, and kinetic characterization. *Prep Biochem*, 18, 459–471.
- Urbano, G., Lopez, J. M., Aranda, P., Vidal, V.C., Tenorio, E. & Porres, J. (2000). The role of phytic acid in legumes: antinutrient or beneficial function. *J Physiol Biochem*, 56, 283–294.
- Wyss, M., Brugger, R., Kronenberger, A., Remy, R., Fimbel, R., Oesterhelt, G., et al. (1999). Biochemical characterization of fungal phytases (myo-inositol hexakisphosphate phosphohydrolases): catalytic properties. *Appl Environ Microbiol*, 65, 367–373.

Xiang, T., Liu, Q., Deacon, A. M., Koshy, M., Kriksunov, I. A., Lei, X. G., et al. (2004). Crystal Structure of a Heat-resilient Phytase from *Aspergillus fumigatus*, Carrying a Phosphorylated Histidine. *J Mol Biol*, 339, 437-445.

Yano, F., Nakajima, T., & Matsuda, M. (1999). Reduction of nitrogen and phosphorus from livestock waste: a major priority for intensive animal production. *Asian-Aust J Anim Sci*, 12, 651-659.