

References

- [1] K. Chunnanond, S. Aphornratana, (2004), Ejectors: applications in refrigeration technology, *Renewable and Sustainable Energy Reviews*, pp. 129–155.
- [2] K. Chunnanond, S. Aphornratana, (2004), An Experimental investigation of a steam refrigerator: the analysis of the pressure profile along the ejector, *Applied Thermal Engineering*, pp. 311–322.
- [3] B.J. Huang, J.M. Chang, C.P. Wang, V.A. Patrenko, (1999), A 1-D analysis of ejector performance, *International Journal of Refrigeration*, pp. 354–364.
- [4] T. Sriveerakul, et al., (2007), Performance prediction of steam ejector using computational fluid dynamics: Part 1. Validation of the CFD results, *International Journal of Thermal Sciences*, pp. 812–822.
- [5] T. Sriveerakul, et al., (2007), Performance prediction of steam ejector using computational fluid dynamics: Part 2. Flow structure of a steam ejector influenced by operating pressures and geometries, *International Journal of Thermal Sciences*, pp. 823–833.
- [6] Huang BJ, Jiang CB, Hu FL., (1985), Ejector performance characteristics and design analysis of jet refrigeration system, *Transactions of ASME*, 107:792–802.
- [7] Aphornratana S., Theoretical and experimental investigation of a combine ejector-absorption refrigerator, *PhD thesis*, University of Sheffield, UK; 1994.

- [8] Eames IW., Aphornratana S., Haider H., (1995), A theoretical and experimental study of a small-scale steam jet refrigerator, *International Journal of Refrigeration*, 18(6): pp. 378–386.
- [9] Munday JT, Bagster DF., (1977), A new theory applied to steam jet refrigeration, *Ind Eng Chem Process Des Dev.*, 16(4): pp. 442–449.
- [10] Chen YM, Sun CY., (1997), Experimental study of the performance characteristics of a steam-ejector refrigeration system, *Experimental and Fluid Science*, 15: pp. 384–394.
- [11] Eames IW, Wu S, Worall M, Aphornratana S., (1999), An experimental investigation of steam ejectors for application in jet-pump refrigerators powered by low-grade heat, *Proc Instn Mech Eng A*, 213: pp. 351–361.
- [12] Keenan JH, Neumann EP, Lustwerk F., (1950), An investigation of ejector design by analysis and experiment, *ASME Journal of Applied Mechanics, Trans.*, 72: pp. 299–309.
- [13] Riffat SB, Gan G, Smith S., (1996), Computational fluid dynamics applied to ejector heat pumps, *Applied Thermal Engineering*, 16(4): pp. 291–297.
- [14] Cizungu K, Mani A, Groll M., (2001), Performance comparison of vapour jet refrigeration system with environment friendly working fluid, *Applied Thermal Engineering*, 21: pp. 585–98.
- [15] S.K. Chou, P.R. Yang, C. Yap., (2001), Maximum mass flow ratio due to secondary flow choking in an ejector refrigeration system, *International journal of refrigeration*, pp. 486-499.
- [16] FLUENT 6.3 User's guide, FLUENT INC. Lebanon, NH, USA.

- [17] Rusly E., Aye Lu, Charters W.W.S, Ooi A, and Pianthong K., (2002), Ejector CFD modeling with real gas model. *Mechanical Engineering network of Thailand the 16th conference*, pp. 150-155.
- [18] Michel A. Saad. (1985). *Compressible fluid flow*, Prentice-Hall, Inc., Englewood Cliffs, New Jersey, 07623, USA.
- [19] Neve R.S., (1993), Computational fluid dynamics analysis of diffuser performance in gas-powered jet pumps, *International Journal of Heat and Fluid flow*, 14(4): pp. 401-407.
- [20] S.B. Riffat, S.A. Omer, (2005), CFD modeling and experimental investigation of an ejector refrigeration system using methanol as the working fluid, *International Journal of Energy Reservation*, 25: pp. 115–128.
- [21] Rusly, E., Aye, L., Charters, W.W.S., Ooi, A., 2005. CFD analysis of ejector in a combined ejector cooling system, *International Journal of refrigeration*, 28: 1092–1101.
- [22] Tamaki K., Tomita Y., Yamane R., (1970), A study of pseudo-shock, 1st report, j-type pseudo-shock, *Bull JSME 1970*, 13(55): pp. 51-58.
- [23] Matsuo K., Sasaguchi K., Tasaki K., and Mochizuki H., (1981), Investigation of supersonic air ejectors, part 1, performance in the case of zero-secondary flow, *Bull JSME 1981*, 24(198): pp. 2090-2097.
- [24] Myoung Kuk Ji, Tony Utomo, JuSik Woo, YongHun Lee, HyoMin Jeong, HanShik Chung., (2010), CFD investigation on the flow structure inside thermo vapor compressor, *Energy*, 35(2010): pp. 2694-2702.

- [25] Amel Hemidi, Franois Henry, Sbastien Leclair, Jean-Marie Seynhaeve, Yann Bartosiewicz. (2009), CFD analysis of a supersonic air ejector, Part II: Relation between global operation and local flow features, *Applied Thermal Engineering*, 29(2009): pp. 2990-2998.
- [26] Y. Bartosiewicz, Zine Aidoun, P. Desevaux , Yves Mercadier, (2005), Numerical and experimental investigations on supersonic ejectors, *International Journal of Heat and Fluid Flow*, 16(2005): pp. 56-70.
- [27] Pianthong K., Sechanam W., Behnia M., Srivaarakul T. and Aphornratana S., (2007), Investigation and improvement of ejector refrigeration system using computational fluid dynamics technique. *Energy Conversion and Management*, 48(9): pp. 2556-2564.
- [28] ESDU, Ejector and Jet pump, ESDU international Ltd. London, Data item 86030, 1985.
- [29] Anderson J.D., (2002), Modern compressible flow, with historical perspective, Third Edition, McGraw Hill.



