

BIBLIOGRAPHY

- Akey, J.M., et al. "Population history and natural selection shape patterns of genetic variation in 132 genes." *PLoS Biology*. 2 (2004) : 286.
- Alcazar, A., et al. "Differentiation of green, white, black, oolong, and Pu-erh teas according to their free amino acids content." *Journal of Agricultural and Food Chemistry*. 55 (2007) : 5960–5965.
- Amendolia, S.R., et al. "A real-time classification system of thalassemic pathologies based on artificial neural networks." *Medical Decision Making*. 22 (2002) : 18–26.
- Amendolia, S.R., et al. "A comparative study of k -nearest neighbour, support vector machine and multi-layer perceptron for thalassemia screening." *Chemometrics and Intelligent Laboratory Systems*. 69 (2003) : 13–20.
- Bamshad, M. and Wooding, S.P. "Signatures of natural selection in the human genome." *Nature Reviews Genetics*. 4 (2003) : 99–111.
- Barosi, G., et al. "Classification of anemia on the basis of ferrokinetic parameters." *British Journal of Haematology*. 61 (1985) : 357–370.
- Baye, T.M., et al. "Database mining for selection of SNP markers useful in admixture mapping." *BioData Mining*. 2 (2009) : 1.
- Beaumont, M.A. and Balding, D.J. "Identifying adaptive genetic divergence among populations from genome scans." *Molecular Ecology*. 13 (2004) : 969–980.
- Birndorf, N.I., et al. "An expert system to diagnose anemia and report results directly on hematology forms." *Computers and Biomedical Research*. 29 (1996) : 16–26.
- Breiman, L., et al. *Classification and Regression Trees*. Belmont, CA : Wadsworth International Group, 1984.

- Breiman, L. "Random forests." *Machine Learning*. 45 (2001) : 5–32.
- Bryk, J., et al. "Positive selection in East Asians for an *EDAR* allele that enhances NF- κ B activation." *PLoS One*. 3 (2008) : 2209.
- Budowle, B. and van Daal, A. "Forensically relevant SNP classes." *BioTechniques*. 44 (2008) : 603–610.
- Cheng, F., et al. "SNP@Evolution: a hierarchical database of positive selection on the human genome." *BMC Evolutionary Biology*. 9 (2009) : 221.
- Chuang, C.-C., Wen, W.-C. and Sheu, S.-J. "Classification of Aurantii Fructus samples by multivariate analysis." *Journal of Separation Science*. 30 (2007) : 1827–1832.
- Clarke, G.M. and Higgins, T.N., "Laboratory investigation of hemoglobinopathies and thalassemias: Review and update." *Clinical Chemistry*. 46 (2000) : 1284–1290.
- Colah, R.B., et al. "HPLC studies in hemoglobinopathies." *Indian Journal of Pediatrics*. 74 (2007) : 657–662.
- Demir, A., et al. "Most reliable indices in differentiation between thalassemia trait and iron deficiency anemia." *Pediatrics International*. 44 (2002) : 612–616.
- Donald, D., et al. "Adaptive wavelet modelling of a nested 3 factor experimental design in NIR chemometrics." *Chemometrics and Intelligent Laboratory Systems*. 82 (2006a) : 122–129.
- Donald, D., et al. "Bagged super wavelets reduction for boosted prostate cancer classification of seldi-tof mass spectral serum profiles." *Chemometrics and Intelligent Laboratory Systems*. 82 (2006b) : 2–7.
- Engle, R.L., et al. "HEME: A computer aid to diagnosis of hematologic disease." *Bulletin of the New York Academy of Medicine*. 52 (1976) : 584–600.
- Enoch, M.A., et al. "Using ancestry-informative markers to define populations and detect population stratification." *Journal of Psychopharmacology*. 20 (2006) : 19–26.

- Falush, D., Stephens, M. and Pritchard, J.K. "Inference of population structure using multilocus genotype data: linked loci and correlated allele frequencies." *Genetics*. 164 (2003) : 1567–1587.
- _____. "Inference of population structure using multilocus genotype data: dominant markers and null alleles." *Molecular Ecology Notes*. 7 (2007) : 574–578.
- Fayyad, U.M. and Irani, K.B. "Multi-interval discretization of continuous-valued attributes for classification learning." Edited by Bajcsy, R. In *Proceedings of the 13th International Joint Conference on Artificial Intelligence, Chambéry, France*. San Mateo, CA : Morgan Kaufmann, 1993 : 1022–1027.
- Fucharoen, S. and Winichagoon, P. "Hemoglobinopathies in Southeast Asia: Molecular biology and clinical medicine." *Hemoglobin*. 21 (1997) : 299–319.
- Fujimoto, A., et al. "A scan for genetic determinants of human hair morphology: *EDAR* is associated with Asian hair thickness." *Human Molecular Genetics*. 17 (2008) : 835–843.
- Gao, X. and Starmer, J. "Human population structure detection via multilocus genotype clustering." *BMC Genetics*. 8 (2007) : 34.
- Granitto, P.M., et al. "Recursive feature elimination with random forest for PTR-MS analysis of agroindustrial products." *Chemometrics and Intelligent Laboratory Systems*. 83 (2006) 83–90.
- Hall, M.A. and Holmes, G. "Benchmarking attribute selection techniques for discrete class data mining." *IEEE Transactions on Knowledge and Data Engineering*. 15 (2003) : 1437–1447.
- Hancock, T., et al. "A performance comparison of modern statistical techniques for molecular descriptor selection and retention prediction in chromatographic QSRR studies." *Chemometrics and Intelligent Laboratory Systems*. 76 (2005) : 185–196.
- Hartwell, L.H., et al. *Genetics: From Genes to Genomes*. 3rd ed. New York : McGraw-Hill, 2008.

- Hastie, T. and Tibshirani, R. "Classification by pairwise coupling." *Annals of Statistics*. 26 (1998) : 451–471.
- Hinds, D.A., et al. "Whole-genome patterns of common DNA variation in three human populations." *Science*. 307 (2005) : 1072–1079.
- Jimenez, C.V., Minchinela, J. and Ros, J. "New indices from the H*2 analyser improve differentiation between heterozygous beta or delta beta thalassaemia and iron-deficiency anaemia." *Clinical and Laboratory Haematology*. 17 (1995) : 151–155.
- Jobling, M.A. "In the name of the father: surnames and genetics." *Trends in Genetics*. 17 (2001) : 353–357.
- Jobling, M.A. and Tyler-Smith, C. "The Human Y chromosome: An evolutionary marker comes of age." *Nature Reviews Genetics*. 4 (2003) : 598–612.
- Joutovsky, A., Hadzi-Nesic, J. and Nardi, M.A. "HPLC retention time as a diagnostic tool for hemoglobin variants and hemoglobinopathies: A study of 60,000 samples in a clinical diagnostic laboratory." *Clinical Chemistry*. 50 (2004) : 1736–1747.
- Karafet, T.M., et al. "New binary polymorphisms reshape and increase resolution of the human Y chromosomal haplogroup tree." *Genome Research*. 18 (2008) : 830–838.
- Kher, A., et al. "Forensic classification of ballpoint pen inks using high performance liquid chromatography and infrared spectroscopy with principal components analysis and linear discriminant analysis." *Vibrational Spectroscopy*. 40 (2006) : 270–277.
- Kelley, J.L., et al. "Genomic signatures of positive selection in humans and the limits of outlier approaches." *Genome Research*. 16 (2006) : 980–989.
- Kohavi, R. "A study of cross-validation and bootstrap for accuracy estimation and model selection." In *Proceedings of the 14th International Joint Conference on Artificial Intelligence, Montréal, Québec, Canada*. San Mateo, CA : Morgan

- Kaufmann, 1995 : 1137–1143.
- Kohavi, R. and John, G.H. “Wrappers for feature subset selection.” *Artificial Intelligence*. 97 (1997) : 273–324.
- Kosoy, R., et al. “Ancestry informative marker sets for determining continental origin and admixture proportions in common populations in America.” *Human Mutation*. 30 (2009) : 69–78.
- Kutlar, F. “Diagnostic approach to hemoglobinopathies.” *Hemoglobin*. 31 (2007) : 243–250.
- Lanzola, G., et al. “NEOANEMIA: A knowledge-based system emulating diagnostic reasoning.” *Computers and Biomedical Research*. 23 (1990) : 560–582.
- Lao, O., et al. “Proportioning whole-genome single-nucleotide-polymorphism diversity for the identification of geographic population structure and genetic ancestry.” *American Journal of Human Genetics*. 78 (2006) : 680–690.
- Lewin, R. “Africa: Cradle of modern humans.” *Science*. 237 (1987) : 1292–1295.
- López Herráez, D., et al. “Genetic variation and recent positive selection in worldwide human populations: Evidence from nearly 1 million SNPs.” *PLoS One*. 4 (2009) : 7888.
- Lund, P.R. and Barnes, R.D. “Automated classification of anaemia using image analysis.” *The Lancet*. 300 (1972) : 463–464.
- Mellars, P. “Why did modern human populations disperse from Africa ca. 60,000 years ago? A new model.” *Proceedings of the National Academy of Sciences of the United States of America*. 103 (2006) : 9381–9386.
- Metspalu, M., et al. “Most of the extant mtDNA boundaries in South and Southwest Asia were likely shaped during the initial settlement of Eurasia by anatomically modern humans.” *BMC Genetics*. 5 (2004) : 26.
- Mitchell, T.M. *Machine Learning*. Singapore : McGraw-Hill, 1997.
- Moore, J.H., et al. “A flexible computational framework for detecting, characterizing, and interpreting statistical patterns of epistasis in genetic studies of human

- disease susceptibility.” *Journal of Theoretical Biology*. 241 (2006) : 252–261.
- Mou, C., et al. “Enhanced ectodysplasin-A receptor (*EDAR*) signaling alters multiple fiber characteristics to produce the East Asian hair form.” *Human Mutation*. 29 (2008) : 1405–1411.
- Mulholland, M., et al. “A comparison of classification in artificial intelligence, induction versus a self-organising neural networks.” *Chemometrics and Intelligent Laboratory Systems*. 30 (1995a) : 117–128.
- Mulholland, M., et al. “Application of the C4.5 classifier to building an expert system for ion chromatography.” *Chemometrics and Intelligent Laboratory Systems*. 27 (1995b) : 95–104.
- Myles, S., et al. “Identification and analysis of genomic regions with large between-population differentiation in humans.” *Annals of Human Genetics*. 72 (2008) : 99–110.
- Ntaios, G., et al. “Discrimination indices as screening tests for β -thalassemic trait.” *Annals of Hematology*. 86 (2007) : 487–491.
- Nunkesser, R., et al. “Detecting high-order interactions of single nucleotide polymorphisms using genetic programming.” *Bioinformatics*. 23 (2007) : 3280–3288.
- Old, J.M. “Screening and genetic diagnosis of haemoglobin disorders.” *Blood Reviews*. 17 (2003) : 43–53.
- Oleksyk, T.K., et al. “Identifying selected regions from heterozygosity and divergence using a light-coverage genomic dataset from two human populations.” *PLoS One*. 3 (2008) : 1712.
- Olson, S. “Seeking the signs of selection.” *Science*. 298 (2002) : 1324–1325.
- Ou, C.-N. and Rognerud, C.L. “Diagnosis of hemoglobinopathies: Electrophoresis vs. HPLC.” *Clinica Chimica Acta*. 313 (2001) : 187–194.
- Park, J., et al. “SNP@Ethnos: A database of ethnically variant single-nucleotide polymorphisms.” *Nucleic Acids Research*. 35 (2007) : 711–715.

- Paschou, P., et al. "PCA-correlated SNPs for structure identification in worldwide human populations." *PLoS Genetics*. 3 (2007) : 60.
- Phillips, C., et al. "Inferring ancestral origin using a single multiplex assay of ancestry-informative marker SNPs." *Forensic Science International: Genetics*. 1 : (2007) 273–280.
- Pickrell, J.K., et al. "Signals of recent positive selection in a worldwide sample of human populations." *Genome Research*. 19 (2009) : 826–837.
- Pritchard, J.K., Stephens, M. and Donnelly, P. "Inference of population structure using multilocus genotype data." *Genetics*. 155 (2000) : 945–959.
- Press, W.H., et al. *Numerical Recipes in C: The Art of Scientific Computing*. Cambridge : Cambridge University Press, 1998.
- Quaglini, S., et al. "ANEMIA: An expert consultation system." *Computers and Biomedical Research*. 19 (1986) : 13–27.
- _____. "A performance evaluation of the expert system ANEMIA." *Computers and Biomedical Research*. 21 (1988) : 307–323.
- Quinlan, J.R. *C4.5: Programs for Machine Learning*. San Mateo, CA : Morgan Kaufmann, 1993.
- Quintana-Murci, L., et al. "Genetic evidence of an early exit of *Homo sapiens sapiens* from Africa through Eastern Africa." *Nature Genetics*. 23 (1999) : 437–441.
- Rosenberg, N.A. "Algorithms for selecting informative marker panels for population assignment." *Journal of Computational Biology*. 12 (2005) : 1183–1201.
- Rosenberg, N.A., et al. "Informativeness of genetic markers for inference of ancestry." *American Journal of Human Genetics*. 73 (2003) : 1402–1422.
- Rumelhart, D.E. and McClelland (Eds.), J.L. "Parallel distributed processing: Explorations in the microstructure of cognition." *Parallel Distributed Processing: Explorations in the Microstructure of Cognition. Vol. I*. Cambridge, MA : MIT Press, 1986.
- Sabeti, P.C., et al. "Detecting recent positive selection in the human genome from



- haplotype structure.” *Nature*. 419 (2002) : 832–837.
- Sabeti, P.C., et al. “Genome-wide detection and characterization of positive selection in human populations.” *Nature*. 449 (2007) : 913–918.
- Saeys, Y., Inza, I. and Larrañaga, P. “A review of feature selection techniques in bioinformatics.” *Bioinformatics*. 23 (2007) : 2507–2517.
- Salas, A., et al. “The making of the African mtDNA landscape.” *American Journal of Human Genetics*. 71 (2002) : 1082–1111.
- Seldin, M.F. “Admixture mapping as a tool in gene discovery.” *Current Opinion in Genetics and Development*. 17 (2007) : 177–181.
- The International HapMap Consortium. “The international HapMap project.” *Nature*. 426 (2003) : 789–796.
- _____. “A haplotype map of the human genome.” *Nature*. 437 (2005) : 1299–1320.
- _____. “A second generation human haplotype map of over 3.1 million SNPs.” *Nature*. 449 (2007) : 851–861.
- Tian, C., Gregersen, P.K. and Seldin, M.F. “Accounting for ancestry: Population substructure and genome-wide association studies.” *Human Molecular Genetics*. 17 (2008) : 143–150.
- Vallender, E.J. and Lahn, B.T. “Positive selection on the human genome.” *Human Molecular Genetics*. 13 (2004) : 245–254.
- Voight, B.F., et al. “A map of recent positive selection in the human genome.” *PLoS Biology*. 4 (2006) : 72.
- Weatherall, D.J. and Clegg, J.B. *The Thalassemia Syndromes*. 4th ed. Malden, MA : Blackwell Science, 2001.
- Witten, I.H. and Frank, E. *Data Mining: Practical Machine Learning Tools and Techniques*, 2nd ed. San Francisco, CA : Morgan Kaufmann, 2005.
- Wongseree, W., et al. “Thalassaemia classification by neural networks and genetic programming.” *Information Sciences*. 177 (2007) : 771–786.
- Wongseree, W., et al. “Detecting purely epistatic multi-locus interactions by an

- omnibus permutation test on ensembles of two-locus analyses.” *BMC Bioinformatics*. 10 (2009) : 294.
- Wright, S. “The genetical structure of populations.” *Annals of Eugenics*. 15 (1995) : 323–354.
- Zhao, R.H., et al. “Application of an artificial neural network in chromatography–retention behavior prediction and pattern recognition.” *Chemometrics and Intelligent Laboratory Systems*. 45 (1999) : 163–170.
- Zhou, N. and Wang, L. “Effective selection of informative SNPs and classification on the HapMap genotype data.” *BMC Bioinformatics*. 8 (2007) : 484.

APPENDIX A

The published research results.

The research results have been published as follows.

- Piroonratana, T., Wongseree, W., Assawamakin, A., Paulkhaolarn, N., Kanjanakorn, C., Sirikong, M., Thongnoppakhun, W., Limwongse, C. and Chaiyaratana, N. "Classification of haemoglobin typing chromatograms by neural networks and decision trees for thalassaemia screening." *Chemometrics and Intelligent Laboratory Systems*. 99 (2009) : 101–110.
- Piroonratana, T., Wongseree, W., Usavanarong, T., Assawamakin, A., Limwongse, C. and Chaiyaratana, N. "Identification of Ancestry Informative Markers from Chromosome-Wide Single Nucleotide Polymorphisms Using Symmetrical Uncertainty Ranking." In *Proceedings of the 20th International Conference on Pattern Recognition, Istanbul, Turkey*, 2010 : 2448–2451



BIOGRAPHY

Name : Mr.Theera Piroonratana

Thesis Title : An Information-Theoretic Approach to Pattern Recognition and Its
Application in Life Science

Major : Electrical Engineering

Biography

Personal Information: I was born on February 24, 1981. I currently live in Bangkruai, Nonthaburi, Thailand.

Education: I earned a bachelor degree and a master degree in production engineering from KMITNB.

