

## Low temperature to control insects in grain bins and flour mills

Fields, P.G.\*#, Abdelghany, A.Y.

Cereal Research Centre, Agriculture and Agri-Food Canada Winnipeg, Canada

\*Corresponding, Email: paul.fields@agr.gc.ca

#Presenting author, Email: paul.fields@agr.gc.ca

DOI: xx.xxxx/xxx.2014.xxx.xxx.xxx

### Abstract

Low temperature has the advantage over other control methods in that it leaves no residues, is compatible with organic grain storage and processing, and will not reduce end-use quality (Fields, 1992; Burks et al., 2000; Fields et al., 2012). We examined the effects of low temperatures in bulk grain and in a packing plant of a flour mill. Barrels with 300 kg of wheat, infested with *Cryptolestes ferrugineus* and *Rhyzopertha dominica*, were cooled using outside air in Canada. During the 3 weeks of cooling, temperatures in the centre reached as low as -5°C. On day 0, the average number of live adults of *C. ferrugineus* and *R. dominica* were 230 and 410 insects/100 g, respectively. *Rhyzopertha dominica* (all dead at 7 d) adults were more susceptible to low temperatures than *C. ferrugineus* (all dead at 21 d). On day 0, the average number of immatures of *C. ferrugineus* and *R. dominica* were 650 and 680 insects/100 g, respectively. After 21 days, average number of immatures of *C. ferrugineus* and *R. dominica* were 40 and 150 insects/100 g, respectively. During 3 days in February 2014 a packing plant attached to flour mill in Canada was cooled using outside temperatures. Outside temperature minimum was -25°C and the average was -17°C, minima inside the packing plant ranged from 0 to -17°C, with an average of -5°C. Mortality of *Tribolium castaneum* adults held in vials in the plant ranged from 10 to 100% (mean = 88%) for non-acclimated insects, whereas adults held in the packing plant for 4 weeks before freeze-out at approximately 15°C had mean mortality of only 20%.

Keywords: cold, *Cryptolestes*, *Tribolium*, *Rhyzopertha*, movement

### References

- Burks, C.S., Johnson, J.A., Maier, D.E., Heaps, J.W., 2000. Temperature, in: Subramanyam, B., Hagstrum, D.W. (Eds.), Alternatives to Pesticides in Stored-product IPM. Kluwer Academic Publishers, Boston, Massachusetts, USA, pp. 73-104.
- Fields, P.G., 1992. The control of stored-product insects and mites with extreme temperatures. Journal of Stored Products Research 28, 89-118.
- Fields, P., Subramanyam, B., Hulasare, R., 2012. Extreme temperatures, in: Hagstrum, D.W., Phillips, T.W., Cuperus, G. (Eds.), Stored Product Protection. Kansas State Research and Extension, Kansas, pp. 179-190.