## LIST OF FIGURES

FIGURE		
3.1	The 3D image of CeO <sub>2</sub> molecule	8
3.2	Proposed structure of CEAs	11
3.3	Proposed pileup state for CEAs	12
3.4a	The state when CEAs were being poured into water	13
3.4b	The state 3 s after CEAs were poured into water	13
3.5a	The state when W/O emulsion was being poured into water	14
3.5b	The state 3 s after W/O emulsion was poured into water	14
3.6a	Dispersion state of CEAs in water with weak stirring	14
3.6b	The state of W/O emulsion in water with weak stirring	14
4.1	The chemical structure of all surfactants	24
4.2	The schematic procedure of reversed micelle method	26
4.3	The schematic procedure of emulsion liquid membrane	27
4.4	The schematic procedure of colloidal emulsion aphrons	28
4.5	XRD patterns of $CeO_2$ prepared by (a) RM, (b) ELM, and	32
	(c) CEAs	
4.6	TEM micrograph of $CeO_2$ prepared by (a) RM, (b) ELM, and	33
	(c) CEAs	
4.7	The emulsion droplet size distribution prepared by different	34
	methods	
4.8	Thermo-gravimetric analysis of CeO <sub>2</sub> prepared by different	35
	methods	

4.9	XRD patterns of CeO <sub>2</sub> prepared by CEAs using different	36
	cerium sources	
4.10	TEM micrographs of CeO <sub>2</sub> prepared by CEAs method using	37
	different cerium sources (a) $NH_4$ ) <sub>2</sub> Ce( $NO_3$ ) <sub>6</sub> , (b) Ce( $NO_3$ ) <sub>3</sub> ·6H <sub>2</sub> O,	
	and (c) $CeCl_3 \cdot 7H_2O$ .	
4.11	XRD patterns of CeO <sub>2</sub> prepared by CEAs using different	38
	surfactants	
4.12	TEM micrographs of CeO <sub>2</sub> prepared by CEAs method using	40
	different surfactants (a) PE4LE, (b) Brij96V, (c) Brij52, (d) AOT,	
	and (e) CTAB	
4.13	XRD patterns of CeO <sub>2</sub> prepared by CEAs method at different	41
	calcination temperature	
4.14	TEM micrograph of CeO <sub>2</sub> prepared by CEAs method at	43
	different calcinations temperature (a) 500°C, (b) 600°C and	
	(c) 800°C	
4.15	XRD patterns of CeO <sub>2</sub> prepared by CEAs method at different	44
	water content	
5.1	XRD patterns of synthesized particle prepared by different	50
	methods	
5.2	EDX mapping images of Ni dispersed on CeO <sub>2</sub> support prepared	51
	by different methods (a) Method I, (b) Method II, and	
	(c) Method III	
5.3	Temperature programmed reduction (TPR) of $CeO_2$ and $Ni/CeO_2$	52
	prepared by different methods (a) CeO <sub>2</sub> , (b) Ni/CeO <sub>2</sub> -I,	

(c) Ni/CeO <sub>2</sub> -II,	and (d)	Ni/CeO <sub>2</sub>	2-III
------------------------------	---------	---------------------	-------

A.1	The size distribution of CeO <sub>2</sub> prepared by different methods	68
A.2	The size distribution of CeO <sub>2</sub> prepared by different cerium	70
	sources	
A.3	The size distribution of CeO <sub>2</sub> prepared by different surfactants	72
A.4	The size distribution of CeO <sub>2</sub> prepared by different calcinations	75
	temperature	