

เอกสารและสิ่งอ้างอิง

- กองโภชนาการกรมอนามัย, กระทรวงสาธารณสุข. 2544. **ตารางแสดงคุณค่าทางโภชนาการของอาหารไทย**. โรงพิมพ์องค์การทหารผ่านศึก. กรุงเทพฯ.
- งามทิพย์ ภู่วโรดม. 2538. **ก๊าซกับการบรรจุผลิตภัณฑ์อาหาร**. พิมพ์ครั้งที่ 2. โรงพิมพ์ลินคอร์นโปรโมชั่น. กรุงเทพฯ.
- ชนกพร จุฑาสงษ์. 2542. การเจริญเติบโตและปริมาณโปรตีนของ *Wolffia arrhiza (L) Wimm* ที่เพาะเลี้ยงในน้ำทิ้งจากโรงงานผลิตเป็้่มน้ําสําปะหลัง. วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยมหาสารคาม.
- ประวิทย์ สุรนิรนาถ. 2549. **ไข่น้ํ้า**. กองประมงน้ํ้าจืด กรมประมง กระทรวงเกษตรและสหกรณ์. แหล่งที่มา: <http://www.ku.ac.th/AgrInfo/thaifish/aqplant/aqpt068.htm>, 17 กุมภาพันธ์ 2549.
- พรงาม ลิมตระกูล. 2545. **ชีวเคมีของกรดนิวคลีอิกและโปรตีน**. พิมพ์ครั้งที่ 2. ธนุขพรินติ้ง. เชียงใหม่.
- สถาบันการแพทย์แผนไทย. 2541. **ผักพื้นบ้านอีสาน**. โรงพิมพ์องค์การสงเคราะห์ทหารผ่านศึก. กรุงเทพฯ.
- สถาบันวิจัยวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย. 2549. **การบรรจุภัณฑ์กาแฟ ชา และเครื่องดื่ม**. แหล่งที่มา: <http://www.tistr-foodprocess.net/tea/tea%201.htm>. March 2, 2006.
- สุทธิพงษ์ วงษ์วร. 2547. **เฉพาะกิจ 1 : พืชที่เล็กที่สุดในโลก**. แหล่งที่มา: <http://www.ipst.ac.th/biology/Bio-Articles/mag-content6.htm>, December 14, 2004.
- สุวรรณ เกษตรสุวรรณ. 2529. **ไข่และเนื้อไก่**. มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ.

- อนัญยา ภัคดีศรี. 2542. การเจริญเติบโตและปริมาณโปรตีนของ *Wolffia arrhiza* (L) Wimm ที่เพาะเลี้ยงในน้ำทิ้งจากโรงงานขนมอบขนมปังเค็ม. วิทยานิพนธ์ปริญญาโท, มหาวิทยาลัยมหาสารคาม.
- อาภารัตน์ มหาจันทร์ และคณะ. 2541. ใ้่น้ำ อาหารคุณค่าโปรตีนสูงที่กำลังถูกลิ้ม. วิทยาศาสตร์และเทคโนโลยี 13(3): 95-102.
- Albert, S. and G.S. Mittal. 2002. Comparative evaluation of edible coatings to reduce fat uptake in a deep-fried cereal product. **Food Research Int.** 35: 445-458.
- Allen, L. 1963. Edible corn-carbohydrate food coatings. Evaluation on fresh meat products. **Food Technol.** 17: 1437.
- Anonymous. 2005. **Easy to find easy to buy?**. Available Source: <http://www.duckeggs.com/duck-egg-nutrition-compare.htm>, September 28, 2005.
- _____. 2006. **Duckweed nutritional composition**. Available Source: <http://www.mobot.org/jwcross/duckweed/nutritional-composition.htm>, May 9, 2006.
- American Standard for Testing and Materials. 1988. **Standard Test Method for Determining Gas Permeability Characteristic of Plastics Film and Sheeting, D 1434-82**. Annual Book of ASTM Standard, Philadelphia.
- _____. 1992. **Standard Testing Method for Tensile Properties of Thin Plastic Sheeting. ASTM D882-91**. Annual Book of ASTM Standard, Philadelphia.
- _____. 1996. **Standard Testing Method for Water Vapor Transmission of materials. ASTM E96-85**. Annual Book of ASTM Standard, Philadelphia.

AOAC. 2000. **Official Method of Analysis of the Association of Official Analytical Chemists.**

17 th ed. AOAC, Inc., USA.

Ashley, R.J. 1985. **Permeability and Plastic Packaging: Polymer Permeability.** Elsevier Appl.

Sci. Publ. Co., New York.

Ayranci, E. and S. Tunc. 2003. A method for the measurement of the oxygen permeability and the development of the edible films to reduce the rate of oxidative reactions in fresh foods.

Food Chem. 80 : 423-431.

Balasubramaniam, V.M., M.S. Chinnan, P. Mallikarjunan and R.D. Phillips. 1997. The effect of

edible film on oil uptake and moisture retention of a deep fat fried poultry products. **J. Food**

Proc. Eng. 20: 17-29.

Banker, G.S. 1966. Film coating theory and practice. **J, Pharm. Sci.** 55(1): 81-89.

Beerler, A.D. and D.C. Fenney. 1983. Plasticizer, pp. 193-195. *In* **Modern Plastics Encyclopedia**

59. A Mcgraw-Hill Publ., New York.

Bechtold, D.H., H.J. Seppala, P.W. Spink and W.F. Waychoff. 1963. Plasticizers, pp 394-397. *In*

Modern Plastics Encyclopedia 41(14). Plastics catalogue Corp. Hildreth. Press, Inc.,

Bristol.

Berberat, A. and U. Wissgott. 1993. **Process for Preparing a Multi-Component Food Product**

Including a Protective Barrier. U.S. Patent 5,248,512.

Beveridge, T. and S. Arntfield. 1997. Heat induced changes in sulfhydryl levels in egg white. **J.**

Can. Inst.Food Sci. Technol. 12: 173-176.

- Cook , R.B. and M.L. Shulman. 1998. **Colloidal Dispersions of Gluten, Method of Making and Use Therefor**. U.S. Patent 5,736,178.
- Cunningham, F.E. and O.J. Cotterill. 1962. Factors affecting alkaline coagulation of egg white. **Poultry Sci.** 41:1453-1461.
- Cuq, B., N. Gontard, J.L. Cuq and S. Guilbert. 1997. Select functional properties of fish myofibrillar protein-based films as affect by hydrophilic plasticizers. **J. Agric. Food Chem.** 45(3): 622-626.
- Damodaran, S. 1996. Amino acids, Peptides, and Proteins, pp. 328. *In* O.R. Fennema, M. Karel, G.W. Sanderson, S.R. Tannenbaum, P. Walstra and J.R. Whitaker, eds. **Food Chemistry**. 3rd ed. Marcel Dekker, Inc., New York.
- Damodaran, S. and A. Paraf. 1997. **Food Protein and Their Applications**. Marcel Dekker, Inc., New York.
- Doi, E. 1993. Gels and gelling of globular proteins. **Trends in Food Sci. & Tech.** 4: 1-5.
- Doi, E., F. Tani, M. Murata, T. Koseki and N. Kitabatake. 1994. Heat-induced transparent gels of globular proteins, pp. 317-325. *In* K. Nishinari and E. Doi, eds. **Food Hydrocolloids: Structures, Properties and Functions**. Plenum Press, New York.
- Fennema, O.R. 1996. **Food Chemistry**. 3rd ed. Marcel Dekker, Inc., New York.
- Fukushima, D. and J. van Buren. 1970. Mechanisms of protein insolubilization during the drying of soy milk. Role of disulfide and hydrophobic bonds. **Cereal Chem.** 47: 687-696.
- Gavara, R. and R. J. Hernandez. 1994. The effect of water on the transport of oxygen through nylon-6 films. **J Polym. Sci.** 32: 2375-2382.

Gennadios, A. and C.L. Weller. 1990. Edible films and coatings from wheat and corn protein.

Food Tech. 44(10): 63-69.

Gennadios, A., C.L. Weller and R.F. Testin. 1993a. Temperature effect on oxygen permeability of edible protein-based films. **J. Food Sci.** 58: 212-214.

_____. 1993b. Modification of physical and barrier properties of edible wheat gluten-based films. **Cereal Chem.** 70: 426-429.

Gennadios, A., A.H. Brandenburg, C.L. Weller and R.F. Testin. 1993c. Effect of pH on properties of wheat gluten and soy protein isolate films. **J. Agric. Food Chem.** 41: 1835-1839.

_____, C.L. Weller and C.H. Gooding. 1994. Measurement errors in water vapor permeability of highly permeable, Hydrophilic edible films. **J. Food Engr.** 21: 395-409.

_____, M.A. Hanna and G.W. Froning. 1996. Mechanical and barrier properties of egg albumin films. **J. Food Sci.** 61: 585-589.

Gennadios, A. 2002. **Protein-Based Films and Coatings**. CRC Press, Boca Raton.

Gold, W.L. 1969. **Hydrocolloid Surface Treatment to Yield French Fried Potato Products**. U.S. Patent 3,424,591

Gontard, N., S. Guilbert and J.L. Cuq. 1993. Water and glycerol as plasticizers affect mechanical and water vapor barrier properties of an edible wheat gluten film. **J. Food Sci.** 55(1): 206-211.

_____, R. Thibault, B. Cuq and S. Guilbert. 1996. Influence of relative humidity and film composition on oxygen and carbon dioxide permeabilities of edible films. **J. Agric. Food Chem.** 94:1064-1069.

- Gonze, M. and A. Rapaille. 1992. Sorbitol & maltitol: progress on property characterisation & application. **Food Ingredients Asia'92**. p. 23.
- Gossett, P.W., S.S.H. Rizvi and R.C. Banker. 1984. Quantitative analysis of gelation in egg protein systems. **Food Technol.** 38(5): 67-74, 96.
- Guilbert, S. 1986. **Technology and Application of Edible Protective Films : Food Packaging and Preservation**. Elsevier Applied Science Publisher Ltd., New York.
- _____. 1988. **Use of Superficial Edible Layer to Protect Intermediate Moisture Foods: Application to The Protection of Tropical Fruits Dehydrated by Osmosis**. Elsevier Applied Science Publishers Ltd., New York.
- Handa, A., A. Gennadios, G.W. Froning, N. Kuroda and M.A. Hanna. 1999a. Tensile, solubility, electrophoretic properties of egg white films as affected by surface sulfhydryl groups. **J. Food Sci.** 64(1): 82-85.
- _____, A. Gennadios, M.A. Hanna, C.L. Weller and N. Kuroda. 1999b. Physical and molecular properties of egg white-lipid films, **J. Food Sci.** 64(5): 860-864.
- Hayakawa, S. and S. Nakai. 1985. Contribution of hydrophobicity, net charge and sulfhydryl groups to thermal properties of ovalbumin. **J. Can. Inst. Food Sci.** 18: 290-295.
- Herald, T.J., H.A. Hachmeister, S. Huang and J.R. Bowers. 1996. Corn zein packing materials for cooked turkey. **J. Food Sci.** 61: 415-417.
- Hirose, M., H. Oe and E. Doi. 1986. Thiol dependent gelation of egg white. **Agric. Biol. Chem.** 50: 59-64.
- Hullinger, C.H. 1965. Starch film and coating. **Cereal Sci. Today** 10(9): 508-510.

- Jangchud, A. 1997. **Development and Characterization of Edible Films and Coatings from Peanut Protein**. Ph.D. Dissertation. The University of Georgia, Georgia.
- Jangchud, A., P. Mallikarjunan, M.S. Chinnan and Y-Y Hao. 1999. Sorbic acid migration in an intermediate moisture food coated with peanut protein film. **Session No. 609. ASAE/CSAE Annual International Meeting**, July 18-22, 1999, Toronto, Canada.
- Kester, J.J. and O.R. Fennema. 1986. Edible films and coating: Review. **Food Technol.** 40(12): 47-59.
- _____. 1989. An Edible film of lipids and cellulose ether: performance in a model frozen-food system. **J. Food Sci.** 54(6): 1390-1392.
- Krochta, J.M. 2002. Proteins as raw materials for films and coatings: definitions, current status, and opportunities, pp. 1-32. *In* A. Gennaidios, ed. **Protein-Based Films and Coatings**. CRC Press, Boca Raton.
- Le Bot, Y. and P.A. Gouy. 1995. Polyols from strach, pp.155-177. *In* M.W. Kearsley and S.Z. Dziedzic, eds. **Handbook of Strach Hydrolysis Products and Their Derivatives**. Blackie Academic & Professional, New York.
- Labuza, T.P. and M.W. Breene. 1989. Application of “active packaging” for improvement of shelf life and nutritional quality of fresh and extended shelf-life foods. **J. Food Proc. Presev.** 13: 1-69.
- Li-Chan, E. and S. Nakai. 1989. Biochemical basis for the properties of egg white. *CRC Critical Reviews in Poultry Biology* 2:21-58.
- Lim, L-T., Y. Mine and M.A. Tung. 1998. Transglutaminase cross-linked egg white protein films : tensile properties and oxygen permeability. **J. Agric. Food Chem.** 46: 4022-4029.

- Mahmoud, R. and P.A. Savello. 1992. Mechanical properties of and water vapor transferability through whey protein films. **J. Dairy Sci.** 75: 942-946.
- Mathlouthi M. 1994. **Food Packaging and Preservation**. Glasgow: Blackie Academic & Professional, New York.
- McHugh, T.H. and J.M. Krochta. 1994a. Water vapor permeability properties of edible whey protein lipid emulsion films. **J. Amer. Oil Chem. Soc.** 71(3)
- _____. 1994b. Permeability properties of edible films, pp. 139-187. *In* J.M. Krochta, E.A. Baldwin and M.O. Nisperos-Carriedo, eds. **Edible Coatings and Films to Improve Food Quality**. Technomic Publishing Co., Inc., Lancaster.
- McHugh, T.H., J.-F. Aujard and J.M. Krochta. 1994. Plasticized whey protein edible films: water vapor permeability properties. **J Food Sci.** 59: 416-419, 423.
- Meier, L. 1990. Plasticizers, pp. 327-420. *In* R. Gächter and H. Müller, eds. **Plastic Additives**, 8th ed. Hanser Publ., New York.
- Mellan, I. 1961. Properties of plasticizer, pp. 1-25. *In* **The Behavior of Plasticizer**. Pergamon Press, New York.
- Miller, K.S. and J.M. Krochta. 1997. Oxygen and aroma barrier properties of edible films: review. **Trends Food Sci. & Technol.** 8: 228-237.
- Mine, Y. 1992. Sulfhydryl groups changes in heat-induced soluble egg white aggregates in relation to molecular size. **J. Food Sci.** 58:254-255.
- _____. 1995. Recent advances in the understanding of egg white protein functionality. **Trends in Food Sci & Technol.** 6: 225-232.

- _____, T. Noutomi and N. Haga. 1990. Thermally induced changes in egg white proteins. **J. Agric. Food Chem.** 38: 2122-2125.
- Park, H.J. and M. S. Chinnan. 1995. Gas and water vapor barrier properties of edible films from protein and cellulosic materials. **J. Food Eng.** 25: 497-507.
- _____, C.L. Weller, P.J. Vergano and R.E. Testin. 1993. Permeability and mechanical properties of cellulose-based edible films. **J. Food Sci.** 58: 1361-1364, 1370.
- _____, M.S. Chinnan and R.L. Shewfelt. 1994. Edible coating on storage life and quality of tomatoes. **J. Food Sci.** 59(3): 568-570.
- Pascat, B. 1985. **Study of Some Factor Affecting Permeability: Polymer Permeability.** Elsevier Appl. Sci. Publ., New York.
- Paton, C. 1972. Theories of plasticizer action, pp. 39-49. *In* P.D. Ritchie, S.W. Critchlet, A. Hill, eds. **Plasticizers, Stabilizers and Fillers.** Zliffe Books, Ltd., London.
- Piringer, O.-G. and A.L. Baner. 2000. **Plastic Packaging Materials for Food.** WILEY-VCH, Weinheim.
- Rayner M., V. Ciolfi, B. Maves, P. Stedman and G.S. Mittal. 2000. Development and application of soy-protein films to reduce fat intake in deep-fried foods. **J. Food Agric.** 80:777-782.
- Redl, A., M.W. Morel, J. Bonicel, B. Vergnes and S. Guilbert. 1999. Extrusion of wheat gluten plasticized with glycerol: influence of process conditions on flow behavior, rheological properties and molecular size distribution. **Cereal Chem.** 76: 361-370.

- Rico-Pena, D.C. and J.A. Torres. 1990. Oxygen transmission rate of and edible methylcellulose-palmitic acid film. **J. Food Pro. Eng.** 13: 125-133.
- Robertson, G.L. 1993. **Food Packaging: Principles and Practice**. Marcel Dekker, New York.
- Rooney, M.L. 1995. Edible Films and coating as active layers, pp. 110-142. *In* **Active Food Packaging**. Blackie Academic & Professional, London.
- Sahoo, J. and A.S.R. Anjaneyulu. 1997. Effect of natural antioxidants and vacuum packaging on the quality of buffalo meat nuggets during refrigerated storage. **Meat Sci.** 47: 223-230.
- Seymour, R.B. and C.E. Carraher, Jr. 1992. **Polymer Chemistry**. Marcel Dekker, Inc., New York.
- Shimotori, S., E. Kojima and R. Nakamura. 1984. Changes in the heat-induced gelling properties of ovalbumin during its conversion to s-ovalbumin. **Agric and Bio. Chem.** 48: 1529-1544.
- Stadelman, W.J. and O.J. Cotterill. 1995. **Egg Science and Technology**. 4th ed. Food Produce Press, New York.
- Talens, P. and J.M. Krochta. 2005. Plasticizing effects of beeswax and carnauba wax on tensile and water vapor permeability properties of whey protein films. **J. Food Sci.** 70: E329-E243.
- Thomazine, M., R.A. Carvalho and P.J.A. Sorbral. 2005. Physical properties of gelatin films plasticized by blends of glycerol and sorbitol. **J. Food Sci.** 70: E172-E176.
- Torres, J.A., C. Motoki and M. Karel. 1985. Microbial stabilization of intermediate moisture food surface. **J. Food Pro. Presev.** 9: 75-92.
- Vermeiren, L., F. Devlieghaere, M. van Beest, N. de Kruijf, and J. Debevere. 1999. Developments in the active packaging of foods. **Food Sci and Res.** 10: 77-86.

- Warner, R.C. 1954. Egg Protein. *In* H. Neurath and K. Bailey, eds. **The Proteins**. Academic Press, New York.
- Watt, I.C. 1983. The theory of water sorption by biological materials, pp.27-41. *In* R. Jowitt, F. Escher, B. Hallstrom, H.F.T. Meffert, W.E.L. Spicess and G. Vos, eds. **Physical Properties of Foods**. Appl. Sci. Publ., London.
- Windholz, M., S. Budvari, L.Y. Stromtsos and M.N. Fertig. 1976. **The Merck Index**. 9th ed. Merck & Co., Inc., New Jersey.
- Wu, Y., C.L. Weller, F. Hamouz, S. Cuppett and M. Schnepe. 2001. Moisture loss and lipid oxidation for precooked ground-beef patties packed in edible strach-alginate based composite films. **J. Food Sci.** 66(3): 486-493.