การวิจัยครั้งนี้มีวัตถุประสงค์เพื่อศึกษาการให้คำปรึกษาแบบกลุ่มเพื่อพัฒนาการเห็นคุณค่า ในตนเองของนักเรียนที่มีปัญหาด้านพฤติกรรม กลุ่มตัวอย่างที่ใช้ในการวิจัยในครั้งนี้ คือ นักเรียน ในชั้นมัธยมศึกษาปีที่ 2 โรงเรียนอรุโณทัย จังหวัดลำปาง ภาคการศึกษาที่ 1 ปีการศึกษา 2550 จำนวน 20 คน แบ่งเป็นกลุ่มทคลอง 10 คน และกลุ่มควบคุม 1 คน กลุ่มทคลองได้รับการให้ คำปรึกษาแบบกลุ่ม จำนวน 10 ครั้ง ๆ ละ 1 - 1½ ชั่วโมง ติดต่อกัน เป็นเวลา 5 สัปคาห์ โดยผู้วิจัย เป็นผู้นำกลุ่ม ส่วนกลุ่มควบคุมให้คำเนินการเรียนตามปกติ เครื่องมือที่ในการวิจัยได้แก่ แบบวัด การเห็นคุณค่าในตนเอง และโปรแกรมการให้คำปรึกษาแบบกลุ่ม เก็บข้อมูลด้วยการทำแบบวัดการ เห็นคุณค่าในตนเองก่อนและหลังการทคลองทั้งสองกลุ่ม ผลการวิจัยพบว่า ภายหลังการทคลอง นักเรียนที่เข้าร่วมการให้คำปรึกษาแบบกลุ่มมีการเห็นคุณค่าในตนเองแตกต่างกว่าก่อนการให้ คำปรึกษาแบบกลุ่ม และนักเรียนที่เข้าร่วมการให้คำปรึกษาแบบกลุ่ม และนักเรียนที่ไม่ได้เข้าร่วมการให้คำปรึกษาแบบกลุ่ม และนักเรียนที่ไม่ได้เข้าร่วมการให้คำปรึกษาแบบกลุ่ม และนักเรียนที่ไม่ได้เข้าร่วมการให้คำปรึกษาแบบกลุ่ม และนักเรียนที่ไม่ได้เข้าร่วมการให้คำปรึกษาแบบกลุ่ม และนักเรียนกลุ่มทคลองมีการ เปลี่ยนแปลงของคะแนนการเห็นคุณค่าในตนเองสูงกว่ากลุ่มควบคุม

194720

This independent study was to examine group counseling for developing self-esteem of students with conduct disorder problems. The sample comprised 20 Mathayom Suksa 2 Students enrolled in Arunothai School Lampang in the first semester of the 2007 academic year, who were divided into two groups – experimental and control groups with 10 students each. The former was exposed to 10 one to one and a half hour long group counseling sessions for five consecutive weeks led by the researcher. The control group engaged in their study as usual. Pretest and posttest were administered with the subjects in both groups. Research instruments included self-esteem and group counseling program. It was found that experimental group students' pre-and post test scores on self-esteem differ. Post-experiment self-esteem test score of experimental and control groups differ. Experimental group students self-esteem gained scores were significantly higher than those of the control group.