

เอกสารอ้างอิง

(References)

- Ackermann, H.W. 2003. Bacteriophage observations and evolution. *Res Microbiol* 154: 245-251.
- Adams, M.H. 1959. Bacteriophages. Interscience Publishers, Inc., New York.
- Anderson, D.G. and McKay, L.L. 1983. Simple and rapid method for isolating large plasmid DNA from lactic streptococci. *Appl Environ Microbiol* 46: 549-552.
- Axelsson, L. 1998. Lactic acid bacteria : Classification and physiology. In: Lactic Acid Bacteria: Microbiology and Functional Aspects. S. Salminen and A. von Wright (Eds.), 2nd ed, pp. 1-72. Marcel Dekker Inc., New York.
- Barrangou, R., Yoon, S.S., Breidt, F., Fleming, H.P. and Klaenhammer, T.R. 2002. Characterization of six *Leuconostoc fallax* bacteriophages isolated from an industrial sauerkraut fermentation. *Appl Environ Microbiol* 68: 5452-5458.
- Bowes, J.M. and Dowell, C.E. 1974. Purification and some properties of bacteriophage ST-1. *J Viro* 1974: 53-61.
- Braun, V., Hertwig, S., Neve, H., Geis, A. and Teuber, M. 1989. Taxonomic differentiation of bacteriophages of *Lactococcus lactis* by electron microscopy, DNA-DNA hybridization, and protein profiles. *J Gen Microbiol* 135: 2551-2560.
- Buchman, G.W., Banerjee, S. and Hansen, J.N. 1988. Structure, expression and evolution of a gene encoding the precursor of nisin, a small protein antibiotic. *J Biol Chem* 263: 16260-16266.
- Caplice, E. and Fitzgerald, G.F. 1999. Food fermentations: role of microorganisms in food production and preservation. *Int J Food Microbiol* 50: 131-149.
- Capra, M.L., Quiberoni, A., Ackerman, H.W., Moineau, S. and Reinheimer, J.A. 2006a. Characterization of new virulent phage (MLC-A) of *Lactococcus paracasei*. *J Dairy Sci* 89: 2414-2423.
- Capra, M.L., Quiberoni, A. and Reinheimer, J.A. 2006b. Phages of *Lactobacillus casei* / *paracasei*: Response to environmental factors and interaction with collection and commercial strains. *J Appl Microbiol* 100: 334-342.
- Caso, J.L., De Los Reyes-Gavilan, C.G., Herrero, M., Montilla, A., Rodriguez, A., Suarez, J.E. 1995. Isolation and characterization of temperate and virulent bacteriophage of *Lactobacillus plantarum*. *J Dairy Sci* 78: 741-750.

- Chakrabarti, A.K., Ghosh, A.N., Balakrish Nair, G., Niyogi, S.K., Bhattacharya, S.K. and Sarkar, B.L. 2000. Development and evaluation of a phage typing scheme for *Vibrio cholerae* O139. *J Clin Microbiol* 38: 44-49.
- Chang, H.-C., Chen, C.-R., Lin, J.-W., Shen, G.-H., Chang, K.-M., Tseng, Y.-H., Weng, S.-F. 2005. Isolation and characterization of novel giant *Stenotrophomonas maltophilia* phage ϕ SMA5. *Appl Environ Microbiol* 71: 1387-1393.
- Coffey, A., Coakley, M., McGarry, A., Fitzgerald, G.F. and Ross, R.P. 1998. Increasing phage resistance of cheese starters: a case study using *Lactococcus lactis* DPC4268. *Lett Appl Microbiol* 26: 51-55.
- Daeschel, M.A. 1989. Antimicrobial substances from lactic acid bacteria for use as food preservatives. *Food Tech* 43: 164-167.
- Daeschel, M.A., McKenney, M.C. and McDonald, L.C. 1990. Bactericidal activity of *Lactobacillus plantarum* C-11. *Food Microbiol* 7: 91-98.
- Deutsch, S-M., Ferain, T., Delcour, J. and Lortal, S. 2002. Lysis of lysogenic strains of *Lactobacillus helveticus* in Swiss cheeses and first evidence of concomitant *Streptococcus thermophilus* lysis. *Int Dairy J* 12: 591-600.
- Deveau, H., Labrie, S.J., Chopin, M.C. and Moineau, S. 2006. Biodiversity and classification of lactococcal phages. *Appl Environ Microbiol* 72: 4338-4346.
- De Vuyst, L. and Vandamme, E.J. 1993. Lactic acid bacteria and bacteriocin: their practical importance. In: *Bacteriocins of Lactic Acid Bacteria*. L. De Vuyst and E.J. Vandamme (Eds.) pp. 1-12. Blackie Academic & Professional, California.
- Doi, K., Zhang, Y., Nishizaki, Y., Umeda, A., Ohmomo, S. and Ogata, S. 2003. A comparative study and phage typing of silage-making *Lactobacillus* bacteriophages. *J Biosci Bioengineer* 95: 518-525.
- Ellis, E.L. and Delbruck, M. 1939. The growth of bacteriophage. *J Gen Physiol* 22: 365-384.
- Fernandez de Palencia, P., Nieto, C., Acebo, P., Espinosa, M. and Lopez, P. 2000. Expression of green fluorescent protein in *Lactococcus lactis*. *FEMS Microbiol Lett* 183: 229-234.
- Forde, A. and Fitzgerald, F.G. 1999. Bacteriophage defence systems in lactic acid bacteria. *Antonie van Leeuwenhoek* 76: 89-113.
- Gory, L., Montel, M-C. and Zagorec, M. 2001. Use of green fluorescent protein to monitor *Lactobacillus sakei* in fermented meat products. *FEMS Microbiol Lett* 194: 127-133.

- Greer, G.G., Dilts, B.D. and Ackermann, H.W. 2007. Characterization of a *Leuconostoc gelidum* bacteriophage from pork. *Int J Food Microbiol* 114: 370-375.
- Holo, H. and Nes, I.F. 1989. High-frequency transformation, by electroporation, of *Lactococcus lactis* subsp. *cremoris* grown with glycine in osmotically stabilized media. *Appl Environ Microbiol* 55: 3119-3123.
- Huang, J.C. and Starr, M.P. 1973. Effect of calcium and magnesium ions and host viability on growth of bdellovibrios. *Antonie van Leeuwenhoek* 39: 151-167.
- Hunter, G.J.E. and Whitehead, H.R. 1940. The action of chemical disinfectants on bacteriophages for the lactic streptococci. *J Dairy Res* 11: 62-66.
- Itoh, T., Fujimoto, Y., Kawai, Y., Toba, T. and Saito, T. 1995. Inhibition of food-borne pathogenic bacteria by bacteriocin from *Lactobacillus gasseri*. *Lett Appl Microbiol* 21: 137-141.
- Jack, R.W., Tagg, J.R. and Ray, B. 1995. Bacteriocins of gram positive bacteria. *Microbiol Rev* 59: 171-200.
- Josephsen, J., Petersen, A., Neve, H. and Nielsen, E.W. 1999. Development of lytic *Lactococcus lactis* bacteriophages in a cheddarcheese plant. *Int J Food Microbiol* 50: 163-171.
- Kenny, J.G., McGrath, S., Fitzgerald, G.F. and van Sinderen, D. 2004. Bacteriophage Tuc2009 encodes a tail-associated cell wall-degrading activity. *J Bacteriol* 186: 3480-3491.
- Keogh, B.P. 1973. Adsorption, latent period and burst size of phages of some strains of lactic streptococci. *J Dairy Res* 40: 303-309.
- Klaenhammer, T.R. 1993. Genetics of bacteriocins produced by lactic acid bacteria. *FEMS Microbiol Rev* 12: 39-86.
- Kotsonis, S.E., Powell, I.B., Pillidge, C.J., Limsowtin, G.K.Y., Hillier, A.J. and Davidson, B.E. 2008. Characterization and genomic analysis of phage ascc ϕ 28, a phage of the family *Podoviridae* infecting *Lactococcus lactis*. *Appl Environ Microbiol* 74: 3453-3460.
- Leroy, F. and De Vuyst, L. 2004. Lactic acid bacteria as functional starter cultures for the food fermentation industry. *Trends Food Sci & Technol* 15: 67-78.
- Lu, Z., Breidt, Jr. F., Fleming, H.P., Altermann, E. and Klaenhammer, T.R. 2003. Isolation and characterization of a *Lactobacillus plantarum* bacteriophage, ϕ JL-1, from a cucumber fermentation. *Int J Food Microbiol* 84: 225-235.

- Medigan, M.T., Martinko, J.M. and Parker, J. 1997. Brock Biology of Microorganisms. Prentice Hall, Inc. New Jersey.
- Moineau, S., Borkaev, M., Holler, B.J., Walker, S.A., Kondo, J.K., Vedamuthu, E.R. and Vandenberg, P.A. 1996. Isolation and characterization of lactococcal bacteriophages from cultured buttermilk plants in the United States. J Dairy Sci 79: 2104-2111.
- Montville, T.J. and Kaiser, A.L. 1993. Antimicrobial proteins: classification, nomenclature, diversity, and relationship to bacteriocins. In: Bacteriocins of Lactic Acid Bacteria. L.G. Hoover and L.R. Steenson (Eds.), pp 1-22. Academic Press, Inc. California.
- Petersen, A., Josephsen, J. and Johnsen, M.G. 1999. TPW22, a lactococcal temperate phage with a site-specific integrase closely related to *Streptococcus thermophilus* phage integrases. J Bacteriol 181: 7034-7042.
- Phumkhachorn, P., Rattanachaikunsopon, P. and Khunsook S. 2007. Use of the *gfp* gene in monitoring bacteriocin-producing *Lactobacillus plantarum* N014, a potential starter culture in nham fermentation. J Food Prot 70: 419-424.
- Quiberoni, A., Guglielmotti, D.M. and Reinheimer, J.A. 2003a. Inactivation of *Lactobacillus delbrueckii* bacteriophages by heat and biocides. Int J Food Microbiol 84: 51-62.
- Quiberoni, A., Auad, L., Binetti, A.G., Suarez, V.B., Reinheimer, J.A. and Raya, R.R. 2003b. Comparative analysis of *Streptococcus thermophilus* bacteriophages isolated from yogurt industrial plant. Food Microbiol 20: 461-469.
- Quiberoni, A., Guglielmotti, D., Binetti, A. and Reinheimer, J. 2004. Characterization of three *Lactobacillus delbrueckii* subsp. *bulgaricus* phages and the physicochemical analysis of phage adsorption. J Appl Microbiol 96: 340-351.
- Sakaki, Y. and Oshima, T. 1975. Isolation and characterization of a bacteriophage infectious to an extreme thermophile, *Thermus thermophilus* HB8. J Virol 15: 1449-1453.
- Stevens, K.A., Sheldon, B.W., Klapes, N.A. and Klaenhammer, T.R. 1992. Effect of treatment conditions on nisin inactivation of gram-negative bacteria. J Food Prot 55: 763-766.
- Tahara, T. and Kanatani, K. 1996. Isolation, partial characterization and mode of action of acidocin J 1229, a bacteriocin produced by *Lactobacillus acidophilus* JCM 1229. J Appl Bacteriol 81: 669-677.

- Vegge, C.S., Brondsted, L., Neve, H., Mc Grath, S., van Sinderen, D. and Vogensen, F.K. 2005. Structural characterization and assembly of the distal tail structure of the temperate lactococcal bacteriophage TP901-1. *J Bacteriol* 187: 4187-4197.
- Watanabe, K., Takesue, S., Jin-Nai, K. and Yoshikawa, T. 1970. Bacteriophage active against the lactic acid beverage-producing bacterium *Lactobacillus casei*. *Appl Microbiol* 20: 409-415.
- Watanabe, K. and Takesue, S. 1972. The requirement for calcium in infection with *Lactobacillus* phage. *J Gen Viro* 17: 19-30.
- West, C.A. and Warner, P.J. 1988. Plantaricin B, a bacteriocin produced by *Lactobacillus plantarum* NCDO 1193. *FEMS Microbiol Lett* 49: 163-165.
- Whitehead, H.R. and Cox, G.A. 1935. The occurrence of bacteriophage in cultures of lactic streptococci. *NZ J Dairy Sci Technol* 16: 319-320.
- Yoon, S.S., Shin, Y.J., Her, S., Oh, D.H. 1997. Isolation and characterization of the *Lactobacillus plantarum* bacteriophage SC921. *Korean J Appl Microbiol Biotechnol* 25: 96-101.
- Yoon, S.S., Kim, J.W., Breidt, F. and Fleming, H.P. 2001. Characterization of a lytic *Lactobacillus plantarum* bacteriophage and molecular cloning of a lysin gene in *Escherichia coli*. *Int J Food Microbiol* 65: 63-74.
- Yoon, S.S., Barrangou-Pouey, R., Breidt, F., Klaenhammer, T.R. and Fleming, H.P. 2002. Isolation and characterization of bacteriophages from fermenting sauerkraut. *Appl Environ Microbiol* 68: 973-976.