

ความเจ็บป่วยจากโรคมะเร็ง และภาวะแทรกซ้อนจากการรักษาที่เกิดขึ้นกับเด็ก ส่งผลกระทบต่อร่างกาย จิตใจ อารมณ์ของผู้ปกครอง โดยเฉพาะเมื่อต้องดูแลเด็กโรคมะเร็งที่บ้าน การวิจัยครั้งนี้มีวัตถุประสงค์เพื่อ ศึกษาความต้องการของผู้ปกครองที่ดูแลเด็กโรคมะเร็งที่บ้าน กลุ่มตัวอย่างที่ศึกษา คือ ผู้ปกครองเด็กโรคมะเร็งอายุต่ำกว่า 15 ปี ที่เข้ารับการรักษามหาวิทยาลัยเชียงใหม่ ระหว่างเดือนมีนาคม ถึงเดือนพฤษภาคม พ.ศ. 2547 จำนวน 80 ราย เลือกกลุ่มตัวอย่างแบบเฉพาะเจาะจง เครื่องมือที่ใช้ในการรวบรวมข้อมูล คือ แบบบันทึกข้อมูลส่วนบุคคลสำหรับเด็กและผู้ปกครองและแบบสัมภาษณ์ความต้องการของผู้ปกครองเด็กโรคมะเร็งที่บ้าน ซึ่งผ่านการตรวจสอบความเที่ยงตรงทางด้านเนื้อหา โดยผู้ทรงคุณวุฒิ และทดสอบหาค่าความเชื่อมั่นใช้วิธี หาค่าสัมประสิทธิ์ อัลฟา ครอนบาค ได้ค่าความเชื่อมั่นโดยรวมเท่ากับ .97 วิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา ผลการวิจัยสรุปได้ดังนี้

ผู้ปกครองเด็กโรคมะเร็งส่วนใหญ่ (ร้อยละ 80) มีความต้องการโดยรวมในระดับมาก เมื่อพิจารณารายด้าน พบว่า ผู้ปกครองมีความต้องการระดับมากเรียงตามลำดับจากมากไปน้อย ดังนี้ ด้านข้อมูลการดูแล (ร้อยละ 80) ด้านจิตใจ (ร้อยละ 76.2) ด้านแหล่งช่วยเหลือสนับสนุน (ร้อยละ 71.2) ด้านสังคม (ร้อยละ 66.2) ด้านจิตวิญญาณ (ร้อยละ 61.2) ด้านบทบาทการเป็นผู้ปกครอง (ร้อยละ 52.5) และด้านร่างกายส่วนใหญ่มีความต้องการระดับปานกลาง (ร้อยละ 57.5)

ผลการวิจัยครั้งนี้เป็นแนวทางให้พยาบาลตระหนักถึงความสำคัญของการประเมินความต้องการของผู้ปกครองที่บ้าน เพื่อใช้ในการวางแผนการให้การพยาบาล และตอบสนองความต้องการได้สอดคล้องกับความต้องการของผู้ปกครอง การศึกษาต่อไปควรเปรียบเทียบความต้องการที่บ้านระหว่างผู้ปกครองและการรับรู้ของพยาบาล รวมทั้งความสัมพันธ์ระหว่างปัจจัยที่มีผลต่อความต้องการของผู้ปกครองเด็กโรคมะเร็ง

ABSTRACT

TE 158740

Cancer in childhood and its treatment has physical, psychological and emotional impacts on parents, especially when they have to care for their child at home. The purpose of this study was to ascertain the needs of parents caring for children with cancer at home. The studied sample was 80 parents of children with cancer (aged under 15 years) admitted to Maharaj Nakorn Chiang Mai Hospital from March to May 2004. The sample was chosen by purposive sampling. Data was collected using two instruments; the Demographic Data Form of parents and children, and the Needs Scale of parents of children with cancer. The instruments were validated for content validity by experts. The reliability of Needs Scale of parents of children with cancer using Cronbach's alpha coefficient was .97. The data was analyzed using descriptive statistics. The findings of this study were as follow:

The majority of parents of children with cancer (80%) have overall needs at the high level. For each dimension of the needs, parents reported a high level, including information needs (80%), psychological needs (76.2%), supportive needs (71.2%), social needs (66.2%), spiritual needs (61.2%), and parental role (52.5%). Parents reported their physical needs to be at a moderate level (57.5%).

The results of the study suggest that nurses should aware of the importance of assessing the needs of parents of child cancer patients when they are being looking after at home. Appropriate nursing care responding to parents needs can then be developed. Further studies on the comparison between parents' needs and nurses' perception of parents' needs are suggested. In addition, studies on relationships between factors influencing the needs of parents of cancer children should be carried out.