

โรคมะเร็งและการรักษาส่งผลกระทบอย่างมากต่อเด็กวัยรุ่นโรคมะเร็งทั้งด้านร่างกาย จิตใจอารมณ์และสังคม ซึ่งสะท้อนให้เห็นถึงความต้องการของเด็กวัยรุ่นโรคมะเร็งที่ควรได้รับการดูแลและการตอบสนองจากพยาบาล แต่ยังไม่พบรายงานการศึกษาความต้องการของเด็กวัยรุ่นโรคมะเร็ง การวิจัยครั้งนี้จึงมีวัตถุประสงค์เพื่อศึกษาความต้องการของเด็กวัยรุ่นโรคมะเร็งตามการรับรู้ของตนเองและของพยาบาล โดยศึกษาในกลุ่มตัวอย่างเด็กวัยรุ่นโรคมะเร็งอายุ 10 – 16 ปี ที่เข้ารับการรักษาในหอผู้ป่วยกุมารเวชกรรม โรงพยาบาลมหาราชนครเชียงใหม่ และโรงพยาบาลพุทธชินราช ระหว่างเดือนสิงหาคม – ตุลาคม พ.ศ. 2543 จำนวน 30 ราย และพยาบาลวิชาชีพที่ปฏิบัติงานในหอผู้ป่วยกุมารเวชกรรมของโรงพยาบาลดังกล่าว ที่มีประสบการณ์การดูแลผู้ป่วยเด็กวัยรุ่นโรคมะเร็งจำนวน 13 ราย เครื่องมือที่ใช้ในการรวบรวมข้อมูลประกอบด้วย แบบบันทึกข้อมูลส่วนบุคคล แบบสัมภาษณ์ความต้องการของเด็กวัยรุ่นโรคมะเร็งตามการรับรู้ของตนเอง และแบบสอบถามความต้องการของเด็กวัยรุ่นโรคมะเร็งตามการรับรู้ของพยาบาล ข้อมูลที่ได้นำมาวิเคราะห์โดยใช้สถิติพรรณนา สถิติเมาน์วินัย-ยู ผลการวิจัยมีดังนี้

เด็กวัยรุ่นโรคมะเร็งส่วนใหญ่ มีความต้องการโดยรวม ความต้องการด้านร่างกาย ด้านจิตใจ อารมณ์และสังคมอยู่ในระดับสูง (ร้อยละ 86.67 86.67 90 และ 76.67 ตามลำดับ) พยาบาลทุกคน (ร้อยละ 100) รับรู้ว่าเด็กวัยรุ่นโรคมะเร็งมีความต้องการโดยรวม ด้านร่างกาย และด้านจิตใจอารมณ์อยู่ในระดับสูง และพยาบาลเกือบทั้งหมด (ร้อยละ 92.31) รับรู้ว่า เด็กวัยรุ่นโรคมะเร็งมีความต้องการด้านสังคมอยู่ในระดับมาก ความต้องการโดยรวมและความต้องการด้านร่างกายของเด็กวัยรุ่นโรคมะเร็งตามการรับรู้ของตนเองและของพยาบาลมีความแตกต่างกันอย่างมีนัยสำคัญที่ระดับ .05

ผลการศึกษาครั้งนี้ชี้แนะให้พยาบาลเข้าใจและตระหนักถึงความต้องการของเด็กวัยรุ่นโรคมะเร็งและความแตกต่างระหว่างการรับรู้ความต้องการของเด็กวัยรุ่นโรคมะเร็งและพยาบาล เพื่อให้การพยาบาลที่ตอบสนองความต้องการของเด็กวัยรุ่นโรคมะเร็งได้อย่างเหมาะสมต่อไป

Abstract

TE 141110

Cancer and its treatment has serious physical, psycho-emotional and social on adolescents with cancer reflecting their needs to be responded by nurses. However, no related study is reported. The purpose of this study was to describe and compare needs of adolescents with cancer as perceived by themselves and by nurses. The purposive samples were 30 adolescents cancer aged 10-16 years admitted in pediatric wards of caring, Maharaj Nakorn Chaing Mai and Buddhachinaraj Hospitals during August to October 2000, and 13 registered nurses working in those pediatric wards and had experiences in caring for adolescents with cancer at least 1 year. Instruments consisted of Needs Scales of Adolescent with Cancer for Adolescents and Nurses. Data were analyzed by using descriptive statistics and Man-Whitney U test.

The results of this study revealed that the majority of the adolescents with cancer (86.67 %) had overall needs as well as physical, psycho-emotional and social needs at a high level (86.67%, 86.67%, 90%, 76.67% respectively). All nurses (100%) perceived that adolescents with cancer had overall, physical and psycho-emotional needs at a high level. The majority nurses (92.31%) perceived that social needs of the adolescents were at a high level. In addition, overall and physical needs of adolescents with cancer as perceived by themselves and nurses were significant differences at the level of .05.

The results of the study suggest that nurses should understand adolescent cancer's needs and be aware of the differences between adolescent cancer's needs as perceived by themselves and nurses in order to provide appropriate nursing care.