

บรรณานุกรม

1. คมสัน หุตะแพทย์, น้ำมันรำข้าวคุณค่าดอง. เกษตรกรรมธรรมชาติ ฉบับที่ 4. 2550: 28-36.
2. งานทะเบียนมะเร็ง สถาบันมะเร็งแห่งชาติ กรมการแพทย์ กระทรวงสาธารณสุข (2551). สถิติโรคมะเร็งประจำปี พ.ศ.2550. สถาบันมะเร็งแห่งชาติ: กรุงเทพมหานคร
3. วีรพล คู่คงวิริยพันธุ์, เคมีป้องกัน: กลไกการป้องกันของยาและสารจากธรรมชาติ. ศรีนครินทร์เวชสาร. 2005; 20(3): 164-173.
4. ศูนย์หัวใจสิริกิติ์ ภาคตะวันออกเฉียงเหนือ มหาวิทยาลัยขอนแก่น 2555 เรื่อง “รำข้าวบำรุงสุขภาพ” วันที่ค้นข้อมูล 10 สิงหาคม พ.ศ.2555 จากศูนย์หัวใจสิริกิติ์ ภาคตะวันออกเฉียงเหนือ มหาวิทยาลัยขอนแก่น เว็บไซต์: <http://www.heart.kku.ac.th>
5. Boonsit, P., Pongpiachan, P., Julsrigival, S., Karladee, D. Gamma-oryzanol content in glutinous purple rice landrace varieties. *CMU Journal of Natural Science*. 2010; 9 (1): 151-157.
6. Bradford, M.M. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*. 1976; 72: 248-254.
7. Burney, S., Caulfield, J.L., Niles, J.C., Wishnok, J.S., Tannenbaum, S.R. The chemistry of DNA damage from nitric oxide and peroxynitrite. *Mutation Research/Fundamental and Molecular Mechanism of Mutagenesis*. 1999; 424: 37-49.
8. Butsat, S., Siriamornpun, S. Antioxidant capacities and phenolic compounds of the husk, bran and endosperm of Thai rice. *Food Chemistry*. 2010; 119(2): 606-613.
9. Cheng, G., An, F., Zou, M. J., Sun, J., Hao, X. H., He, Y. X. Time- and pH-dependent colon-specific drug delivery for orally administered diclofenac sodium and 5-aminosalicylic acid. *World Journal of Gastroenterology*. 2004; 10(12): 1769-1774.
10. Chen, c., Kong, A. N. Dietary Chemopreventive compounds and ARE/EpRE signaling. *Free Radical Biological Medicine*. 2004; 36: 1505-1516.
11. Chun, K. S., Surh, Y. J. Signal transduction pathways regulating cyclooxygenase-2 expression: potential molecular targets for chemoprevention. *Biochemical Pharmacology*. 2004; 68: 1089-1100.
12. Church, R. D., Fleshman, J. W., McLeod, H. L., Cyclo-oxygenase 2 inhibition in colorectal cancer therapy. *British Journal of Surgery*. 2003; 90: 1055-1067.

13. Cuzzocrea, S., Mazzon, E., Serraino, I., Lepore, V., Terranova, M.L., Ciccolo, A., Caputi, A.P. Melatonin reduce dinitrobenzene sulfonic acid-induced colitis. *Journal of Pineal Research*. 2001; 30(1)
14. Diack, M. and Saska, M. Separation of vitamin E and γ -oryzanol from rice bran oil by normal phase chromatography. *Journal of the American Oil Chemists' Society*. 1994; 71: 1211–1217.
15. Eberhart, C. E., Coffey, R. J., Radhika, A., Giardiello, F. M., Ferrenbach, S., DuBois, R. N. Up-regulation of cyclo-oxygenase 2 gene expression in human colorectal adenomas and adenocarcinomas. *Gastroenterology*. 1994; 107:1183–1188.
16. Evershed, R.P., Spooner, N., Prescott, M.C., Goad, L.J. Isolation and characterization of intact sterol ferulates from seeds. *Journal of Chromatography A*. 1988; 440: 23–35.
17. Giercksky, K. E. COX-2 inhibition and prevention of cancer. *Best practice & research clinical gastroenterology*. 2001; 15: 821–833.
18. Guengerich, F. P. Metabolic activation of carcinogens. *Pharmacol Ther*. 1992; 54: 17–61.
19. Hawk, E., Lubert, R., Limburg, P. Chemoprevention in hereditary colorectal cancer syndrome. *Cancer*. 1999; 86: 2551–2563.
20. Hein, D. W., Rustan, T. D., Doll, M. A., Bucker, K. D., Ferguson, R. J., Feng, Y. Acetyltransferase and susceptibility to chemicals. *Toxicology Letter*. 1992; 64–65: 123–130.
21. Hong, C. H., Hur, S. K., Oh, O. J., Kim, S. S., Nam, K. A., Lee, S. K. Evaluation of natural products on inhibition of inducible cyclooxygenase (COX-2) and nitric oxide synthase (iNOS) in cultured mouse macrophage cells. *Journal of Ethnopharmacology*. 2002; 83: 153–159.
22. Hu, C., Zawistowski, J., Ling, W., Kitts, D.D. Black rice (*Oryza sativa* L. *indica*) pigmented fraction suppresses both reactive oxygen species and nitric oxide in chemical and biological model systems. *Journal of Agricultural and Food Chemistry*. 2003; 51: 5271–5277.
23. Khuwijitjaru, P., Taengtieng, N., Changprasit, S. Degradation of gamma-oryzanol in rice bran oil during heating: an analysis using derivative UV-spectrophotometry. *Silpakorn University International Journal*. 2008; 4 (1–2): 154–165.

24. Khuwijitjaru, P., Yuenyong, T., Pongsawatmanit, R., Adachi, S. Degradation kinetics of gamma-oryzanol in antioxidant-stripped rice bran oil during thermal oxidation. *Journal of Oleo Science*. 2009; 58 (10): 491–497.
25. Kim, H. P., Son, K. H., Chang, H. W., Kang, S. S. Anti-inflammatory plant flavonoids and cellular action mechanisms. *Journal of Pharmacological Sciences*. 2004; 96: 229–245.
26. Krishna, A.G.G., Khatoon, S., Shela, P.M., Sarmandal, C.V., Indira, T.N., Mishra, A. Effect of refining of crude rice bran oil on the retention of oryzanol in the refined oil. *Journal American Oil Chemist's Society*. 2001; 78: 127–131.
27. Kwak, D.W., Wakabayashi, N., Kensler, T. W. Chemoprevention through the keap1–Nrf2 signaling pathway by phase 2 enzyme inducer. *Mutation Research*. 2004; 555: 133–148.
28. Lai, P., Li, K. Y., Lu, S., Chen, H. H. Phytochemicals and antioxidant properties of solvent extracts from *Japonica* rice bran. *Food Chemistry*. 2009; 117: 538–544.
29. Leopold, C. S. Coated Dosage Forms for Colon-specific Drug Delivery, PSTT 1999, 2(5), 197–204.
30. Martinez, M., Amidon, G., Clarke, L., Jones, W. W., Mitra, A., Riviere, J. Applying the biopharmaceutical classification system to veterinary pharmaceutical products. Part II. Physiological considerations. *Advanced Drug Delivery Reviews*. 2002; 54: 825–850.
31. McCaskill, D.R. and Zhang, F. Use of rice bran oil in food. *Food Technology*. 1999; 53(2): 50–53.
32. Murphy, S. Production of nitric oxide by glial cell: regulation and potential roles in CNS. *Glia*. 2000; 1: 1–13.
33. Nakagawa, T. and Yokozawa, T. Direct scavenging of nitric oxide and superoxide by green tea. *Food Chemistry and Toxicology*. 2002; 40(12): 1745–1750.
34. Nakasaka, R., Chotimarkorn, C., Shafiqul, I. M., Hori, Masatoshi, H., Ozaki, H., Ushio, H. Anti-inflammatory effects of hydroxycinnamic acid derivatives. *Biochemical and Biophysical Research Communications*. 2007; 358: 615–619.
35. Norton, R.A. Quantitation of steryl ferulate and p-coumarate esters from corn and rice bran. *Lipids*. 1995; 30: 269–274.
36. Rogers, E.J., Rice, S.M., Nicolosi, R.J., Carpenter, D.R., McClelland, C.A., Romanczyk Jr., L.J. Identification and quantitation of γ -oryzanol components and simultaneous

- assessment of tocopherols in rice bran oil. *Journal of Agricultural and Food Chemistry*. 1993; 70(3): 301–307.
37. Rosenberg, M. and Sheu, T. Y. Microencapsulation of volatiles by spray-drying in whey protein-based wall systems. *International Dairy Journal*. 1996; 6(3): 273–284.
 38. Rubinstein, A. Chapter 1: Gastrointestinal Anatomy, Physiology and Permeation Pathways. In: ElkaTouitou, Brian W. Barry, Enhancement in Drug Delivery, London, 2007, CRC Press Tylor & Francis Group.
 39. Saenjum, C., Chaiyasut, C., Chansakaow, S., Suttajit, M., Sirithunyalug, B. Antioxidant and anti-inflammatory activities of gamma-oryzanol rich extracts from Thai purple rice bran. *Journal of Medicinal Plants Research*. 2012; 6(6): 1070–1077.
 40. Sayre, B. and Saunders, R. Rice bran and rice bran oil. *Lipid Technology*. 1990; 2: 72–76.
 41. Schellekens, R.C.A., Stellaard, F., Mitrovic, F.E., Stuurman, J.G.W., Kosterink, H.W. Frijlink. Pulsatile drug delivery to ileo-colonic segments by structured incorporation of disintegrants in pH-responsive polymer coatings, *Journal of Controlled Release*. 2008, 132, 91–98.
 42. Seetharamaiah G.S. and Prabhakar J.V. Oryzanol content of Indian rice bran oil and its extraction from soap stock. *Journal Food Science and Technology*. 1986; 23: 270–273.
 43. Seitz L.M. Stanol and sterol esters of ferulic and *p*-coumaric acids in wheat, corn, rye, and triticale. *Journal of Agricultural and Food Chemistry*. 1989; 37: 662–667.
 44. Sheehan, K. M., Sheahan, K., O'Donoghue, D. P., MacSweeney, F., Conroy, R. M., Fitzgerald, D. J., et al. The relationship between cyclooxygenase-2 expression and colorectal cancer. *JAMA*. 1999; 282: 1254–1257.
 45. Sreejayan and Rao, M.N.A. Nitric oxide scavenging by curcuminoids. *Journal of Pharmacy and Pharmacology*. 1997; 49: 105–107.
 46. Surh, Y. J. Cancer chemoprevention with dietary phytochemicals. *Nature Reviews Cancer*. 2003; 3: 768–780.
 47. Surh, Y. J. Anti-tumor promotion potential of selected spice ingredients with antioxidative and anti-inflammatory activities: a short review. *Food and Chemical Toxicology*. 2002; 40: 1091–1097.

48. Surh, Y. J., Han, S. S., Keum, Y. S., Seo, H. J., Lee, S. S. Inhibitory effects of curcumin and capsaicin on phorbol ester-induced activation of eukaryotic transcription factors, NF- κ B and AP-1. *Biofactors*. 2000; 12: 107–112.
49. Verschoye, R. D., Greaves, P., Cai, H., Edwards, R. E., Steward, W.P., Gescher, A. J. Evaluation of the cancer chemopreventive efficacy of rice bran in genetic mouse models of breast, prostate and intestinal carcinogenesis. *British Journal of Cancer*. 2007; 96: 248–254.
50. Xu, Z. and Godber, J. S. Purification and identification of components of γ -oryzanol in rice bran. *Journal of Agricultural Food Chemistry*. 1999; 47: 2724–2728.
51. Xu, Z. and Godber, J. S. Comparison of supercritical fluid extraction and solvent extraction methods in extracting γ -oryzanol from rice bran. *Journal of American Oil Chemist's Society*. 2000; 77(5): 547–551.
52. Yang, L., Chu, J., Fix, J. Colon-specific drug delivery: New approaches and in vitro/ in vivo evaluation. *International Journal of Pharmaceutics*. 2002; 235: 1–15.
53. Yamazaki, R. T., Kusunoki, N., Matsuzuki, T., Hashimoto, S. Selective cyclooxygenase-2 inhibitors show a differential ability to inhibit proliferation and induce apoptosis of colon adenocarcinoma cells. *FEBS Letter*. 2002; 531: 278–284.
54. Yasutaka, I., Kibat, P. G., Langer, B. Optimization of a microencapsulated liposome system for enzymatically controlled release of macromolecules. *Journal of Control Release*. 1990; 14(3): 263–267.
55. Yen, G.C. and Lai, H.H. Inhibition of reactive nitrogen species effects in vitro and in vivo by isoflavones and soy-based food extracts. *Journal of Agricultural and Food Chemistry*. 2003; 51(27): 7892–7900.
56. Yihong Qiu, Chapter 20: Rational Design of Oral Modified-release Drug Delivery System. In: Yihong Qiu, Yisheng Chen and Geoff G.Z. Zhang, Developing Solid Oral Dosage Forms, Pharmaceutical Theory and Practice, 1st edition, 2009, Academic Press Elsevier Inc.
57. Zullaikah, S., Melwita, E., Ju, Y.H. Isolation of oryzanol from crude rice bran oil. *Bioresource Technology*. 2009; 100(1): 299–302.