

TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	i
LIST OF TABLES	ii
LIST OF FIGURES	iv
INTRODUCTION	1
OBJECTIVE	6
LITERATURE REVIEW	7
MATERIALS AND METHODS	44
Materials	44
Methods	45
RESULTS AND DISCUSSION	65
Results	65
Discussion	202
CONCLUSION AND RECOMMENDATIONS	230
Conclusion	230
Recommendations	234
LITERATURES CITED	235
APPENDICES	253
Appendix A Key to stingless bees of the Thong Pha Phum District Kanchanaburi Province, Thailand	254
Appendix B Tables	259
Appendix C Figures	295

LIST OF TABLES

Table		Page
1	Treatment (Average over 30 replications) mean catches (all bee species combined) by each method (30 replicates)	65
2	Taxa present in stingless bee samples from the Thong Pha Phum District, Kanchanaburi Province, Thailand during 2004-2006	67
3	Species richness, number of individuals of stingless bee in four types of forest during day and wet season of April 2004 to March 2005	114
4	Average number and deviation of stingless bees counted at individual honey-bait trap stations during study period (April 2004 to March 2005)	119
5	Diversity indices and evenness of stingless bee in four type of forest during dry and wet seasons of April 2004 to March 2005	127
6	Number of nests, nest types and nest height of nests of stingless bee species	130
7	Degree of nest clustering and the tendency to form monospecific and/or mixed nest aggregation in individual nest trees of stingless bee species	131
8	Counts and densities of nests and nest trees of stingless bees found during quantitative nest surveys four forest sites during 2004 - 2006	136

LIST OF TABLES (Continued)

	Appendix Table B	Page
1	List of stingless bee species (Genus <i>Trigona</i> , <i>Pariotrigona</i> and <i>Lisotrigona</i>) found in Thailand	260
2	Analysis of variance in dry dipterocarp forest	263
3	Analysis of variance in upper mixed deciduous forest	264
4	Analysis of variance in lower mixed deciduous forest	265
5	Analysis of variance in dry evergreen forest	266
6	Types of stingless bee and Number of individuals visited honey-bait traps from four types of forest during April 2004 to March 2005	267
7	Types of stingless bee and number of individuals visiting honey bait trap from four types of forest during dry season	268
8	Types of stingless bee and number of individuals visiting honey bait trap from four types of forest during wet season	269
9	Taxonomic compositions, scientific name affiliation of nest tree of stingless bees in four types of forest	270
10	Flowering phenology of plants in dry dipterocarp forest	274
11	Flowering phenology of plants in lower mixed deciduous forest	276
12	Flowering phenology of plants in upper mixed deciduous forest	279
13	Flowering phenology of plants in dry evergreen forest	281
14	Morphology of flowers visited by stingless bees	283
15	Flowering phenology of plants that stingless bee collected pollen	284
16	Scientific names and Thai names of plants in four types of forest	289

LIST OF FIGURES

Figure		Page
1	The external morphology worker of a stingless bee	10
2	Diagram of stingless bee nest	16
3	Map of Kanchanaburi Province, Thailand	41
4	Studies sites	48
5	Photograph of dry dipterocarp forest	49
6	Photograph of upper mixed deciduous forest	49
7	Photograph of lower mixed deciduous forest	50
8	Photograph of dry evergreen forest	50
9	Photograph of honey-bait traps	57
10	Seasonal changes in air temperature and precipitation in four types of forest during April 2004 to March 2005 at Thong Pha Phum District, Kanchanaburi Province.	64
11	<i>Lisotrigona cacciae</i> (Nurse)	70
12	<i>Pariotrigona pendleburyi</i> Schwarz	73
13	<i>Trigona ventralis</i> Smith	76
14	<i>Trigona terminata</i> Smith	79
15	<i>Trigona canifrons</i> Smith	82
16	<i>Trigona thoracica</i> Smith	85
17	<i>Trigona apicalis</i> Smith	88
18	<i>Trigona melanoleuca</i> Cockerell	91
19	<i>Trigona atripes</i> Smith	94
20	<i>Trigona collina</i> Smith	97
21	<i>Trigona melina</i> Gribodo	100
22	<i>Trigona fuscobalteata</i> Cameron	103
23	<i>Trigona pagdeni</i> Schwarz	106
24	<i>Trigona sirindhornae</i> Michener & Boongird	109
25	<i>Trigona</i> sp. 1	112

LIST OF FIGURES (Continued)

Figure		Page
26	Species of stingless bees and their abundance (numbers of individuals) visiting honey-bait traps in four types of forest, April 2004 to March 2005	115
27	Species of stingless bees and their abundance (numbers of Individuals visiting honey-bait traps in four types of forest during the dry and wet seasons	115
28	Species of stingless bee and their abundance visited honey-bait traps from four types of forest during the dry and wet season	117
29	A dendrogram of the similarity of stingless bees in the four types of forest	119
30	Ordination diagram from the CCA of a primary matrix of the log- transformed total of stingless bee collected from four type of forest in Thong Pha Phum District, Kanchanaburi Province and a secondary matrix of two environmental variables and their canonical coefficients	121
31	Change in similarity between successive months over study period	122
32	Seasonal changes in population numbers of stingless bees in four types of forest from April 2004 to March 2005	123
33	Seasonal trends of the abundance of dominant species in four types of forest during the study period	125
34	A dendrogram of the diversity indices of stingless bees in four types of forest	127
35	Frequency of nests of the dominant species of stingless bees found singly or in aggregation with other colonies	132
36	The nest entrances of stingless bees	142
37	The daily changes (wet and dry seasons) in the number of foragers of <i>T. apicalis</i> stingless bees in dry dipterocarp forest	145

LIST OF FIGURES (Continued)

Figure		Page
38	The daily changes (wet and dry seasons) in the number of foragers of four species of stingless bees in upper mixed deciduous forest	146
39	The daily changes (wet and dry seasons) in the number of foragers six species of stingless bees in lower mixed deciduous forest	147
40	The daily changes (wet and dry seasons) in the number of foragers from two nests of <i>T. apicalis</i> in dry evergreen forest	148
41	The seasonal changes in the percentage of pollen foraging of <i>T. apicalis</i> during the study period in four types of forest	149
42	The daily changes (wet season) in the percentage of pollen foraging stingless bees during the study period in four types of forest	151
43	The seasonal changes in the percentage of pollen foraging by stingless bee during the study period in four types of forest	155
44	The seasonal changes in the number of pollen types collected by stingless bee in four types of forest	158
45	The total number of pollen types collected by stingless bees in four types of forest	159
46	Number of pollen types collected by stingless bees species in four types of forest	160
47	Pollen type collected by stingless bee from DDF	161
48	Pollen type collected by stingless bee from UMDF	171
49	Pollen type collected by stingless bee from LMDF	183
50	Pollen type collected by stingless bee from DEF	196

LIST OF FIGURES (Continued)

Appendix Figure C	Page
1 Seasonal changes in air temperature, Relative Humidity precipitation in four type of forest during April 2004 to March 2005 at Thong Pha Phum District, Kanchanaburi Province	296
2 Seasonal change in air temperature and precipitation during April 2004 to March 2005 at Thong Pha Phum District Kanchanaburi Province	297
3 Stingless bee measurements	298
4 Diagrammatic representation of a left lateral view of a stingless bee with major morphological features labeled	299
5 Type of inflorescence	300
6 Types of arrangement (aestivation) of sepals and petals in flower buds	301
7 Pollen measurements	301