

เอกสารอ้างอิง

รังสิณี โสธรวิทย์, 2553, เคมิและจุลชีววิทยาเบื้องต้นของอาหาร, พิมพ์ครั้งที่ 2, มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพมหานคร, หน้า 134 - 142.

กรมพัฒนาพลังงานทดแทนและอนุรักษ์พลังงาน กระทรวงพลังงาน, 2549, เอทานอล, [online], Available:http://www.dede.go.th/dede/index.php?option=com_content&view=article&id=916:gasohol-part-1&catid=61:2010-04-06-09-22-58&Itemid=68 [19 พฤศจิกายน 2555].

สุใจ ชูจันทร์, 2554, การผลิตกรดอินทรีย์จากวัสดุเหลือใช้มวลชีวภาพ, พิมพ์ครั้งที่ 1, จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพมหานคร, หน้า 36 - 37.

ศันสนีย์ ชีระพันธ์, 2555, “ความปลอดภัยทางชีวภาพในห้องปฏิบัติการจุลชีววิทยา”, วารสารกรมวิทยาศาสตร์บริการ, ปีที่ 60, ฉบับที่ 19, หน้า 15 - 18.

Abe, S., Furuya, A., Saito, T. and Takayama, K., 1962, “Method of producing L-malic acid by fermentation”, **U.S. Patent**, No. 6,353.

Alvira, P., Tomas – Pejo, E., Ballesteros, M. and Negro M. J., 2010, “Pretreatment technologies for an efficient bioethanol production process based on enzymatic hydrolysis: A review”, **Bioresource Technology**, Vol. 101, pp. 4851 - 4861.

Balat, M., 2010, “Production of bioethanol from lignocellulosic materials via the biochemical pathway”, **Energy Conversion and Management**, Vol. 52, pp.858 - 875.

Battat, E., Peleg, Y., Bercovitz, A., Rokem, J. S and Goldberg, I., 1991, “Optimization of L- Malic acid production by *Aspergillus flavus* in a stirred fermentor”, **Biotechnology and Bioengineering**, Vol. 37, pp. 1108 - 1116.

Bechthold, I., Bretz, K. and Kabasci, S., 2008, "Succinic acid: A new platform chemical for biobased polymers from renewable resource", **Chemical Engineering and Technology**, Vol. 31, pp. 647 - 654.

Biebl, H., Menzel, K., Zeng, A.P. and Deckwer, W. D., 1999, "Microbial production of 1,3-propanediol", **Applied Microbiology and Biotechnology**, Vol. 52, pp. 289 - 297.

Cheng, K. K., Zhao, X. B. and Zeng, J., 2012, "Downstream processing of biotechnological produced succinic", **Applied Microbiology and Biotechnology**, Vol. 95, pp. 841 - 850.

Christoph Knuf, 2014, **Malic acid production by *Aspergillus oryzae***, Doctoral Thesis Doctor of Philosophy, Department of Chemical and Biological Engineering, Chalmers University of Technology.

David, L. N. and Michael, M., 2004, **Lehninger Principles of Biochemistry**, 4th edition, Palgrave Macmillan, England, pp. 357 - 358.

Erb, J. T., Berg, A. I., Brecht, V., Muller, M., Fuchs, G. and Alber, E. B., 2007, "Synthesis of C5-dicarboxylic acids from C2-units involving crotonyl-CoA carboxylase/reductase: the ethylmalonyl-CoA pathway", **Proceedings of the National Academy of Sciences**, Vol. 104, pp. 10631 - 10636.

Garrett, H. R. and Charles, G., 2008, **Biochemistry**, 4th edition, Boston: Twayne Publishers, USA, pp. 563 - 591.

Genda, T., Watabe, S. and Ozaki, H., 2005, "Purification and Characterization of Fumarase from *Corynebacterium glutamicum*", **Bioscience Biotechnology and Biochemistry**, Vol. 70, pp. 1102 - 1109.

Glazer, A. N. and Nikaido, H., 2007, **Microbial Biotechnology: Fundamentals of Applied Microbiology**, 2nd ed., Cambridge University Press, England, p. 78.

Goldberg, I., Rokem, J. S. and Fines, O., 2006, "Organic acid: old metabolites, new themes", **Journal of Chemical Technology and Biotechnology**, Vol. 81, pp. 1601 - 1611.

Goldberg, I. and Williams, R., 1991, **Biotechnology and Food Ingredients**, Van Nostrand Reinhold, New York, p. 352.

Hahn-Hägerdal, B., Karhumäki, K., Fonseca, C. and Spencer-Martins, I. and Gorwa-Grauslund, M. F., 2007, 'Towards industrial pentose-fermenting yeast strains', **Applied Microbiology and Biotechnology**, Vol. 74, pp. 937 - 953.

Holler, E. and Lee, B., 1999, Effects of culture conditions on β -poly (L-malate) production by *Physarum polycephalum*, **Applied Microbiology and Biotechnology**, Vol. 51, pp. 647 - 652.

Huang, Z. w., Laurent, V., Chetouani, G., Ljubimov, J. Y., Holler, E., Benvegnia, T., Loyer, P. and Cammas-Marion, S., 2012, "New functional degradable and bio-compatible nanoparticles based on poly (malic acid) derivatives for site – specific anti – cancer drug delivery", **International Journal of Pharmaceutics**, Vol. 423, pp. 84 - 92.

Huili, Z., Jin, C., Jiaqi, D., Danping, Z., Lei, H., Zhinan, X. and Peilin, C., 2011, "High – level production of poly (β -L-malic acid) with a new isolate *Aureobasium pullulans* strain," **Applied Microbiology and Biotechnology**, Vol. 92, pp. 295 - 303.

Jeffries, T. W. and Kurtzman, C. P., 1988, "Fermentation of hemicellulose sugar and sugar mixture by *Candida shehatae*", **Biotechnology Bioengineering**, Vol. 31, pp. 4659 - 4665.

Jensen, V. M., Joseph, W. J., Ronnebaum, M. S., Burgess, C. S., Sherry, D. A. and Newgard, B. C., 2008, "Metabolic cycling in control of glucose-stimulated insulin secretion", **American Journal of Physiology**, Vol. 295, pp. 1287 - 297.

Jeong, W. L., Hyun, U., Kim., Sol, C., Jongho, Y., and Sang, Y. L., 2011, “Microbial production of building block chemicals and polymers”, **Current Opinion in Biotechnology**, Vol. 22, pp. 758 - 767.

Kajiyama, T., Taguchi, T., Kobayashi, H., Kataoka, K. and Tanaka, J., 2003, “Synthesis of high molecular weight poly (α , β - malic acid) for biomedical use by direct polycondensation”, **Polymer Degradation and Stability**, Vol. 81, pp. 525 - 530.

Kawagoe, M., Hyakumura, K., Suye, S, I., Miki, K and Naoe, K., 1997, “Application of bubble column fermentors to submerged culture of *Schizophyllum commune* for production of L – malic acid”, **Journal Fermentation and Bioengineering**, Vol. 84, pp. 333 - 336.

Khan, I., Nazir, K., Wang, Z., Liu, G. and Chi, Z., 2013, “Calcium malate overproduction by *Penicillium viticola* 152 using the medium containing corn steep liquor”, **Applied Microbiology and Biotechnology**, Vol. 98, pp. 1539 - 1546.

Khayati, G., Pahlevanzadeh, H., Ghaemi, N. and Vasheghani-Farahani, E., 2009 “Enhancement of 2,3-butanediol production by *Klebsiella pneumoniae* PTCC 1290: Application of Taguchi methodology for process optimization”, **African Journal of Biotechnology**, Vol. 8, pp. 6304 - 6310.

Korngold, E., Belayev, N., Aronov, L. and Oren, Y., 2006, “Conversion of dipotassium malate to malic acid by electromembrane processes”, **Desalination**, Vol. 195, pp. 153 - 159.

Kosugi, A., Murashima, K. and Doi, R. H., 2001, “Characterization of xylanolytic enzymes in *Clotridium cellulovorans*: expression of xylanase activity dependent on growth substrates”, **Journal of Bacteriology**, Vol. 56, pp. 7037 - 7043.

Lama, L., Calandrelli, V., Gambacorta, A. and Nicolaus, B., 2004, "Purification and characterization of thermostable xylanase and β -xylosidase by the thermophilic bacterium *Bacillus thermantarcticus*", **Research in Microbiology**, pp. 1 - 7.

Leathers, T. D. and Manitchotpisit, P., 2013, "Production of poly(β -L-malic acid)(PMA) from agricultural biomass substrates by *Aureobasidium pullulans*", **Biotechnology Letters**, Vol. 35, pp. 83 - 89.

Lee, S. B. and Holler, E., 1999, "Effect of culture condition on β -poly (L-malate) production by *Physarum polycephalum*", **Applied Microbiology Biotechnology**, Vol. 51, pp. 647 - 652.

Lee, P. C., Lee, S. Y., Hong, S. H., and Chang, H. N., 2002, "Isolation and characterization of a new succinic acid-producing bacterium, *Mannheimia succiciproducens* MBEL55E from bovine rumen," **Applied Microbiology and Biotechnology**, Vol. 58, No. 5, pp. 663 - 668.

Lin, C. Y. and Cheng, C. H., 2006, "Fermentative hydrogen production from xylose using anaerobic mixed microflora", **International Journal of Hydrogen Energy**, Vol. 31, pp. 832 - 840.

Liu, S. and Steinbuchel, A., 1996, "Investigation of poly (β -L-malic acid) production by strains of *Aureobasidium pullulans*", **Applied Microbiology and Biotechnology**, Vol. 46, pp. 273 - 278.

Liu, S. and Steinbuchel, A., 1997, "Production of poly (malic acid) from different carbon sources and its regulation in *Aureobasidium pullulans*", **Biotechnology Letters**, Vol. 19, pp. 11 - 14.

Lumyoung, S. and Tomita, F., 1993, "L-malic acid production by an albino strain of *Monascus araneosus*", **World Journal of Microbiology and Biotechnology**, Vol. 9, pp. 383 - 394.

Ma, Y., Wang, G., Liu, W., Wang, Z. and Chi, Z., 2013, "Overproduction of poly (β - malic acid) (PMA) from glucose by a novel *Aureobasidium* sp. P6 strain isolated from mangrove system", **Applied Microbiology and Biotechnology**, Vol. 97, pp. 8931 - 8939.

Maheshwari, R., Bharadwaj, G. and Bhat, M. K., 2000, "Thermophilic fungi: their physiology and enzymes", **Microbiology and Molecular Biology**, Vol. 64, pp. 461 - 488.

Mcmillan, J. D., 1994, Pretreatment of Lignocellulosic Biomass, In: **Enzymatic Conversion of Biomass for Fuels Production** , ACS Symposium Series 566, American Chemical Society, Washington. DC., Vol. 31, pp. 292 - 324.

Michielsen, M. J., Frielink, C., Wiiffels, R. H., Tramper, J. and Beftink, H. H., 2000, "Growth of Ca-D-malate crystals in a bioreactor", **Biotechnology and Bioengineering**, Vol. 69, pp. 548 - 553.

Mohagheghi, A., Linger, J., Smith, H., Yang, S., Dowe, N. and Pienkos, P. T., 2014, "Improving xylose utilization by recombinant *Zymomonas mobilis* strain 8b through adaptation using 2-deoxyglucose", **Biotechnology for Biofuels**, Vol. 7, pp 6834 - 6837.

Moon, S. Y., Hong, S. H., Kim, T. Y. and Lee, S. Y., 2008, "Metabolic engineering of *Escherichia coli* for the production of malic acid", **Biochemical Engineering Journal**, Vol. 40, pp. 312 - 320.

Nagata, N., Nakahara, T., Tabuchi, T., Morita, R., Brewer, R. J. and Fujishige, S., 1993, "Characterization of Poly (β -L-malic acid) Produced by *Aureobasidium* sp. A-91", **Polymer Journal**, Vol. 25, pp. 585 - 592.

Nelson, N., 1944, "A photometric adaptation of Somogyi method for the determination of glucose", **Journal of Biological Chemistry**, Vol. 153, pp. 375 - 380.

Olsson, L. and Hahn-Hagerdal, B., 1996, "Fermentation of lignocellulosic hydrolysates for ethanol production", **Enzyme and Microbial Technology**, Vol. 18, pp. 312 - 33.

Peleg, Y., Barak, A., Scrutton, M. C. and Goldberg, I., 1989, "Malic acid accumulation by *Aspergillus flavus*". III. ^{13}C NMR and isoenzyme analyses", **Applied Microbiology and Biotechnology**, Vol. 30, pp. 176 - 183.

Ratanakhanokchai, K., Waeonukul, R., Pason, P., Tachaapaikoom, C., Kyu, K. L., Sakka, K., Kosugi, A., and Mori, Y., 2012, "*Paenibacillus curdlanolyticus* strain B-6 multienzyme complex : A novel system for biomass utilization", **Biomass Now – Cultivation and Utilization**, 1st edition, Intech, pp. 369 - 394.

Reshamwala, S., Shawky, B. T. and Dale, B. E., 1995, "Ethanol Production from Enzymatic Hydrolysates of AFEX-Treated Coastal Bermudagrass and Switchgrass", **Applied Biochemistry and Biotechnology**, Vol. 51, pp. 43 - 55.

Sauer, M., Mattanovich, D., Porro, D. and Branduardi, P., 2008, "Microbial production of organic acids : Expanding the markets", **Trends in Biotechnology**, Vol.26, pp. 100 - 108.

Schmidt, A., Windisch, C. and Holler, E., 1996, "Nuclear accumulation and homeostasis of the unusual polymer poly (L-malate) in plasmodia of *Physarum polycephalum*", **European Journal of Cell Biology**, Vol. 70, pp. 373 - 380.

Singh, M., Jagdamba, A., and Yadav, L., 2010, **Organic chemistry**, 3rd ed., Pragati Prakashan, India, p. 352.

Sjostrom, S., 1981, Wood chemistry, **Fundamentals and Applications**, New York, pp. 223.

Somogyi, M., 1952, "Notes in sugar determination," **Journal of Biological Chemistry**, Vol. 195, pp. 19 - 23.

Soroka, S. D., 2013, Cellular Respiration,[online], Available: <http://sorokaapbiology1314.blogspot.com/2013/09/cellular-respiration-all-you-wanted-to.html> [15 เมษายน 2557].

Taherzadeh, M, J. and Karimi, K., 2008, "Pretreatment of lignocellulosic wastes to improve ethanol and biogas production : a review", **International Journal of Molecular Sciences**, Vol. 9, pp. 1621 - 1651.

Taing, O. and Taing, K., 2007, "Production of malic and succinic acids cy sugar-tolerant yeast *Zygosaccharomyces rouxi*", **European Food Research and Technology**, Vol. 224, pp. 343 - 347.

Takao, S., Yokota, A. and Tanida, M., 1983, "L-Malic acid fermentation by a mixed culture of *Rhizopus arrhizus* and *Paecilomyces varioti*", **Journal of Fermentation Technology**, Vol. 61, pp. 643 - 645.

Takeshi, T., Teruhide, Tsuguo, I., Tadaatsu, N. and Junta, S., 1981, "Itaconic acid fermentation by a yeast belonging to the genus *Candida*," **Agricultural Biology and Chemistry**, Vol. 45, pp. 475 - 479.

Toquero, C. and Bolado, S., 2014, "Effect of four pretreatments on enzymatic hydrolysis and ethanol fermentation of wheat straw. Influence of inhibitors and washing," **Bioresource Technology**, Vol. 157, pp. 68 - 76.

Vert, M., 1998, "Chemical routes to poly(β – malic acid) and potential applications of this water-soluble bioresorbable poly (β -hydroxy alkanoate)", **Polymer Degradation and Stability**, Vol. 59, pp. 169 - 175.

Vongsuvanlert, V. and Tani, Y., 1988, "Purification and characterization of xylose isomerase of a methanol yeast, *Candida boidinii*, Which is involved in sorbitol production from glucose," **Agricultural and Biological Chemistry**, Vol. 52, pp. 1817 - 1824.

Wang, Z., Wang, G., Khan, I., Chi, Z., 2013, "High-Level production of calcium malate from glucose by *Penicillium sclerotiorum* K302", **Bioresource Technology**, Vol. 143, pp. 674-677.

West, T. P., 2011, "Malic acid production from thin stillage by *Aspergillus species*", **Biotechnology Letters**, Vol. 33, pp. 2463 - 2467.

Werpy, T. and Petersen, G., 2004, **Top Value Added Chemicals from Biomass Volume I-Results of Screening for Potential Candidates from Sugars and Synthesis Gas** [Online], Available : http://www.fischer-tropsch.org/DOE/DOE_reports/35523/Vol.1/PNN-NREL-35523-vol1_toc.htm [24 January 2014]

Yamamoto, K., Tosa, T., Yamashita, K. and Chibata, I., 1976, "Continuous production of L-malic acid by *Brevibacterium ammoniagenes* cell", **European Journal of Applied Microbiology**, Vol. 3, pp. 169 - 183.

Zelle, R. M., de Hulster, E., van Winden, W. A., de Waard, P., Dilkema, C., Winkler, A. A., Geertman, J. A., van Dijken, J. P., Pronk, J. T. and van Maris, A. J. A., 2008, "Malic acid production by *Saccharomyces cerevisiae* : Engineering of pyruvate carboxylation, oxaloacetate reduction, and malate export", **Applied and Environmental Microbiology**, Vol. 74, pp. 2766 - 2777.

Zeng, A. P. and Biebl, H., 2002, "Bulk chemicals from biotechnology : The case of 1,3-propanediol production and the new trends", **Advances in Biochemical Engineering / Biotechnology**, Vol. 74, pp. 239 - 259.

Zhang, H., Cai, Jin., Dong, J., Zhang, D., Huang, L., Xu, Z. and Cen, P., 2011a, “High – level production of poly (β -L-malic acid) with a new isolated *Aureobasidium pullulans* strain”, **Applied Microbiology and Biotechnology**, Vol. 92, pp. 295 - 303.

Zhang, X., Wang, X., Shanmugam, K. T. and Ingram, L. O., 2011b, “L-Malate production by metabolically engineered *Escherichia coli*”, **Applied Microbiology and Biotechnology**, Vol. 77, pp. 427 - 434.

Zhang, P. Y. and Lynd, L. R., 2004, “Toward an Aggregated Understanding of Enzymatic Hydrolysis of Cellulose : Noncomplexed Cellulase Systems”, **Biotechnology and Bioengineering**, Vol. 99, pp. 1320 - 1328

Zhou, Y., Cheng, C. and Yang, S., 2013, “Production of Polymalic Acid (PMA) From Biomass Hydrolysates By *Aureobasidium Pullulans*” **AIChE Annual Meeting**, 13th, 3 – 8 November 2013, Hilton San Francisco Union Square: San Francisco, California, p. 56.

Zou, X., Zhou, Y. and Yang, S., 2013, “Production of Polymalic acid and Malic acid by *Aureobasidium Pullulans* Fermentation and acid hydrolysis”, **Biotechnology and Bioengineering**, Vol. 110, pp. 2105 - 2133.