

## เอกสารและสิ่งอ้างอิง

กรมอุตุนิยมวิทยา. 2549. แหล่งที่มา: <http://www.tmd.go.th/knowledge/bookdang02.html>, 17 กรกฎาคม 2549.

เกษม สุขสถาน. 2527. อ้อย, น. 127-177. **พืชเศรษฐกิจ เล่ม 2**. ภาควิชาพืชไร่นา คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพฯ.

จเร สดากร. 2531. การสำรวจรวบรวมพืชสกุลอ้อยในประเทศไทย, น. 28-40. ใน **เอกสารการประชุมและสัมมนาเรื่องการอนุรักษ์เชื้อพันธุ์พืชครั้งที่ 1**. ณ ห้อง 314 ตึกกสิกรรม กรมวิชาการเกษตร. วันที่ 5 สิงหาคม 2531. กรมวิชาการเกษตร, กระทรวงเกษตรและสหกรณ์. กรุงเทพฯ.

จักรี เส้นทอง. 2539. **พลวัตการผลิตพืช**. ภาควิชาพืชไร่ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่, เชียงใหม่.

เจษฎา แก้วกัลยา. 2542. น้ำกับอ้อย. **วารสารอ้อยและน้ำตาลทราย** 6(2): 4-7.

นงลักษณ์ เทียนเสรี, สนธิชัย จันทร์เปรม และ เรวัต เลิศฤทัยโยธิน. 2546. สรีรวิทยาบางประการของอ้อยที่ตอบสนองต่อความแล้ง, น.40-51. ใน **รายงานการประชุมวิชาการอ้อยและน้ำตาลทรายแห่งชาติ ครั้งที่ 5**. โรงแรมจอมเทียนปาล์มบีช, พัทยา, ชลบุรี. 20-22 สิงหาคม 2546. กรมวิชาการเกษตร, กระทรวงเกษตรและสหกรณ์. กรุงเทพฯ.

ประเสริฐ ด้ตรวชิระวงษ์, อุดม เลียบวัน และอดุลย์ พงษ์พั้ว. 2544. การปรับปรุงพันธุ์อ้อยในประเทศไทย-อดีต ปัจจุบัน และอนาคต. **วารสารอ้อยและน้ำตาลไทย** 8(2): 12-34.

สถิติการเกษตรประเทศไทย. 2547. แหล่งที่มา [http://www.oae.go.th/statisyic/year book47/section1/sec1table25.pdf](http://www.oae.go.th/statisyic/year%20book47/section1/sec1table25.pdf), 12 กรกฎาคม 2549.

- สมชาย บุญประดับ, เทวา เมาลานนท์ และจักรี เส้นทอง. 2537. การตอบสนองของพันธุ์ข้าว  
 เชี่ยวต่อการให้น้ำต่างระดับ ผลผลิตและองค์ประกอบของผลผลิต. **วารสารวิชาการ  
 เกษตร** 12(1): 29-36.
- สุนทรียิ่งชัชวาลย์. 2535. **ชลศาสตร์ในระบบดิน-พืช**. ภาควิชาปฐพีวิทยา คณะเกษตร  
 มหาวิทยาลัยเกษตรศาสตร์ กำแพงแสน. 200 หน้า.
- สุนทรียิ่งชัชวาลย์, จินตนา บางจั่น และ ธาดา ชัยสีหา. 2543. พลังงานศักย์ของน้ำในใบมะ  
 ม่วงภายใต้สภาพน้ำขัง, น. 95-114. ใน **รายงานโครงการวิจัยวิธีการให้อากาศเพื่อ  
 ชีวิตต้นมะม่วงที่ประสบอุทกภัย**. สถาบันวิจัยและพัฒนาแห่งมหาวิทยาลัยเกษตร  
 ศาสตร์, กรุงเทพฯ.
- สุนทรียิ่งชัชวาลย์, จินตนา บางจั่น, ธาดา ชัยสีหา และ ฎริพงษ์ ดำรงวุฒิ. 2544. พลังงานน้ำ  
 ในรอบวันของใบส้มเขียวหวาน, น. 45-62. ใน **รายงานโครงการพัฒนาวิชาการข้อมูล  
 พื้นฐานทางสรีรวิทยาของส้มเขียวหวาน**. คณะศิลปศาสตร์และวิทยาศาสตร์  
 มหาวิทยาลัยเกษตรศาสตร์, วิทยาเขตกำแพงแสน, นครปฐม.
- สำนักงานคณะกรรมการอ้อยและน้ำตาลทราย. 2548. แหล่งที่มา  
[http://www.ocsb.go.th/pdf/data\\_2547\\_48e.pdf](http://www.ocsb.go.th/pdf/data_2547_48e.pdf), 12 กรกฎาคม 2549.
- Ahn, S.N., C.N. Bollich and S.D. Tanksley. 1992. RFLP tagging of a gene for aroma in  
 rice. **Theor. Appl. Genet.** 84: 825-825.
- Altinkut, A.,K. Kazan and N. Gozukirmizi. 2003. AFLP marker linked to water-stress-  
 tolerant bulks in barley (*Hordeum vulgare* L.). **Genet. Mole. Biol.** 26(1):77-82.
- Aro E.M.,I. Virgin and B. Andersson. 1993. Photoinhibition of photosystem II:  
 inactivation, protein damage and turnover. **Biochim Biophys Acta** 1143: 113-134.

- Assmann, S.M. and D.A. Grantz. 1990. Stomatal response to humidity in sugarcane and soybean: effect of vapour pressure difference on the kinetics of the blue light response. **Plant Cell Environ.** 13: 163–169.
- Aziz, A. and F. Larher. 1998. Osmotic stress induced changes in lipid composition and peroxidation in leaf disc of *Brassica napus* L. **J.Plant Physiol.** 153: 754-762.
- Baisak, R., D. Rana, P.B.B. Achaya and M. Kar. 1994. Alteration in the activities of active oxygen scavenging enzymes of wheat leaves subjected to water stress. **Plant Cell Physiol.** 35(3): 489-495.
- Blum, A. 1974. Genotypic response in sorghum to drought stress. I. Response to soil moisture stress. **Crop Sci.** 14: 361-364.
- Blum, A. 2005. Use of PEG to induce plant water deficit in experimental hydroponics' culture. Available source: <http://www.plantstress.com/methods/PEG.html>, January 21, 2005.
- Bohnert, H.J., D.E. Nelson and R.G. Jensen. 1995. Adaptation to environmental stresses. **The Plant Cell** 7:1099-1111.
- Boyer, J.S. 1995. **Measuring the Water Status of Plants and Soils.** Academic Press, Inc., California, U.S.A.
- Bray, E.A. 1997. Plant response to water deficit. **Trends Plant Sci.** 2: 48-54.
- Bremer, G. 1961. Problems in breeding and cytology of sugarcane . **Euphytica** 10: 59-78.

- Burry, R.K., G.D. Bonnett and J.A.M. Holtum. 2004. Reassessing waterlogging: novel method to compare the germination and early growth responses of sugarcane genotypes. **Proc. Aust. Soc. Sugar Cane Technol.** 26
- Busso, C.A. and J.H. Richards. 1995. Drought and clipping effect on tiller demography and growth of two tussock grasses in Utah. **J Arid Environ.** 29: 239-251.
- Campbell, J.A., M.J. Robertson and C.P.L. Grof. 1998. Temperature effects on node appearance in sugarcane. **Aust. J. Plant Physiol.** 25: 815–818.
- Carson, D.L. and F.C. Botha. 2000. Preliminary analysis of expressed sequence tags for sugarcane. **Crop Sci.** 40:1769-1779.
- Chagu, V., J.C. Mercier, M. Gunard, A. de Courcel and F. Vedel. 1996. Identification and mapping on chromosome 9 of RAPD markers linked to Sw-5 in tomato by bulked segregant analysis. Available Source:  
[http://link.springer.com/lin\\_00122/bibs/6092008/60921045.htm](http://link.springer.com/lin_00122/bibs/6092008/60921045.htm), February 26, 2002.
- Chagu, V., J.C. Mercier, M. Gunard, A. de Courcel and F. Vedel. 1997. Identification of RAPD marker linked to a locus involved in quantitative resistance to TYCV in tomato by bulked segregant analysis. Available Source:  
[http://link.springer.com/lin\\_00122/bibs/7095004/70950671.htm](http://link.springer.com/lin_00122/bibs/7095004/70950671.htm), February 26, 2002.
- Chatwachirawong, P. and P. Srinives. 1999. Coefficient of percentage of major sugarcane clones in Thailand. **SABRO J. of Breed. & Genet.** 31: 51-57.
- Chaves, M.M., J.S. Pereira and J. Maroco. 2003. Understanding plant response to drought: from genes to the whole plant. **Functional Plant Biology.** 30: 239-264.

- Chawla, H.S. 2000. **Introduction to Plant Biotechnology**. Science Publishers. Inc. Enfield, NH. U.S.A.
- Collard, B.C.Y., M.Z.Z. Jahufer, J.B. Brouwer and E.C.K. Pang. 2005. An introduction to markers, quantitative trait loci (QTL) mapping and marker-assisted selection for crop improvement: The basic concepts. **Euphytica** 142: 169-196.
- Cordeiro, G.M., T.L. Maguire, R.J. Henry and K.J. Edwards. 1999. Optimisation of a microsatellite enrichment technique in *Saccharum* spp. **Plant Mol. Biol. Rep.** 17: 225-229.
- Cordeiro, G.M., G.O. Taylor and R.J. Henry. 2000. Characterisation of microsatellite markers from sugarcane (*Saccharum* spp.), a highly polyploidy species. **Plant Sci.** 155: 161-168.
- Cordeiro, G.M., R. Casu, C.L. McIntyre, J.M. Manners and R.J. Henry. 2001. Microsatellite markers from sugarcane (*Saccharum* spp.) cross transferable to erianthus and sorghum. **Plant Sci.** 160: 1115-1123.
- Cordeiro, G.M., Y.B. Pan and R.J. Henry. 2003. Sugarcane microsatellites for the assessment of genetic diversity in sugarcane germplasm. **Plant Sci.** 165: 181-189.
- Cortes P.M. and T.R. Sinclair. 1986. Water relations of field grown soybean under drought. **Crop Sci.** 26: 993-998.
- Cosgrove, D.J. 2000. Expansive growth in plant cells. **Plant Physiol. Biochem.** 38: 109-124.

- Da Costa, M.S., H. Santos and E.A. Galinski. 1998. An overview of the role and diversity of compatible solutes in bacteria and archaea. **Adv.Biochem. Eng Biotechnol.** 61: 117-153.
- Da Silva, J.A.G., M.E. Sorrells, W.L. Burnquist and S.D. Tankley. 1993. RFLP linked map and genome analysis of *Saccharum spontaneum*. **Genome** 36: 782-791.
- D' Hont, A., L. Grivet, P. Feldmann, S. Rao, N. Berding and J.C. Glaszmann. 1996. Characterisation of the double genome structure of modern sugarcane cultivars (*Saccharum* spp.) by molecular cytogenetics. **Mol. Gen. Genet.** 250: 405-413.
- Dubcovsky, J., G.S. Maria, E. Epstein, M.C. Luo and J. Dvorak. 1996. Mapping of the K/N discrimination locus *Kna1* in wheat. **Theor. Appl. Genet.** 92: 448-454.
- Du, Y.C., Y. Kawamitsu, A. Nose, S. Hiyane, S. Murayama, K. Wasano and Y. Uchida. 1996. Effects of water stress on carbon exchange rate and activities of photosynthetic enzymes in leaves of sugarcane (*Saccharum* sp.). **Aust. J. Plant Physiol.** 23: 719-726.
- Du, Y.C., A. Nose, K. Wasano and Y. Uchida. 1998. Responses to water stress of enzyme activities and metabolite levels in relation to sucrose and starch synthesis, the Calvin cycle and the C 4 pathway in sugarcane (*Saccharum* sp.) leaves. **Aust. J. Plant Physiol.** 25: 253-260.
- Fang, D.Q., T.C. Federici and L.M. Roose. 1998. A high resolution linkage map of the citrus tristerza virus. Available Source:  
<http://www.sciencedirect.com/sc73351b556ed43f191f766a179dd6201>, August 22, 2002.

- Ferrari-Iliou R., T.A. Pham and V.J. da Silva. 1984. Effect of water stress on the lipid and fatty acid composition of cotton (*Gossypium hirsutum*) chloroplasts. **Physiol Plant** 62: 219–224.
- Flowers, T.J., M.L. Koyama, S.A. Flowers, C. Suchakar, K.P. Singh and A.R. Yeo. 2000. QTL: Their place in engineering tolerance of rice to salinity. **J.Exp.Bot.** 51: 99-106.
- Food and Agriculture Organization of the United Nations (FAO). 2005. Available at [http://www.fao.org/es/ess/top/commodity .html](http://www.fao.org/es/ess/top/commodity.html), 17 July 2549.
- Foolad, M. and R. Jones. 1993. Mapping salt-tolerance genes in tomato (*Lycopersicon esculentum*) using trait-based marker analysis. **Theor Appl Genet** 87: 184–192.
- Foolad, M.R. and F.Q. Chen. 1998. RAPD markers associated with salt tolerance in an interspecific cross of tomato (*Lycopersicon esculentum* x *L. pennellii*). **Plant Cell Rep.** 17:306-312.
- Frova, C., P. Krajewski, N. di Fonzo, M. Villa and M. Sari-Gorla. 1999. Genetic analysis of drought tolerance in maize by molecular markers: yield components. **Theor. Appl. Genet.** 99:280-288.
- García, M.G., A.C. Busso, P. Polci, L. Norberto G. Girou and V. Echenique. 2002. Water relations and leaf growth rate of three *agropyron* genotypes under water stress. **Biocell** 26(3): 309-317.
- Grantz, D.A. and F.C. Meinzer. 1990. Effect of soil water deficit on stomatal behaviour in sugarcane. **Br. Soc. Plant Growth Regul. Monogr.** 21: 286–287.
- Grivet, L. and P. Arruda. 2001. Sugarcane genomic: depicting the complex genome of an important tropical crop. **Curr. Opin. Plant Biol.** 5: 122-127.

- Hanson, A.D., B. Rathinasabapathi, J. Rivoal, M. Burnet, M.O. Dillon and D.A. Gage. 1994. Osmoprotective compounds in the Plumbaginaceae: A natural experience of metabolic engineering of stress tolerance. **Proc.Nat.Acad Sci.** 91: 306-310.
- Hao, L.M., H.L. Wang and H.G. Liang. 1999. Effects of rewatering on light-harvesting chlorophyll *a/b* protein complex of photosystem II in *Zea mays*. **Acta Bot. Sin.** 41 : 613–616.
- Haupt-Herting, S. and H.P. Fock. 2002. Oxygen exchange in relation to carbon assimilation in water-stressed leaves during photosynthesis. **Annals of Bot.** 89: 851-859.
- He J.X., L.Z. An, H.H. Lin and H.G.Liang. 1999. Evidence for transcriptional and post-transcriptional control of protein synthesis in water-stressed wheat leaves: a quantitative analysis of messenger and ribosomal RNA. **J Plant Physiol.** 155: 63–69
- Hoarau, J.Y., B. Offmann, A. D'Hont, A.M. Risterucci, D. Roques, J. C. Glaszmann and J. Grivet. 2001. Genetic dissection of a modern sugarcane cultivar (*Saccharum* spp.) I: Genome mapping with AFLP markers. **Theor. Appl. Genet.** 103: 84-97.
- Hoarau J.Y., L. Grivet, B. Offmann, L.M. Raboin, J.P. Diorflar, J. Payet, M. Hellmann, A. D'Hont and J.C.Glaszmann. 2002. Genetic dissection of a modern sugarcane cultivar (*Saccharum spp.*).II. Detection of QTLs for yield components. **Theor. Appl. Genet.** 105: 1027-1037.
- Hoekstra, F., E. Golovina and J. Buitink. 2001. Mechanisms of plant desiccation tolerance. **Trend Plant Sci.** 8(9): 431-438.
- Hoogenboom, G., M.G. Huck and C.M. Peterson. 1987. Root growth rate of soybean as affected by drought stress. **Agron. J.** 79: 607-614.

- van Iersel, M.W.V. and D.M. Oosterhuis. 1996. Drought effects on the water relations of cotton fruits, bracts, and leaves during ontogeny. *J. Exp. Bot.* 36: 51-59.
- Ingram, J. and D. Bartels. 1996. The molecular basis of dehydration tolerance in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 47: 377-403.
- Inman-Bamber, N.G. and J.M. de Jager. 1986. The reaction of two varieties of sugarcane to water stress. *Field Crops Res.* 14: 15-28.
- Inman-Bamber, N.G. 1991. A growth model for sugarcane based on a simple carbon balance and the CERES-Maize water balance. *S. Afr. J. Plant Soil* 8: 93-99.
- Inman-Bamber, N.G. 2004. Temperature and seasonal effects on canopy development and light interception of sugarcane. *Field Crop Res.* 36: 41-51.
- Inman-Bamber, N.G. 2004. Sugarcane water stress criteria for irrigation and drying off. *Field Crops Res.* 89: 107-122.
- Inman-Bamber, N.G. and D.M. Smith. 2005. Water relations in sugarcane and response to water deficits. *Field Crops Research* 92: 185-202.
- Jiang, Y., S.E. Macdonald and J.J. Zwiazek. 1995. Effect of cold storage and water stress on water relations and gas exchange of white spruce (*Picea Glauca*) seedlings. *Tree Physiol.* 15: 267-263.
- Johnson, J.M., J. Pritchard, J. Gorham and A.D. Thomas. 1996. Growth, water relation and solute accumulation in osmotically stressed seedlings of the tropical tree *Colophospermum mopane*. *Tree Physiol.* 16: 713-718.
- Jongdee, B., J.H. Mitchell and S. Fukai. 1997. Genotypic variation for water relation and growth during the vegetative stage among six rice line contrasting in

maintenance of high leaf water potential, p 180-191. *In: Proceedings of the International Workshop on Breeding Strategies for Rainfed Lowland Rice in Drought-Prone Environments*, Ubon Ratchatani, Thailand, 5-8 November 1996. ACIAR, Canberra..

Jongdee, B., S. Fukai and M. Cooper. 1998. Genotypic variation for grain yield of rice under water deficit conditions. Available source:  
<http://www.regional.org.au/au/asa/1998/4/185jongdee.htm>, 10 August 2006.

Jongdee, B., S. Fukai and M. Cooper. 2002. Leaf water potential and osmotic adjustment as physiological traits to improve drought tolerance in rice. **Field Crops Res.** 76: 153-163.

Koehler, P.H., P.H. Moore, C.A. Jones, A.D. Cruz and A. Maretzki. 1982. Response of drip irrigated sugarcane to drought stress. **Agron. J.** 74: 906–911.

Konieczny A. and F.M. Ausubel. 1993. A procedure for mapping *Arabidopsis* mutations using co-dominant ecotype-specific PCR-based markers. **Plant J.** 4: 403–410.

Kramer, J.P. and J.S. Boyer. 1995. **Water Relation of Plants and Soils.** 2nd ed Academic Press, Inc., California. U.S.A.

Lanceras, C.J. 2000. **Fine mapping of genes controlling intermediate amylose content in rice using bulked segregant analysis.** M.S.thesis, Kasetsart University.

Lander, E. and D. Botstein. 1989. Mapping mendelian factors underlying quantitative trait using RFLP linkage maps. **Genetics** 121: 185-199.

Levitt, J. 1980. **Response of plant to environment stress: Water relation, salt and other stresses**, Vol. 2. 2<sup>nd</sup> edition. Academic Press, Newyork.

- Lichtenthaler, H.K. 1998. The stress concept in plants: an introduction. **Ann. New York Acad. Sci.** 851: 187–198.
- Lilley, J.M., M.M. Ludlow, S.R. McCouch and J.C. O'Toole. 1996. Locating QTL for osmotic adjustment and dehydration tolerance in rice. **J. Exp. Bot.** 47: 1427-1436.
- Matin M.A., J.H. Brown and H. Ferguson. 1989. Leaf water potential, relative water content, and diffusive resistance as screening techniques for drought resistance in barley. **Agron J.** 81: 100-105.
- Meyer, S. and Y. de Kouchkovsky. 1993. Electron transport, photosystem-2 reaction centers and chlorophyll-protein complexes of thylakoids of drought resistant and sensitive lupin plants. **Photosynth. Res.** 37: 49–60.
- Michelmore, R.W., I. Paran and R.V. Kesseli. 1991. Identification of markers linked to disease resistance genes by bulk segregation analysis: A rapid method to direct markers in specific genomic regions using segregation populations. **Proc. Natl. Acad. Sci. USA.** 88: 9828-9832.
- Mills, T.M., M.H. Behboudian and B.E. Clothier. 1997. The diurnal and seasonal water relation, and composition of 'Braeburn' apple fruit under reduced water status. **Plant Sci.** 126: 145-154.
- Ming, R., S.C. Liu, P.H. Moore, J.E. Irvine and A.H. Paterson. 2001. QTL analysis in a complex autopolyploid: genetic control of sugar content in sugarcane. **Genome Res.** 11: 2075-2084.
- Ming, R., Y.W. Wang, X. Draye, P.H. Moore, J.E. Irvine and A.H. Paterson. 2002a. Molecular dissection of complex traits in autopolyploids: mapping QTLs affecting sugar yield and related traits in sugarcane. **Theor. Appl. Genet.** 105: 332-345.

- Ming, R., T.A. Del Monte, E. Hernandez, P.H. Moore, J.E. Irvine and A.H. Paterson. 2002b. Comparative analysis of QTLs affecting plant height and flowering among closely related diploid and polyploidy genomes. **Genome** 45: 794-803.
- Mittler, R., E. Merquiol, E. Hallak-Herr, A. Kaplan and M. Cohen. 2001. Living under a "dormant" canopy: a molecular acclimation mechanism of the desert plant *Retama raetam*. **Plant J.** 25: 407-416.
- Molnar, I., L. Gaspar, E. Sarvari, S. Dulai, B. Hoffmann, M. Molnar-Lang and G. Galiba. 2004. Physiological and morphological response to water stress in *Aegilops biuncialis* and *Triticum aestivum* genotypes with differing tolerance to drought. **Funct. Plant Biol.** 31:1149-1159.
- Monforte, A.J., M.J. Asins and E.A. Carbonell. 1996. Salt tolerance in *Lycopersicon* species, IV efficiency of marker assisted selection for salt tolerance improvement. **Theor. Appl. Genet.** 93:765-772.
- Morgan, J.M. 1984. Osmoregulation and water stress in higher plant. **Ann. Rev. of Plant Physiol.** 35: 299-319.
- Moulija, B. 2000. Leaves as shell structures: double curvature, auto stresses, and minimal mechanical energy constraints on leaf rolling in grasses. **J. Plant Growth Regul.** 19: 19-30.
- Msomi, N. and F.C. Botha. 1994. Identification of molecular markers linked to the fiber trait. Available Source: <http://www.intlpag.org/pag/3/abstracts/67pg3.html>, January 8, 2002.
- Mudge, J., W.R. Anderson, R.L. Kehrer and D.J. Fairbanks. 1996. A RAPD genetic map of *Saccharum officinarum*. **Crop Sci.** 36: 1362-1366.

- Nagy, Z. and G. Galiba. 1995. Drought and salt tolerance are not necessarily linked: a study on wheat varieties differing in drought resistance under consecutive water and salinity stresses. *J. Plant Physiol.* 145:168-174.
- Nobel, P.S. 1983. *Biophysical Plant Physiology and Ecology*. W.H. Freeman and Company, New York.
- Noirud, N., L. Maurousset and R. Lemoine. 2001. Transport of polyols in higher plant. *Plant physiol biochem.* 39: 717-728.
- Paran I. and R.W. Michelmore. 1993. Development of reliable PCR-based markers linked to downy mildew resistance genes in lettuce. *Theor. Appl. Genet.* 85: 985-993.
- Pastenes C, P. Pimentel and J. Lillo. 2005. Leaf movements and photoinhibition in relation to water stress in field-grown beans. *J. Exp. Bot.* 56: 425-433.
- Price, A.H., J. Townend, M.P. Jones, A. Audebert and B. Courtois. 2002. Mapping QTLs associated with drought avoidance in upland rice grown in the Philippines and West Africa. *Plant Mole. Biol.* 48: 683-695.
- Quarrie S.A. and H.G. Jones. 1979. Genotypic variation in leaf water potential, stomatal conductance, and abscisic acid concentration in spring wheat subjected to artificial drought stress. *Ann Bot.* 44: 323-332.
- Ramanjulu, S. and D. Baetels. 2002. Drought- and desiccation-induced modulation of genes expression in plants. *Plant, Cell and Environ.* 25: 141-151.
- Ramann, H., K. Sato, J.S. Moroni, B.J. Scott and B.J. Read. 1999. AFLP based bulked segregant analysis for tagging aluminium tolerance in barley. Available Source: <http://www.regional.org.au/au/abts/1999/raman2.htm>, September 5, 2003.

Ranade, S.A., N. Farooqui, E. Bhattacharya and A. Verma. 2001. Gene tagging with random amplified polymorphic DNA (RAPD) markers for molecular breeding in plants. **Critical Rev. in Plant Sci.** 20: 251-275.

Ranjbarfordoei, A., R. Samson, P. van Damme and R. Lemeur. 2000. Effect of drought stress induced by polyethylene glycol on pigment content and photosynthetic gas exchange of *Pistacia khinjuk* and *P. mutica*. **Photosynthetica** 38:443-447.

Ribaut, J.M., C. Jiang, D. Gonzalez de Leon, G.O. Edmeades and D.A. Hoisington. 1997. Identification of quantitative trait loci under drought conditions in tropical maize : Yield components and marker assisted selection strategies. **Theor. Appl. Genet.** 94:887-896.

Roberts, J., R.A. Nayamuth, C.H. Batchelor and G.C. Soopramanien. 1990. Plant-water relations of sugarcane (*Saccharum officinarum* L.) under a range of irrigated treatments. **Agric. Water Manage.** 17: 95–115.

Rutherford, R.S. 1989. The assessment of proline accumulation as a mechanism of drought resistance in sugarcane. **Proc. S. Afr. Sug. Technol. Ass.** 63: 136–141.

Saliendra, N.Z. and F.C. Meinzer. 1989. Relationship between root/soil hydraulic properties and stomatal behaviour in sugarcane. **Aust. J. Plant Physiol.** 16: 241–250.

Salin, M. 1987. Toxic oxygen species and protective systems of the chloroplast. **Physiol. Plant.** 72: 681-689.

Sammons D.J, D.B Peters and T. Hymowitz. 1978. Screening soybeans for drought resistance. I. Growth chamber procedure. **Crop Sci.** 18: 1050-1055.

- Sanchez, A.C., P.K. Subudhi, D.T. Rosenow and H.T. Nguyen. 2002. Mapping QTLs associated with drought resistance in sorghum (*Sorghum bicolor* L.Moench). **Plant Mole. Biol.** 48: 713-726.
- Schultz, H.R. and M.R. Matthews. 1997. High vapour pressure deficit exacerbates xylem cavitation and photoinhibition in shade-grown *Piper auritum* H.B.&K. during prolonged sunflecks. **Oecologia** 110: 312-319.
- Schulze, E.D., E. Beck and K. Müller-Hohenstein. 2002. **Plant Ecology**. Springer, Heidelberg.
- Sellin, A. 1998. The dependence of water potential in shoots of *Picea abies* on air and soil water status. **Ann. Geophysicae.** 16: 470-476.
- Shannon, E.L., J.R. Holden and R. Raine. 1996. Adoption of improved irrigation practices by Burdekin Canegrowers, pp. 214–219. *In*: Camp, C.R., Sadler, E.J., Yoder, R.E., eds., **Evaporation and Irrigation Scheduling. Proceedings of International Conference**, San Antonio, TX, ASAE,
- Shinozaki, K. and K. Yamaguchi-Shinozaki. 2000. Molecular response to dehydration and low temperature : differences and cross talk between two stress signaling pathways. **Curr. Opin. Plant Biol.** 3: 217-223.
- Singels, A. and R.A. Donaldson. 2000. A simple model of unstressed sugarcane canopy development. **Proc. S. Afr. Sug. Technol. Assoc.** 74: 151–154.
- Singels, A. and M.A. Smit. 2002. The effect of row spacing on an irrigated plant crop of sugarcane variety NCo376. **Proc. S. Afr. Sug. Technol. Assoc.** 76: 94–105.
- Singels, A., M.A. Smit, K.A. Redshaw and R.A. Donaldson. 2005. Opportunities for improved radiation interception by sugarcane. **Field Crops Res.** 92: 185–202.

- Singh, S. and K.K. Srivastava. 1974. Effects of soil–water potential on germination of sugarcane setts. *Indian J. Agric. Sci.* 44: 184–187.
- Smith, J.P., R.J. Lawn and R.O. Nable. 1999. Investigations into the root:shoot relationship of sugarcane and some implications for crop productivity in the presence of sub-optimal conditions. *Proc. Aust. Sugar Cane Technol.* 21: 108–113.
- Smit, M.A. and A. Singels. 2006. The response of sugarcane canopy development to water stress. *Field Crops Res.* 98: 91-97.
- Stopp, J.M.H., J.D. Williamson and D.M. Pharr. 1996. Mannitol metabolism in plants: A method for coping with stress. *Trend Plant Sci.* 1: 139-144.
- Taiz, L. and E. Zeiger. 2002. *Plant Physiology*. 3rd edition. Sinauer Associates, Inc., Publ., Sunderland, MA.
- Thomas, J.C., E.F. McElwain and H.J. Bohnert. 1992. Convergent induction of osmotic stress response. *Plant Physiol.* 100: 416-423.
- Turgut, R. and A. Kadioglu. 1998. The effect of drought, temperature and irradiation on leaf rolling in *Ctenanthe setosa*. *Biol. Plant.* 41(4): 629-633.
- Turner, N.C. 1982. The role of shoot characteristics in drought tolerance of crop plants. *In: Drought tolerance in crop with emphasis on rice*. International Rice Research Institute, Los Banos, manila, Philippines, pp. 115-134.
- Vos, P., R. Hogers, M. Bleekers, M. Reijans, T. van de Lee, M.Hornes, A. Frijters, J. Pot, J. Peleman, M. Kuiper and M. Zabeau. 1995. AFLP:a new technique for DNA fingerprinting. . *Nucleic Acid Res.* 23: 4407-4414.

- Wang, G. and A.H. Peterson. 1994. Assessment of DNA pooling strategies for mapping of QTLs. **Theor. Appl. Genet.** 88: 355-361.
- Yamaguchi-Shinozaki, K., M. Kasuga, Q. Liu, K. Nakashima, Y. Sakuma, H. Abe, Z.K. Shinwari, M. Seki and K. Shinozaki. 2002. Biological mechanisms of drought stress response. **JIRCAS Working Rep.** p.1-8.
- Yardavov, I., V. Velikova and T. Tsonev. 2003. Plant responses to drought and stress tolerance. **Bulg. J. Plant Physiol.** 187-206.
- Zayed, M.A. and I.M. Zeid. 1997/98. Effect of and water and salt stress on growth, chlorophyll, mineral ions, organic solutes contents and enzyme activities in mungbean seedlings. **Biol. Plant.** 40(3): 351-356.
- Zeng, Z. 1994. Precision mapping of quantitative trait loci. **Genetics** 136 : 1457-1468.
- Zhang, J. and M.B. Kirkham. 1995. Water relation of water stressed, split root C4 (*Sorghum bicolor*, Poaceae) and C3 (*Helianthus annuus*, Asteraceae) plants. **Amer. J. Bot.** 82:1220-1229.
- Zhang, J., H.T. Nguyen and A. Blum. 1999. Genetic analysis of osmotic adjustment in crop plants. **J. Exp. Bot.** 50: 291-302.
- Zhang, L.P., G.Y. Lin, D. Nino-Liu and M.R. Foolad. 2003. Mapping QTLs conferring early blight (*Alternaria solani*) resistance in a *Lycopersicon esculentum* × *L. hirsutum* cross by selective genotyping. **Mol. Breed.** 12: 3–19.
- Zhou, M., A. Singels and M.J. Savage. 2003. Physiological parameters for modelling differences in canopy development between sugarcane cultivars. **Proc. S. Afr. Sug. Technol. Assoc.** 77: 610–621.