

## ภาคผนวก จ

## การตรวจสอบลักษณะการแจกแจงข้อมูล

## Case Processing Summary

|   | Cases |         |         |         |       |         |
|---|-------|---------|---------|---------|-------|---------|
|   | Valid |         | Missing |         | Total |         |
|   | N     | Percent | N       | Percent | N     | Percent |
| รายได้ของครอบครัว                       | 160   | 100.0%  | 0       | .0%     | 160   | 100.0%  |
| ระยะเวลาการดื่มสุราของ<br>ผู้ป่วย       | 160   | 100.0%  | 0       | .0%     | 160   | 100.0%  |
| จำนวนครั้งที่ผู้ป่วยเข้ารับ<br>การบำบัด | 160   | 100.0%  | 0       | .0%     | 160   | 100.0%  |
| suptotal                                | 160   | 100.0%  | 0       | .0%     | 160   | 100.0%  |
| relatotal                               | 160   | 100.0%  | 0       | .0%     | 160   | 100.0%  |
| atittotal                               | 160   | 100.0%  | 0       | .0%     | 160   | 100.0%  |
| partotal                                | 160   | 100.0%  | 0       | .0%     | 160   | 100.0%  |

## Descriptives

|                                  |                                  | Statistic   | Std. Error | Standardized |  |
|----------------------------------|----------------------------------|-------------|------------|--------------|--|
| รายได้ของครอบครัว                | Mean                             | 3.31        | .114       |              |  |
|                                  | 95% Confidence Interval for Mean | Lower Bound | 3.09       |              |  |
|                                  |                                  | Upper Bound | 3.54       |              |  |
|                                  | 5% Trimmed Mean                  | 3.29        |            |              |  |
|                                  | Median                           | 3.00        |            |              |  |
|                                  | Variance                         | 2.078       |            |              |  |
|                                  | Std. Deviation                   | 1.441       |            |              |  |
|                                  | Minimum                          | 1           |            |              |  |
|                                  | Maximum                          | 6           |            |              |  |
|                                  | Range                            | 5           |            |              |  |
|                                  | Interquartile Range              | 2           |            |              |  |
|                                  | Skewness                         | .458        | .192       | 2.39         |  |
|                                  | Kurtosis                         | -.731       | .381       | 1.92         |  |
|                                  | ระยะเวลาการดื่มสุราของผู้ป่วย    | Mean        | 8.04       | .227         |  |
| 95% Confidence Interval for Mean |                                  | Lower Bound | 7.60       |              |  |
|                                  |                                  | Upper Bound | 8.49       |              |  |
| 5% Trimmed Mean                  |                                  | 7.91        |            |              |  |
| Median                           |                                  | 8.00        |            |              |  |
| Variance                         |                                  | 8.243       |            |              |  |
| Std. Deviation                   |                                  | 2.871       |            |              |  |
| Minimum                          |                                  | 4           |            |              |  |
| Maximum                          |                                  | 15          |            |              |  |
| Range                            |                                  | 11          |            |              |  |
| Interquartile Range              |                                  | 4           |            |              |  |
| Skewness                         |                                  | .580        | .192       | 3.02         |  |
| Kurtosis                         |                                  | -.398       | .381       | 1.05         |  |

## Descriptives



|                                     |                                  | Statistic   | Std. Error | Standardized |  |
|-------------------------------------|----------------------------------|-------------|------------|--------------|--|
| จำนวนครั้งที่ผู้ป่วยเข้ารับการรักษา | Mean                             | 2.00        | .098       |              |  |
|                                     | 95% Confidence Interval for Mean | Lower Bound | 1.81       |              |  |
|                                     |                                  | Upper Bound | 2.19       |              |  |
|                                     | 5% Trimmed Mean                  | 1.86        |            |              |  |
|                                     | Median                           | 2.00        |            |              |  |
|                                     | Variance                         | 1.535       |            |              |  |
|                                     | Std. Deviation                   | 1.239       |            |              |  |
|                                     | Minimum                          | 1           |            |              |  |
|                                     | Maximum                          | 7           |            |              |  |
|                                     | Range                            | 6           |            |              |  |
|                                     | Interquartile Range              | 2           |            |              |  |
|                                     | Skewness                         | 1.508       | .192       | 7.85         |  |
|                                     | Kurtosis                         | 2.511       | .381       | 6.59         |  |
|                                     | suptotal                         | Mean        | 28.39      | .268         |  |
| 95% Confidence Interval for Mean    |                                  | Lower Bound | 27.86      |              |  |
|                                     |                                  | Upper Bound | 28.92      |              |  |
| 5% Trimmed Mean                     |                                  | 28.51       |            |              |  |
| Median                              |                                  | 29.00       |            |              |  |
| Variance                            |                                  | 11.485      |            |              |  |
| Std. Deviation                      |                                  | 3.389       |            |              |  |
| Minimum                             |                                  | 20          |            |              |  |
| Maximum                             |                                  | 34          |            |              |  |
| Range                               |                                  | 14          |            |              |  |
| Interquartile Range                 |                                  | 5           |            |              |  |
| Skewness                            |                                  | -.408       | .192       | -2.125       |  |
| Kurtosis                            |                                  | -.375       | .381       | 0.98         |  |

|           |                                  | Statistic   | Std. Error | Standardized |  |
|-----------|----------------------------------|-------------|------------|--------------|--|
| relatotal | Mean                             | 62.41       | .644       |              |  |
|           | 95% Confidence Interval for Mean | Lower Bound | 61.14      |              |  |
|           |                                  | Upper Bound | 63.68      |              |  |
|           | 5% Trimmed Mean                  | 62.58       |            |              |  |
|           | Median                           | 62.00       |            |              |  |
|           | Variance                         | 66.395      |            |              |  |
|           | Std. Deviation                   | 8.148       |            |              |  |
|           | Minimum                          | 42          |            |              |  |
|           | Maximum                          | 77          |            |              |  |
|           | Range                            | 35          |            |              |  |
|           | Interquartile Range              | 11          |            |              |  |
|           | Skewness                         | -.251       | .192       | -1.31        |  |
|           | Kurtosis                         | -.512       | .381       | -1.34        |  |
| atittotal | Mean                             | 71.86       | .775       |              |  |
|           | 95% Confidence Interval for Mean | Lower Bound | 70.33      |              |  |
|           |                                  | Upper Bound | 73.39      |              |  |
|           | 5% Trimmed Mean                  | 72.31       |            |              |  |
|           | Median                           | 73.00       |            |              |  |
|           | Variance                         | 96.056      |            |              |  |
|           | Std. Deviation                   | 9.801       |            |              |  |
|           | Minimum                          | 43          |            |              |  |
|           | Maximum                          | 88          |            |              |  |
|           | Range                            | 45          |            |              |  |
|           | Interquartile Range              | 15          |            |              |  |
|           | Skewness                         | -.618       | .192       | 3.22         |  |
|           | Kurtosis                         | .217        | .381       | 0.57         |  |



|          |                                  | Statistic | Std. Error | Standardized |
|----------|----------------------------------|-----------|------------|--------------|
| partotal | Mean                             | 132.13    | 1.170      |              |
|          | 95% Confidence Interval for Mean |           |            |              |
|          | Lower Bound                      | 129.82    |            |              |
|          | Upper Bound                      | 134.44    |            |              |
|          | 5% Trimmed Mean                  | 132.35    |            |              |
|          | Median                           | 132.00    |            |              |
|          | Variance                         | 219.071   |            |              |
|          | Std. Deviation                   | 14.801    |            |              |
|          | Minimum                          | 99        |            |              |
|          | Maximum                          | 161       |            |              |
|          | Range                            | 62        |            |              |
|          | Interquartile Range              | 19        |            |              |
|          | Skewness                         | -.166     | .192       | -0.86        |
|          | Kurtosis                         | -.429     | .381       | -1.13        |

## ปัจจัยส่วนบุคคล



### รายได้ของครอบครัว





ระยะเวลาการดื่มสุราของผู้ป่วย





จำนวนครั้งที่ผู้ป่วยเข้ารับการรักษา





### การได้รับการสนับสนุนจากบุคลากรด้านสุขภาพ





สัมพันธภาพในครอบครัว



ทัศนคติของครอบครัวต่อผู้ป่วย



## การมีส่วนร่วมของครอบครัว



วิเคราะห์ถดถอยพหุเพื่อทำนายการมีส่วนร่วมของครอบครัวในการลด  
พฤติกรรมการดื่มสุราของผู้ป่วย

**Model Summary<sup>b</sup>**

| Model | R                 | R Square | Adjusted R Square | Std. Error of the Estimate | Change Statistics |          |     |     |               | Durbin-Watson |
|-------|-------------------|----------|-------------------|----------------------------|-------------------|----------|-----|-----|---------------|---------------|
|       |                   |          |                   |                            | R Square Change   | F Change | df1 | df2 | Sig. F Change |               |
| 1     | .448 <sup>a</sup> | .201     | .196              | 13.271                     | .201              | 39.768   | 1   | 158 | .000          | 2.072         |

a. Predictors: (Constant), atittotal

b. Dependent Variable: partotal

**ANOVA<sup>b</sup>**

| Model |            | Sum of Squares | df  | Mean Square | F      | Sig.              |
|-------|------------|----------------|-----|-------------|--------|-------------------|
| 1     | Regression | 7004.223       | 1   | 7004.223    | 39.768 | .000 <sup>a</sup> |
|       | Residual   | 27828.021      | 158 | 176.127     |        |                   |
|       | Total      | 34832.244      | 159 |             |        |                   |

a. Predictors: (Constant), atittotal

b. Dependent Variable: partotal

Coefficients<sup>a</sup>

| Model        | Unstandardized Coefficients |            | Standardized Coefficients | t      | Sig. | Correlations |         |      | Collinearity Statistics |       |
|--------------|-----------------------------|------------|---------------------------|--------|------|--------------|---------|------|-------------------------|-------|
|              | B                           | Std. Error | Beta                      |        |      | Zero-order   | Partial | Part | Tolerance               | VIF   |
| 1 (Constant) | 83.466                      | 7.788      |                           | 10.717 | .000 |              |         |      |                         |       |
| atittotal    | .677                        | .107       | .448                      | 6.306  | .000 | .448         | .448    | .448 | 1.000                   | 1.000 |

a. Dependent Variable: partotal


Residuals Statistics<sup>a</sup>

|                      | Minimum | Maximum | Mean   | Std. Deviation | N   |
|----------------------|---------|---------|--------|----------------|-----|
| Predicted Value      | 112.59  | 143.06  | 132.13 | 6.637          | 160 |
| Residual             | -28.224 | 30.807  | .000   | 13.229         | 160 |
| Std. Predicted Value | -2.945  | 1.647   | .000   | 1.000          | 160 |
| Std. Residual        | -2.127  | 2.321   | .000   | .997           | 160 |

a. Dependent Variable: partotal


### Histogram

Dependent Variable: partotal




### Normal P-P Plot of Regression Standardized Residual

Dependent Variable: partotal



## Scatterplot

Dependent Variable: parttotal



## Scatterplot

Dependent Variable: parttotal

