

เอกสารอ้างอิง

- [1] Barry, B.T.K., and Thwaites, C.J., 1983, Tin and Its Alloys and Compounds, Ellis Horwood Ltd.
- [2] Osburn, B.N., and Wilber, G.O., 1950, Pewter-Working: Instructions and Projects, Dover Publications.
- [3] หนังสือพิมพ์บ้านเมือง, 5ivesis พิวเตอร์ดีไซน์ เจาะตลาดไฮโซโกยเงิน, 22 ตุลาคม 2553.
- [4] กรมส่งเสริมอุตสาหกรรม, <http://library.dip.go.th>.
- [5] ณรงค์ ชื่นนิรันดร์, อุตสาหกรรมคืบคไทย...ทางรอดจากความลำบาก, <http://narongthai.com/deebook.html>.
- [6] Dessuy, M.B., Vale, M.G.R., Welz, B., Borges, A.R., Silva, M.M., and Martelli, P.B., 2001, "Determination of cadmium and lead in beverages after leaching from pewter cups using graphite furnace atomic absorption spectrometry," *Talanta*, Vol.85, pp:681-686.
- [7] Krachler, M., and Shoty, W., 2009, "Trace and ultratrace metals in bottled waters: survey of sources worldwide and comparison with refillable metal bottles," *Science of the Total Environment*, Vol.407, pp:1089-1096.
- [8] นางพางา จิตรกร, พิวเตอร์, สถาบันวิจัยวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย, <http://www.tistr.or.th>.
- [9] Pewter, <http://en.wikipedia.org/wiki/Pewter>.
- [10] ASTM B560-00(2010) Standard Specification for Modern Pewter Alloys.
- [11] Callister, W.D., and Rethwisch, D. G., 2011, *Materials Science and Engineering*, 8th Edition, John Wiley & Sons.
- [12] Hero, H., and Jorgensen, R.B., 1983, "Tarnishing of a low-gold dental alloy in different structural state," *Journal of Dental Research*, Vol.62, pp:371-376.
- [13] Lynn, A., O'Brien, R., German, M., 1988, "Tarnish and corrosion behavior of palladium-silver alloy," *Journal of Materials Science*, Vol.23, pp:3563-3571.
- [14] Takuma, Y., Shiraishi, T., Fujita, T., and Hisatsune, K., 2010, "Tarnish resistance evaluation of experimental Pd-free Ag-Au-Pt-Cu dental alloys," *Dental Materials Journal*, Vol.29, pp:330-335.
- [15] Sebo, P., Svec, P., Janickovic, D., Illekova, E., and Plevachuk, Y., 2011, "Interface between Sn-Sb-Cu solder and copper substrate," *Materials Science and Engineering A*, Vol.528, pp:5955-5960.
- [16] Zeng, Q., Guo, J., Gu, X., and Zhao X., 2008, "Liquid-state interfacial reaction of Sn-10Sb-5Cu high temperature lead-free solder and Cu substrate," *International Conference on Electronic Packaging & High Density Packaging*.

- [17] Lee, C., Lin, C.Y., and Yen, Y.W., 2007, "The 260°C phase equilibria of the Sn-Sb-Cu ternary system and interfacial reactions at the Sn-Sb/Cu joints," *Intermetallics*, Vol.15, pp:1027-1037.
- [18] Lee, J.J., Kim, B.J., and Min, W.S., 1993, "Calorimetric investigations of liquid Cu-Sb, Cu-Sn and Cu-Sn-Sb alloys," *Journal of Alloys and Compounds*, Vol.202, pp:237-242.
- [19] Groover, M.P., 2011, *Principles of Modern Manufacturing*, 4th Edition, John Wiley & Sons.
- [20] Polakova, H., Musil, J., Vlcek J., Allaart J., and Mitterer, C., 2003, "Structure-hardness relations in sputtered Ti-Al-V-N films," *Thin Solid Films*, Vol.444, pp:189-198.
- [21] Gioka, C., Bourauel, C., Zinelis, S., Eliades, T., Silikas, N., and Eliades, G., 2004, "Titanium orthodontic brackets: structure, composition, hardness and ionic release," *Dental Materials*, Vol.20, pp:693-700.
- [22] Ren, F., Case, E.D., Timm, E.J., and Schock, H.J., 2008, "Hardness as a function of composition for n-type LAST thermoelectric material," *Journal of Alloys and Compounds*, Vol.455, pp:340-345.
- [23] Liu, R., Xi, S.Q., Kapoor, S., and Wu, X.J., 2010, "Effects of chemical composition on solidification, microstructure and hardness of Co-Cr-W-Ni and Co-Cr-Mo-Ni alloy systems," *IJRRAS*, Vol.5, pp:110-122.
- [24] Kaczmarek, D., Wojcieszak, D., Domaradzki, J., Prociow, E., Placido, F., Lapp, S., and Dylewicz, R., 2011, "Influence of nanocrystalline structure and composition on hardness of thin film based on TiO₂," *Central European Journal of Physics*, Vol.9, pp:349-353.
- [25] Ucar, Y., Brantley, W.A., Johnston, W.M., Iijima, M., Han, D.S., and Dasgupta, T., 2011, "Microstructure, elemental composition, hardness and crystal structure study of the interface between a noble implant component and cast noble alloys," *The Journal of Prosthetic Dentistry*, Vol.106, pp:170-178.
- [26] Suarez, M.A., Esquivel, R., Alcantara, J., Dorantes, H., and Chavez, J.F., "Effect of chemical composition on the microstructure and hardness of Al-Cu-Fe alloy," 2011, *Materials Characterization*, Vol.62, pp:917-923.
- [27] Cornell, J.A., 2002, *Experiments with Mixtures: Designs, Models, and the Analysis of Mixture Data*, 3rd Edition, John Wiley & Sons.
- [28] Asiaban, S., and Moradian, S., 2011, "Investigation of tensile properties and dyeing behavior of various polypropylene/polyamide 6 blends using a mixture experimental design," *Dyes and Pigments*, Vol.92, pp:642-653.

[29] Karaman, S., Yilmaz, M.T., and Kayacier, A., 2011, "Simplex lattice mixture design approach on the rheological behavior of glucomannan based salep-honey drink mixtures: an optimization study based on the sensory properties," *Food Hydrocolloids*, Vol.25, pp:1319-1326.

[30] Mura, P., Furlanetto, S., Cirri, M., Maestrelli, F., Marras, A.M., and Pinzauti, S., 2005, "Optimization of glibenclamide tablet composition through the combined use of differential scanning calorimetry and D-optimal mixture experimental design," *Journal of Pharmaceutical and Biomedical Analysis*, Vol.37, pp:65-71.