

เอกสารอ้างอิง

- โชคชัย นกเทศ, สุदारัตน์ คำรงค์วัฒนโกคิน, วันทนีย์ เนรมิตมานสุข, ชิต ศิริวรรณ, จิรา คงครอง, สุจิรา ปาจริยานนท์, ปฏิพร ฐาปนกุลศักดิ์, พชร ทองคำคุณ, เสริมพันธุ์ สุนทรชาติ, กิตติชัย อุ่นจิต และ รัฐพงษ์ รัตนภูมิ. 2549. โรคสัตว์เล็ก: สุกร. สถาบันสุขภาพสัตว์แห่งชาติ กรมปศุสัตว์ กระทรวงเกษตรและสหกรณ์. กรุงเทพฯ. 103 น.
- Allison, C.P., R.C. Johnson and M.E. Doumit. 2005. The effects of halothane sensitivity on carcass composition and meat quality in HAL-1843-normal pigs. *J. Anim. Sci.* 83:671-678.
- Berg, E.P., E.L. McFadin, K.R. Maddock, R.N. Goodwin, T.J. Baas and D.H. Keisler. 2003. Serum concentrations of leptin in six genetic lines of swine and relationship with growth and carcass characteristics. *J. Anim. Sci.* 81:167-171.
- Bjurstrom, S., J. Carlsten , K. Thoren-Tolling and L. Jonsson. 1995. Distribution and morphology of skeletal muscle lesions after experimental restraint stress in normal and stress-susceptible pigs. *J.Vet. Med. A.* 42 : 575 - 587.
- Buske, B., C. Brunsch, K. Zeller, P. Reinecke and G. Brockmann. 2005. Analysis of properdin (BF) genotypes associated with litter size in a commercial pig cross population. *Anim. Breed Genet.* 122: 259–263.
- Carlsten, J., S. Bjurstrom , J. Haggendal and L. Jonsson. 1994. Reduction of heart lesions after experimental restraint stress : a study in stress-susceptible pigs. *J. Vet. Med. A.* 41: 722 - 730.
- Carolino, I., A. Vicente, C.O. Sousa, and L.T. Gama. 2007. SNaPshot based genotyping of the RYR1 mutation in Portuguese breeds of pigs. *Livestock Science.* 111: 264-269.
- Carr, C.C., J.B. Morgan, E.P. Berg, S.D. Carter and F.K. Ray. 2006. Growth performance, carcass composition, quality, and enhancement treatment of fresh pork identified through deoxyribonucleic acid marker-assisted selection for the Rendement Napole gene. *J. Anim. Sci.* 84:910-917.
- Carrodegua, J. A., Burgos, C., Moreno, C., Sanchez, A. C., Ventanas, S., Tarrafeta, L., et al. 2005. Incidence in diverse pig populations of an IGF2 mutation with potential influence on meat quality and quantity: An assay. *Meat Science.* 71(3), 577–582.

- Dick, F.M., V. de Wiel and W.L. Zhang. 2007. Identification of pork quality parameters by proteomics. *Meat Science*. 77: 46-54.
- Enfält, A. C., K. LundströmHansson, I. Johansen, and P. E. Nyström. 1997. Comparison of non-carriers and heterozygous carriers of the RN allele for carcass composition, muscle distribution and technological meat quality in Hampshire-sired pigs. *Livest Prod Sci*. 47: 221–229.
- Fàbrega, E., X. Manteca, J. Font, M. Gispert, D. Carrión, A. Velarde, J.L. Ruiz-de-la-Torre and A. Diestre. 2002. Effect of halothane gene and pre-slaughter treatment on meat quality and welfare from two pig crosses. *Meat Sci*. 64: 463-472.
- Fisher, P., F.D. Mellett and L.C. Hoffman. 2000. Halothane genotype and pork quality. 1. Carcass and meat quality characteristics of three halothane genotypes. *Meat Sci*. 54: 97-105.
- Fujii, J., K. Otsu, F. Zorzato, S. de Leon, VK. Khanna, JE. Weiler, PJ. O'Brien and DH. MacLennan. 1991. Identification of a mutation in porcine Ryanodine receptor associated with malignant hyperthermia. *Science*. 253: 448-451.
- Geers, R., C. Decanniere, A. Rosier, H. Ville, P. Van Hecke, F. Vandesande and J. Jourquin. 1996. Variability of energy metabolism and nuclear T3-receptors within the skeletal muscle tissue of pigs different with respect to the halothane gene. *J. Anim. Sci*. 74 : 717 - 722.
- Hamilton, DN., M. Ellis, KD. Miller, FK. McKeith and DF. Parrett. 2000. The effect of the Halothane and Rendement Napole genes on carcass and meat quality characteristics of pigs. *J. Anim. Sci*. 78: 2862-2867.
- Hanne, C. Bertram, Jette S. Petersen, Henrik J. 2000. Andersen Relationship between RN genotype and drip loss in meat from Danish pigs. *Meat Sci*. 56: 49-55.
- Hedegaard, J., P. Horn, R. Lametsch, H. Sondergaard Moller, P. Roepstorff, C. Bendixen and E. Bendixen. 2004. UDP-glucose pyrophosphorylase is upregulated in carriers of the porcine RN-mutation in the AMP-activated protein kinase. *Proteomics*. 4(8), 2448–2454.
- Honikle, K.O. 1998. Reference methods for the assessment of physical characteristics of meat. *Meat Sci*. 49: 447-457

- Houseknecht, K.L., C.A. Baile, R.L. Matteri and M.E. Spurlock. 1998. The biology of leptin: a review. *J. Anim. Sci.* 76: 1405-1420.
- Jennen, D.G.J., A.D. Brings, G. Liu, H. Juengst, E. Tholen, E. Jonas, D. Tesfaye, K. Schellander, and C. Phatsara. 2007. Genetic aspects concerning drip loss and water-holding capacity of porcine meat. *J. Anim. Breed. Genet.* 124: 2-11.
- Jeon, J. T., O. Carlborg, A. Tornsten, E. Giuffra, V. Amarger, P. Chardon, A.L. Eklund, K. Anderson, I. Hansson, K. Lundstrom and Anderson, L. 1999. A paternally expressed QTL affecting skeletal and cardiac muscle mass in pigs maps to the IGF2 locus. *Nature Genetics.* 21: 157–158.
- Kennes, Y.M., B.D. Murphy, F. Pothier and M.F. Palin. 2001. Characterization of swine leptin (LEP) polymorphisms and their association with production traits. *Anim. Genet.* 32: 215- 218.
- Klont , R.E and E. Lambooy. 1995. Influence of preslaughter muscle temperature on muscle metabolism and meat quality studied in anesthetized pigs of different halothane genotypes. *J. Anim. Sci.* 73 : 108 - 117.
- Krzecio, E., J. Kury, M. Koc' win-Podsiada and G. Monin. 2005. Association of calpastatin (CAST/MspI) polymorphism with meat quality parameters of fatteners and its interaction with RYR1 genotypes. *J. Anim.* 122: 251-258.
- Leach, L.M., M. Ellis, D.S. Sutton, F.K. McKeith and E.R. Wilson. 1996. The growth performance, carcass characteristics, and meat quality of halothane carrier and negative pigs. *J. Anim. Sci.* 74: 934-943.
- Le Roy, P., Naveau, J., Elsen, J. M., & Sellier, P. 1990. Evidence for a new major gene influencing meat quality in pigs. *Genetical research.* 55(1), 33–40.
- Lockley, A.K., J.S. Bruce , S.J. Franklin and R.G. Bardsley. 1996. Use of mutagenically separated PCR for the detection of the mutation associated with porcine stress syndrome. *Meat Sci.* 43 : 93 - 97.
- Lundström, K., A. Andersson and I. Hansson. 1996. Effect of the RN gene on technological and sensory meat quality in crossbred pigs with Hampshire as terminal sire. *Meat Sci.* 42: 145–153.

- Lu S.H., W.M. Jun, R. Jun, S.D. Neng, M.G. Yuan, S.A. Hua, L. Lin, H.Z. Li, 2004. Genetic variations of the porcine PRKAG3 gene in Chinese indigenous pig breeds. *Genet. Sel. Evol.* 32 : 481-486.
- MacLennan, D.H. and M.S. Phillips. 1992. Malignant hyperthermia. *Science.* 256 : 789 - 794.
- Milan, D., J. P. Bidane, P. Le Roy, C. Chevalet, N. Woloszyn, J.C. Caritez, J. Gruand, H. Lagant, M.B. Lafaucheur, C. Renard, M. Vaiman, P. Mormede, C. Desautes, Y. Amigues, F. Bourgeois, Gellin, J. and L. Ollivier. 1998. Current status of QTL detection in large white · Meishan crosses in France. Proceeding of the sixth world congress on genetics applied to livestock production. *Armidale Australia.* 26, 414–417.
- Milan, D., JT. Jeon, C. Looft, v. Amarger. A. Robic. M.thelander, C. Rogel-Gaillard, S. Paul, N. Iannuccelli, L. Rask, H. Ronne, K. Lundstrom, N. Reinsch, J. Gellin, E. Kalm, P. LeRoy, P. Chardon and L. Andersson. 2000. A mutation in PRKAG3 associated with excess glycogen content in pig skeletal muscle. *Science.* 288: 1248–1251.
- Milan, D., N. Woloszyn, M. Giteau, A. Navas, M. Yerle, and C. Rogel-Gaillard 1996a. Toward the identification of RN gene involved in meat quality in pigs. *Anim. Genet.* 27, 114.
- Milan, D., N. Woloszyn, M. Yerle, Le P. Roy, M. Bonnet, J. Riquet, Y. Lahbib-Mansais, JC. Caritez, A. Robic, P. Sellier, JM. Elsen and J. Gellin. . 1996b. Accurate mapping of the “acid meat” RN gene on genetic and physical maps of pig chromosome 15. *Mamm. Genome.* 7(1), 47–51.
- Moon, P.F. and L. J. Smith. 1996. General anesthetic techniques in swine. *Vet. Clin. North. A: Food Anim. Pract.* 12 : 663 - 691.
- Neuenschwander S., G. Rettenberger, H. Meijerink, H. Jorg, G. Stranzinger. 1996. Partial characterization of porcine obesity gene (OBS) and its localization to chromosome 18 by somatic cell hybrids. *Anim. Genet.*, 27: 275–278.
- Nezer, C., C. Collette, L. Moreau, B. Brouwers, J.J. Kim, E. Giuffra, N. Buys, L. Andersson and M. Georges 2003. Haplotype sharing refines the location of an imprinted quantitative trait locus with major effect on muscle mass to a 250 kb chromosome segment containing the porcine IGF2 gene. *Genetic.* 165(1), 277–285.
- Nezer, C., L. Moreau, B. Brouwers, W. Coppeters, J. Detilleux, R. Hanset, L. Karim, A. Kvasz,

- P. Leroy and M. Georges.. 1999. An imprinted QTL with major effect on muscle mass and fat deposition maps to the IGF2 locus in pigs. *Nature Genetics*. 21(2), 155–156.
- O'Brien, P.J., H. Shen, C.R. Cory and X. Zhang. 1993. Use of a DNA-base test for the mutation associated with porcine stress syndrome (malignant hyperthermia) in 10,000 breeding swine. *JAVMA*. 203 : 842 - 851.
- Otsu, K., M.S. Phillips, V.K. Khanna , S. deLeon and D.H. MacLennan. 1992. Refinement of diagnostic assays for a probable causal mutation for porcine and human malignant hyperthermia. *Genomics*. 13 : 835 -837.
- Otto, G., R. Roehe , H. Looft, L. Thoelking , P.W. Knap ,M.F. Rothschild , G.S. Plastow, E. Kalm . 2007. Associations of DNA markers with meat quality traits in pigs with emphasis on drip loss. *Meat Sci*. 75 .185–195.
- Pommier, S. and A. Houde. 1993. Effect of the genotype for malignant hyperthermia as determined by a restriction endonuclease assay on the quality characteristics of commercial pork loins. *J. Anim. Sci*. 71: 420-425.
- Ponsuksili, S., E. Murani, C. Phatsara, E. Jonas, C. Walz, M. Schwerin, K. Schellander and K. Wimmers. 2008. Expression profiling of muscle reveals transcripts differentially expressed in muscle that affect water-holding capacity of pork. *J. Agri. Food Chem*. 56: 10311-10317.
- Ramsay, T.G., X. Yan and C. Walz, Morrison. 1998. The obesity gene in swine: sequence and expression of porcine leptin. *J. Anim. Sci*. 76: 484-490.
- Roberge, C., S.A. Pommier and A. Houde. 1997. Rapid DNA purification for Hal gene PCR diagnosis in porcine tissues and extension to other meat species. *Meat Sci*. 45 : 17 - 22.
- Urban, T., J. Kuciel and R. Mikolášová. 2002. Polymorphism of genes encoding for ryanodine receptor, growth hormone, leptin and MYC protooncogene protein and meat production in Duroc pigs. *Caech J. Anim. Sci*. 47(10): 411-417.
- Van Laack, L.J.M.R., C. Faustman and J.G. Sebranek. 1993. Pork quality and the expression of stress protein Hsp 70 in swine. *J. Anim. Sci*. 71: 2958-2964.

Vögeli P., R. Bolt, R. Fries, G. Stranzinger. 1994. Co-segregation of the malignant hyperthermia and the Arg615-Cys615 mutation in the skeletal muscle calcium release channel protein in five European Landrace and Pietrain pig breeds. *Animal Genetics*. 25: 59–66.

Vykoukalova, Z, A. Knoll, J. Dvorak and S. Cepica. 2006, New SNPs in the *IGF2* gene and association between this gene and backfat thickness and lean meat content in Large White pigs. *J. Anim. Breed. Genet.* 123: 204-207.

Water- Holding Capacity in Early Postmortem Muscle. 110 - 117.



