



REFERENCES

- Acevedo, E., T. C. Hsiao, and D.W. Henderson. 1971. Immediate and subsequent growth responses of maize leaves to changes in water status. *Plant Physiology* 48: 631- 636.
- Ackerson, R.C., D.R. Kreig, and F.J.M. Sung. 1980. Leaf conductance and osmoregulation of field grown sorghum genotypes. *Crop Science* 20: 10-14.
- Aggarwal, P.K., M.J. Kropff, P.S. Teng, and G.S. Khush. 1997. The challenge of integrating systems approach in plant breeding: opportunities, accomplishments and limitations, pp. 1-23. *In* Kropff, M.J., P.S. Teng, P.K. Aggarwal, B.A.M. Bouman, J.W. Jones, and H.H. van Laar (Eds.), *Applications of Systems Approaches at the Field Level*. Kluwer Academic Publishers, Great Britain.
- Akkasaeng, C., N. Vorasoot, S. Jogloy, and A. Patanotai. 2003. Relationship between SPAD readings and chlorophyll contents in leaves of peanut (*Arachis hypogaea* L.). *Thai Journal of Agricultural Science* 36:279-284.
- Alexandrov, V.A. and G. Hoogenboom. 2000. The impact of climate variability and change on crop yield in Bulgaria. *Agricultural and Forest Meteorology* 104: 315-327.
- Alycmeny, M.N. 1997. The effect of drought on growth and dry matter allocation in seedlings of *Vigna ambacensis* L.. *Journal of King Saud University* 1: 41-51.
- Andersen, P.C. and D.W. Gorbet. 2002. Influence of year and planting date on fatty acid chemistry of high oleic acid and normal peanut genotypes. *Journal of Agricultural and Food Chemistry* 50: 1298-1305.
- Angus, J.F. and M.W. Moncur. 1977. Water stress and phenology in wheat. *Australian Journal of Agricultural Research* 28: 177-181.
- Anothai, J., A. Patanothai, K. Pannangpetch, S. Jogloy, K.J. Boote, and G. Hoogenboom. 2008a. Reduction in data collection for determination of cultivar coefficients for breeding application. *Agricultural Systems* 96: 195-206.

- Anothai, J., A. Patanothai, K. Pannangpetch, S. Jogloy, K.J. Boote, and G. Hoogenboom. 2008b. A sequential approach for determining the cultivar coefficients of peanut lines using end-of-season data of crop performance trials. *Field Crops Research* 108: 169–178.
- Araus, J.L., G.A. Slafer, M.P. Reynolds, and C. Royo. 2002. Plant breeding and drought in C3 cereals: What should we breed for? *Annals of Botany* 89: 925–940.
- Arunyanark, A., S. Jogloy, C. Akkasaeng, N. Vorasoot, T. Kesmala, R.C. Nageswara Rao, G.C. Wright, and A. Patanothai. 2008. Chlorophyll stability is an indicator of drought tolerance in peanut. *Journal of Agronomy and Crop Science* 194: 113-125.
- Arunyanark, A., S. Jogloy, C. Akkasaeng, N. Vorasoot, R.C. Nageswara Rao, G.C. Wright, and A. Patanothai. 2009. Association between aflatoxin contamination and drought tolerance traits in peanut. *Field Crops Research* 114: 14-22.
- Awal, M. A. and T. Ikeda. 2002. Recovery strategy following the imposition of episodic soil moisture deficit in stands of peanut (*Arachis hypogaea* L.). *Journal of Agronomy and Crop Science* 188: 185-192.
- Babu, V.R. and D.V.M. Rao. 1983. Water stress adaptations in the groundnut (*Arachis hypogaea* L.) foliar characteristics and adaptations to moisture stress. *Plant Physiology and Biochemistry* 10: 64-80.
- Banternng, P., A. Patanothai, K. Pannangpetch, S. Jogloy, and G. Hoogenboom. 2003. Applicability of the CROPGRO-Peanut model in assisting multi-location evaluation of peanut breeding lines. *Thai Journal of Agricultural Science* 37:407–418.
- Banternng, P., A. Patanothai, K. Pannangpetch, S. Jogloy, and G. Hoogenboom. 2004. Determination of genetic coefficients for peanut lines for breeding applications. *European Journal of Agronomy* 21: 297–310.
- Banternng, P., A. Patanothai, K. Pannangpetch, S. Jogloy, and G. Hoogenboom. 2006. Yield stability evaluation of peanut breeding lines: A comparison of an experimental versus a simulation approach. *Field Crops Research* 96:168–175.
- Benjamin, J. G. and D. C. Nielsen. 2006. Water deficit effects on root distribution of soybean field pea and chickpea. *Field Crops Research* 97: 248–253.

- Bennet, J.M., K.J. Boote, and L.C. Hammon. 1984. Relationships among water potential components, relative water content and stomatal resistance of field-grown peanut. *Peanut Science* 11: 31-35.
- Beven, K.J. and A.M. Binley. 1992. The future of distributed models: Model calibration and uncertainty prediction. *Hydrological Processes* 6: 279-298.
- Bhatia, V.S., P. Singh, S.P. Wani, G.S. Chauhan, A.V.R. Rao, A.K. Mishra, and K. Srinivas. 2008. Analysis of potential yield gaps of rainfed soybean in India using CROPGRO-Soybean model. *Agricultural and Forest Meteorology* 148: 1252-1265.
- Blum, A. and A. Ebercon. 1981. Cell membrane stability as a measure of drought and heat tolerance in wheat. *Crop Science* 21:43-47.
- Bohm, W. 1979. Method of Studying Root System. *Ecological studies* 33. Springer-Verlag Berlin Heidelberg, New York, United State of America.
- Boote, K. J. 1982. Growth stage of peanut (*Arachis hypogaea* L.). *Peanut Science* 9: 35-40.
- Boote, K.J. 1983. Peanut, pp 255-286. *In* Teare, I.D. and M.M. Peet (Eds), *Crop-water relations*. John Wiley & Sons. United State of America.
- Boote, K.J. 1999. Concepts for calibrating crop growth models, pp. 179-200. *In* G. Hoogenboom et al. (Eds.) *DSSAT v3*. Vol. 4. University of Hawaii, Honolulu, Hawaii.
- Boote, K.J., J.R. Stansell, A.M. Schubert, and A.F. Stone. 1982. Irrigation water use and water relation, pp. 164-205. *In* *peanut science and Technology*, American Peanut Research and Education Associate. Yoakum, Texas.
- Boote, K.J., J.W. Jones, and N.B. Pickering. 1996. Potential uses and limitations of crop models. *Agronomy Journal* 88: 704-716.
- Boote, K.J., J.W. Jone, G. Hoogenboom, and N.B. Pickering. 1998. The CROPGRO for grain legumes, pp. 99-128. *In* Tsuji, G.Y., G. Hoogenboom, and P.K. Thornton (Eds.), *Understanding Option for Agricultural Production*. Kluwer Academic Publishers, Boston.
- Boote, K.J., J.W. Jones, W.D. Batchelor, E.D. Nafziger, and O. Myers. 2003. Genetic coefficients in the CROPGRO-Soybean model: links to field performance and genomics. *Agronomy Journal* 95: 32-51.

- Boote, K.J., M.J. Kropf, and P.S. Bindraban. 2001. Physiology and modeling of traits in crop plants: Implications for genetic improvement. *Agricultural Systems* 70: 395–420.
- Bormann, B.T., F.H. Bormann, W.B. Bowden, R.S. Piece, S.P. Hamburg, D. Wang, M.C. Snyder, C.Y. Li, and R.C. Ingersoll. 1993. Rapid N₂ fixation in pines, alder, and locust: Evidence from the sandbox ecosystems study. *Ecology* 74: 583–598.
- Branch, W.D. and G.L. Hildebrand. 1989. Pod yield comparison of pure line peanut selections simultaneously developed from Georgia and Zimbabwe breeding programs. *Plant Breeding* 102: 260–263.
- Bricker, A.A. 1989. MSTAT-C user's guide. Michigan State University.
- Campbell, D.J. and J.K. Henshall. 2001. Bulk density, pp. 315–348. *In* Smith, K.A. and C.E. Mullins (Eds.), *Soil and Environmental Analysis: Physical Methods*. Marcel Dekker, New York.
- Chapman, S.C., G.L. Hammer, D.W. Podlich, and M. Cooper. 2002. Linking bio-physical and genetic models to integrate physiology, molecular biology and plant breeding, pp. 167–188. *In* Kang, M.S. (Eds.), *Quantitative Genetics, Genomics, and Plant Breeding*. CABI Publishing, New York.
- Chapman, S. C., M. M. Ludlow, and F. P. C. Blamey. 1993. Effect of drought during early reproductive development on the dynamics of yield development of genotypes of peanut (*Arachis hypogaea* L.). *Field Crops Research* 32: 227–242.
- Chung, S.Y., J.R. Vercellotti, and T.H. Sanders. 1997. Increase of glycolytic enzymes in peanuts during peanut maturation and curing: evidence of anaerobic metabolism. *Journal of Agricultural and Food Chemistry* 45: 4516–4521.
- Colom, M.R. and C. Vazzana, 2003. Photosynthesis and PS II functionality of drought-resistant and drought-sensitive weeping lovegrass plants. *Environmental and Experimental Botany*. 49: 135–144.
- Coffelt, T. A., R. O. Hammons, W. D. Branch, R.W. Mozingo, P. M. Phipps, J. C. Smith, R. E. Lynch, C.S. Kvien, D.L. Ketrings, D.M. Porter, and A.C. Mixon. 1985. Registration of Tifton-8 peanut germplasm. *Crop Science* 25: 203–203.

- Craufurd, P.Q., T.R. Wheeler, R.H. Ellis, R.J. Summerfield, and J.H. Williams. 1999. Effect of temperature and water deficit on water – use efficiency, carbon isotope discrimination, and specific leaf area in peanut. *Crop Science* 39: 136-142.
- Dangthaisong, P., P. Banterng, S. Jogloy, N. Vorasoot, A. Patanothai, and G. Hoogenboom. 2006. Evaluation of CSM-CROPGRO-Peanut model in simulation responses of two peanut cultivars to different moisture regimes. *Asian Journal of Plant Science* 5: 913-922.
- Dardanelli, J.L., O.A. Bachmeier, R. Sereno, and R. Gil. 1997. Rooting depth and soil water extraction patterns of different crop in silty loam Haplustoll. *Field Crops Research* 54: 29-38.
- Del Rosario, D.A. and F.F. Fajardo. 1988. Morphophysiological responses of ten peanut (*Arachis hypogaea* L.) varieties to drought stress. *Philippine Agriculturist* 71: 447-459.
- Dennis, P.G. and J. C. O'Toole. 1995. Selection for reproductive stage drought avoidance in rice, using infrared thermometry. *Agronomy Journal* 87: 773-779.
- Devries, J.D., J.M. Bennett, S.L. Albrecht, and K.J. Boote. 1989. Water relations, nitrogenase activity and root development of three grain legumes in response to soil water deficits. *Field Crops Research* 22: 215–226.
- Diener, U.L., R.J. Cole, T.H. Sanders, G.A. Payne, L.S. Lee, and M.A. Klich. 1987. Epidemiology of aflatoxin formation by *Aspergillus Flavus**. *Annual Review of Phytopathology* 25: 249-270.
- Dhopte, A.M. and S.D. Ramteke. 1991. Relative changes in root growth and root respiration in drought tolerant and susceptible genotypes of peanut under field conditions. *Annual of Plant Physiology* 5: 213-217.
- Doorenbos, J. and W. O. Pruitt. 1992. Calculation of crop water requirements, pp. 1–65. *In* FAO Irrigation and Drainage Paper. FAO, Rome.
- Duncan, W.G., D.E. McCloud, R.L. McGraw, and K.J. Boote. 1978. Physiological aspects of peanut yield improvement. *Crop Science* 18: 1015-1020.

- El Hafid, R., D. H. Smith, M. Karrou, and K. Samir. 1998. Morphological attributes associated with early-season drought tolerance in spring durum wheat in Mediterranean environment. *Euphytica* 101: 273–282.
- Epron, D. and E. Dreyer. 1993. Long-term effects of drought on photosynthesis of adult oak trees (*Quercus petraea* and *Q. robur*) in a nature stand. *New Phytologist* 125: 381–389.
- FAOSATAT. 2009. Statistical database. (cited on January 20, 2011) Available from: URL: <http://faostat.fao.org>.
- Ford, K. E., P. J. Gregory, M. J. Gooding, and S. Pepler. 2006. Genotype and fungicide effects on late-season root growth of winter wheat. *Plant and Soil* 284: 33–44.
- Gaff, D.F. 1980. Protoplasmic tolerance of extreme water stress, pp. 207-230. *In* Turner N.C. and P.J. Kramer (Eds.), *Adaptation of plants to water and high temperature stress*. Wiley, New York, United state of America.
- Girdthai, T., S. Jogloy, C. Akkasaeng, N. Vorasoot, S. Wongkaew, C.C. Holbrook, and A.Patanothai. 2010. Heritability of, and genotypic correlations between, aflatoxin traits and physiological traits for drought tolerance under end of season drought in peanut (*Arachis hypogaea* L.). *Field Crops Research* 118: 169-176.
- Gomez, K.A. and A.A. Gomez. 1984. *Statistical Procedures for Agricultural Research*. 2nd ed. John Wiley & Sons, New York, United state of America.
- Gregory, P.J. 2006. *Plant Root Growth, Activity and Interaction with Soils*. Blackwell Publishing Ltd. Victoria, Australia.
- Hammer, G.L., D. Butler, R.C. Muchow, and H. Meinke. 1996. Integrating physiological understanding and plant breeding via crop modeling and optimization, pp. 419–441. *In* Cooper, M. and G.L. Hammer (Eds.), *Plant Adaptation and Crop Improvement*. CAB Int., ICRISAT, and IRRI, Wallingford, United Kingdom.
- Hanks, R. J., J. Keller, V. P. Rasmussen, and G. D. Wilson. 1976. Line source sprinkler for continuous variable irrigation crop production studies. *Soil Science Society of America Journal* 40: 426-429.

- He, J., J.W. Jones, W.D. Graham, and M.D. Dukes. 2010. Influence of likelihood function choice for estimating crop model parameters using the generalized likelihood uncertainty estimation method. *Agricultural Systems* 103: 256-264.
- Heijmans, M.M.P.D., F. Berendse, W.J. Arp, A.K. Masselink, H. Klees, W. De Visser, and N. Van Breemen. 2001. Effects of elevated carbon dioxide and increased nitrogen deposition on bog vegetation in the Netherlands. *Journal of Ecology* 89: 268-279.
- Henson, I.E. 1982. Absciscic acid and water relations of rice (*Oryza sativa* L.): Sequential responses to water stress in the leaf. *Annals of Botany* 50: 9-24.
- Holbrook, C. C. and H. T. Stalker. 2003. Peanut breeding and genetic resources. *Plant Breeding Reviews* 22: 297-356.
- Hoogenboom, G. 2000. Contribution of agrometeorology to the simulation of crop production and its applications. *Agricultural and Forest Meteorology* 103: 137-157.
- Hoogenboom, G., J.W. Jones, P.W. Wilkens, C.H. Porter, W.D. Batchelor, L.A. Hunt, K.J. Boote, U. Singh, O. Uryasev, W.T. Bowen, A.J. Gijsman, A.S. du Toit, J.W. White, and G.Y. Tsuji. 2004. Decision Support System for Agrotechnology Transfer Version 4.0 [CD-ROM] University of Hawaii, Honolulu, Hawaii.
- Hoogenboom, G., J.W. Jones, P.W. Wilkens, W.D. Batchelor, W.T. Bowen, L.A. Hunt, N.B. Pickering, U. Singh, D.C. Godwin, B. Baer, K.J. Boote, J.T. Ritchie, and J.W. White. 1994. Crop models, pp. 95-244. *In* Tsuji, G.Y., G. Uehara, and S. Balas (Eds.), DSSAT Version 3, 2. University of Hawaii, Honolulu, Hawaii.
- Hoogenboom, G., M. G. Huck, and C. M. Peterson. 1987. Root growth rates of soybean as affected by drought stress. *Agronomy Journal* 79: 607-614.
- Hoogenboom, G., M. G. Huck, and C. M. Peterson. 1988. Predicting root growth and water uptake under different soil water regimes. *Agricultural Systems* 26: 263-290.
- Hoogenboom, G., P.W. Wilkens, and G.Y. Tsuji. 1999. DSSAT v3, Vol. 4. University of Hawaii, Honolulu, Hawaii.

- Hsiao, T.C., J.C. O Toole, E.B. Yambao, and N.C. Turner. 1984. Influence of osmotic adjustment on leaf rolling and tissue death in rice (*Oryza sativa* L.). *Plant Physiology* 75: 338-341.
- Hubick, K.T., G.D. Farquhar, and R. Shorter. 1986. Correlation between water use efficiency and carbon isotope discrimination in diverse peanut (*Arachis*) germplasm. *Australian Journal of Plant Physiology* 13: 803-816.
- Hubick, K.T., R. Shorter, and G.D. Farquhar. 1988. Heritability and genotype $\times$ environment interactions of carbon isotope discrimination and transpiration efficiency in peanut (*Arachis hypogaea* L.). *Australian Journal of Plant Physiology* 15: 799 – 813.
- Hunt, L.A. 1993. Designing improved plant types: A breeder's viewpoint, pp. 3–17. *In* Penning de Vries, F.W.T., P. Teng, and K. Metselaar (Eds.), *System Approaches for Agricultural Development*. Kluwer Academic Publishers, Dordrecht, the Netherlands.
- Hunt, L.A. and K.J. Boote. 1998. Data formodel operation, calibration and evaluation, pp. 9–39. *In* Tsuji, G.Y., G. Hoogenboom, and P.K. Thornton (Eds.), *Understanding Options for Agricultural Production*. Kluwer Academic Publishers, Dordrecht, the Netherlands.
- Hunt, L.A. and S. Pararajasingham. 1994. GENCALC, pp. 201–234. *In* Tsuji, G.Y., G. Uehara, and S. Balas (Eds.), *DSSAT Version 3*, 3–4. University of Hawaii, Honolulu, Hawaii,
- Hunt, L.A., S. Pararajasingham, J.W. Jones, G. Hoogenboom, D.T. Imamura, and R.M. Ogoshi. 1993. GENCALC: software to facilitate the use of crop models for analyzing field experiments. *Agronomy Journal* 85: 1090–1094.
- IBSNAT (International Benchmark Sites Network for Agrotechnology Transfer Project). 1988. Technical report 1. Experimental design and data collection procedure for IBSNAT. The minimum data sets for systems analysis and crop simulation, 3rd ed. University of Hawaii, Honolulu, Hawaii.



- IBSNAT (International Benchmark Sites Network for Agrotechnology Transfer Project). 1990. Technical report 2. Field and laboratory methods for collection of the IBSNAT minimum data sets for the Decision Support System for Agrotechnology Transfer (DSSAT version 2.1). University of Hawaii, Honolulu, Hawaii.
- Jackson, P., M. Roberston, M. Cooper, and G. Hammer. 1996. The role of physiological understanding in plant breeding; from a breeding perspective. *Field Crops Research* 49: 11–39.
- Jain, L.L., R.K. Panda, and C.P. Sharma. 1997. Water stress response function for groundnut (*Arachis hypogaea* L.). *Agricultural Water Management* 32: 197–209.
- Jiang, Y. and B. Huang. 2001. Drought and heat stress injury to two cool-season turfgrasses in relation to antioxidant metabolism and lipid peroxidation. *Crop Science* 41: 436–442.
- Jongrunklang, N., B. Toomsan, N. Vorasoot, S. Jogloy, T. Kesmala, and A. Patanothai. 2008. Identification of peanut genotypes with high water use efficiency under drought stress conditions from peanut germplasm of diverse origins. *Asian Journal of Plant Science* 7: 628–638.
- Jones, C.A. and J.R. Kiniry. 1986. CERES-Maize: A Simulation Model of Maize Growth and Development. Texas A&M University Press, College station.
- Jones, J.W., G. Hoogenboom, C.H. Porter, K.J. Boote, W.D. Batchelor, L.A. Hunt, P.W. Wilkens, U. Singh, A.J. Gijsman, and J.L. Ritchie. 2003. The DSSAT cropping system model. *European Journal of Agronomy* 18: 235–265.
- Kashiwagi, J., L. Krishnamurthy, J. H. Crouch, and R. Serraj. 2006. Variability of root length density and its contributions to seed yield in chickpea (*Cicer arietinum* L.) under terminal drought stress. *Field Crops Research* 95: 171–181.
- Ketrting, D.L. 1984. Root diversity among peanut genotypes. *Crop Science* 24: 229–232.
- Ketrting, D.L. and J.L. Reid. 1993. Growth of peanut roots under field conditions. *Agronomy Journal* 85: 80–85.

- Kondo, M., P. P. Pablico, D. V. Aragon, R. Agbisit, J. Abe, S. Morita, B. Courtois. 2003. Genotypic and environmental variations in root morphology in rice genotypes under upland field conditions, pp. 189–200. *In* Abe, J. (Eds), *Roots: The Dynamic Interface between Plants and the Earth. The Sixth Symposium of the International Society of Root Research. Special Issue Plant and Soil*. Nagoya, Japan.
- Kramer, P.J. 1983. *Water Relations of Plants*. Academic Press, New York.
- Li, S., S.R. Pezeshki, and S. Goodwin. 2004. Effects of soil moisture regimes on photosynthesis and growth in cattail (*Typha latifolia*). *Acta Oecologica* 25: 17–22.
- Ludlow, M. M., M.J. Fisher, and J.R. Wilson. 1985. Stomatal adjustment to water deficits in three tropical grasses and a tropical legume grown in controlled conditions and in the field. *Australian Journal of Plant Physiology* 12: 131–149.
- Mall, R.K., M. Lal, V.S. Bhatia, L.S. Rathore, and R. Singh. 2004. Mitigating climate change impact on soybean productivity in India: a simulation study. *Agricultural and Forest Meteorology* 121: 113–125.
- Matsui, T. and B. B. Singh. 2003. Root characteristics in cowpea related to drought tolerance at the seedling stage. *Experimental Agriculture* 39: 29–38.
- Matthews, R. 2002. Crop genotype improvement, pp. 13–28. *In* Matthews, R. and W. Stephens (Eds.), *Crop-soil simulation models applications in developing countries*. CABI Publishing, CABI Publishing, New York.
- Matthews, R.B., D. Harris, R.C. Nageswara Rao, J.H. Williams, and K.D.R. Wadia. 1988. The physiological basis for yield differences between four genotypes of groundnut (*Arachis hypogaea* L.) in response to drought. I. Dry matter production and water use. *Experimental Agriculture* 24: 191–202.
- Mayaki, W.C., I.D. Teare, and L.R. Stone. 1976. Top and root growth of irrigated and non-irrigated soybeans. *Crop Science* 16: 92–94.
- McGowan, M., P. Blanch, P.J. Gregory, and D. Haycock. 1984. Water relations of winter wheat. V. The root system and osmotic adjustment in relation to crop evaporation. *The Journal of Agricultural Science* 102: 415–425.

- Meisner, C. A. and K. J. Karnok. 1992. Peanut root response to drought stress. *Agronomy Journal* 84: 159–165.
- Mercau, J.L., J.L. Dardanelli, D.J. Collino, J.M. Andriani, A. Irigoyen, and E.H. Satorre. 2007. Predicting on-farm soybean yields in the pampas using CROPGRO–Soybean. *Field Crops Research* 100: 200–209.
- Nageswara Rao, R.C., H.S. Talwar, and G.C. Wright. 2001. Rapid assessment of specific leaf area and leaf N in peanut (*Arachis hypogaea*. L) using chlorophyll meter. *Journal of Agronomy and Crop Science* 189: 175–182.
- Nageswara Rao, R. C., J. H. Williams, and M. Singh. 1989. Genotypic sensitivity to drought and yield potential of peanut. *Agronomy Journal* 81: 887–893.
- Nageswara Rao, R. C., L.J. Reddy, V.K. Mehan, S. N. Nigam, and D. McDonald. 1992. Drought research on groundnut at ICRISAT, pp. 455. *In* S. N. Nigam (Eds), *Groundnut – A Global Perspective*. Proceedings of International Workshop, ICRISAT Center, Andhra Pradesh, India.
- Nageswara Rao, R. C., S. Singh, M. V. K. Sivakumar, K .L. Srivastava, and J. H. Williams. 1985. Effect of water deficit at different growth phase of peanut. I Yield response. *Agronomy Journal* 77: 782–786.
- Nageswara Rao, R. C., S. Singh, M. V. K. Sivakumar, K .L. Srivastava, and J. H. Williams. 1988. Effect of water deficit at different growth phase of peanut. II yield response. *Agronomy Journal* 80: 431–438.
- Nain, A.S., V.K. Dadhwal, and T.P. Sing. 2004. Use of CERES–Wheat model for wheat yield forecast in central Indo-Gangetic Plain of India. *The Journal of Agricultural Science* 142: 59–70.
- Nautiyal, P.C., R. C. Nageswara Rao, and Y.C. Joshi. 2002. Moisture deficit induced changes in leaf water content, leaf carbon exchange rate and biomass production in groundnut cultivars differing in specific leaf area. *Field Crops Research* 74: 67–79.
- Nautiyal, P. C., V. Ravindra, P. V. Zala, and Y.C. Joshi. 1999. Enhancement of yield in groundnut following the imposition of transient soil-moisture stress during the vegetative phase. *Experimental Agriculture* 35: 371–385.

- Nemoto, H., R. Suga, M. Ishihara, and Y. Okutsu. 1998. Deep rooted rice varieties detected through observation of root characteristics using the trench method. *Breeding Science* 48: 321–324.
- Nigam, S. N., M. S. Basu, and A. W. Cruickshank. 2003. Hybridization and description of the trait-based and empirical selection programs, pp. 15–17. *In* Breeding for drought-resistant peanuts, Report of a workshop held at ICRISAT Centre, Andhra Pradesh, India, 25–27 February 2002. ACIAR, Canberra, Australia.
- Nigam, S. N., S. Chandra, K. Rupa Sridevi, A. Manoha Bhukta, G. S. Reddy, R. C., Nageswara Rao, G. C. Wright, P. V. Reddy, M. P. Deshmukh, R. K. Mathur, M. S. Basu, S. Vasundhara, P. Vindhiya Varman, and A. K. Nagda. 2005. Efficiency of physiological trait-based and empirical selection approaches for drought tolerance in groundnut. *Annals of Applied Biology* 146: 433–439.
- Nigam, S.N. and R. Aruna, 2007. Stability of soil plant analytical development (SPAD) chlorophyll meter reading (SCMR) and specific leaf area (SLA) and their association across varying soil moisture stress conditions in groundnut (*Arachis hypogaea* L.) *Euphytica* 160: 111-117.
- Orcutt, D.M., and N.R. Hopkins. 1988. Diniconazole and water stress effects on development and levels of praline photosynthetic pigments and nutrients in peanut, pp. 183. *In* Proceeding of Plant Growth Regulator Society of America, Plant Growth Regulator Society of Ameroca. Ithaca, New York, United State of America.
- Pallas, J. E., J. R. Stansell, and T. J. Koske. 1979. Effects of drought on Florunner peanuts. *Agronomy Journal* 71: 853–858.
- Palanisamy, S., P.K. Aggarwal, T.M. Thiyagarajan, and T.B. Ranganathan. 1995. Simulating yields and ranking of rice genotype in multi-location trials, pp. 91–95. *In* Aggarwal, P.K., R.B. Matthews, M.J. Kropff, and H.H. van Laar (Eds.), SARP Research Proceeding. International Rice Research Institue, Los Banos, Philippines.

- Pandey, P. K., W. A. T. Herrera, A. N. Villegas, and J. W. Pendleton. 1984. Drought response of grain legumes under irrigation gradient: III. Plant growth. *Agronomy Journal* 76: 557–560.
- Park, B.B., R.D. Yanai, M.A. Vadeboncoeur, and S.P. Hamburg. 2007. Estimating root biomass in rocky soils using pits, cores, and allometric equations. *Soil Science Society of America Journal* 71: 206–213.
- Passioura, J. B., 1977. Grain yield, harvest index and water use of wheat. *Journal of the Australian Institute of Agricultural Science* 43: 117-120.
- Passioura, J. B., 1983. Roots and drought resistance. *Agricultural Water Management* 7: 265–280.
- Patanothai, A., S. Toomsan, and A. Warunyuwat. 1987. Progress of peanut breeding work in Thailand, pp. 8-14. *In* Proceeding of the peanut CRSP workshop. August 19-21, 1986. Khon Kaen University.
- Paz, J.O., C.W. Fraisse, L.U. Hatch, A. Garcia y Garcia, L.C. Guerra, O. Uryasev, J.G. Bellow, J.W. Jones, and G. Hoogenboom. 2007. Development of an ENSO based irrigation decision support tool for peanut production in the southeastern US. *Computers and Electronics in Agriculture* 55: 28–35.
- Phakamas, N., A. Patanothai, K. Pannangpetch, S. Jogloy, and G. Hoogenboom. 2008. Dynamic patterns of components of genotype environment interaction for pod yield of peanut overmultiple years: a simulation approach. *Field Crops Research* 106: 9–21.
- Pimratch, S., S. Jogloy, N. Vorasoot, B. Toomsan, T. Kesmala, A. Patanothai, and C.C. Holbrook. 2008. Effect of drought stress on traits related to N₂ fixation in eleven peanut (*Arachis hypogaea* L.) genotypes differing in degrees of resistance to drought. *Asian Journal of Plant Science* 7: 334-342.
- Ping, X., G. Zhou, Q. Zhuang, Y. Wang, W. Zuo, G. Shi, X. Lin, and Y. Wang. 2010. Effects of sample size and position from monolith and core methods on the estimation of total root biomass in a temperate grassland ecosystem in Inner Mongolia. *Geoderma* 155: 262-268.
- Piper, E.L., K.J. Boote, and J.W. Jones. 1998. Evaluation and improvement of crop models using regional cultivar trial data. *Applied Engineering in Agriculture* 14: 435–446.

- Puangbut, D., S. Jogloy, N. Vorasoot, C. Akkasaeng, T. Kesmala, and A. Patanothai. 2009. Variability in yield responses of peanut (*Arachis hypogaea* L.) genotypes under early season drought. *Asian Journal of Plant Science* 8: 254-264.
- Putto, C., A. Phatanothai, S. Jogloy, and G. Hoogenboom. 2008. Determination of mega-environments for peanut breeding using the CSM-CROPGRO-Peanut model. *Crop Science* 48: 973-982.
- Reddy, T. Y., V. R. Reddy, and V. Anbumozhi. 2003. Physiological responses of peanut (*Arachis hypogaea* L.) to drought stress and its amelioration: A critical review. *Plant Growth Regulation* 41: 75-88.
- Richardson, A.D., S.P. Duigan, and G.P. Berlyn. 2002. An evaluation of noninvasive methods to estimate foliar chlorophyll content. *New Phytologist* 153: 185-194.
- Ritchie, S.W., H.T. Nguyen, and A.S. Holaday. 1990. Leaf water content and gas exchange parameters of two wheat genotypes differing in drought resistance. *Crop Science* 30:105-111.
- Robertson, W. K., L. C. Hammond, J. T. Johnson, and K. J. Boote. 1980. Effects of plant-water stress on root distribution of corn, soybeans, and peanuts in sandy soil. *Agronomy Journal* 72: 548-550.
- Rucker, K.S., C.K. Kvien, C.C. Holbrook, and J.E. Hook. 1994. Identification of peanut genotypes with improved drought avoidance traits. *Peanut Science* 24:14-18.
- Samdur, M.Y., A.L. Singh, R.K. Mathur, P. Manivel, B.M. ChiKani, H.K. Gor, and M.A. Khan. 2000. Field evaluation of chlorophyll meter for screening groundnut (*Arachis hypogaea* L.) genotype tolerant to iron deficiency chlorosis. *Current Science* 79: 211-214.
- Sarker, A.M., M.S. Rahman, and N.K. Paul. 1999. Effect of soil moisture on relative leaf water content, chlorophyll, proline and sugar accumulation in wheat. *Journal of Agronomy and Crop Science* 183: 225-229.
- Seligman, N.G. 1990. The crop model record: Promise or poor show?, pp. 249-263. *In* Rabbinge, R., J. Goudrinaan, H. van Keulen, F.W.T. Penning de Vries, and H.H. van Laar (Eds.), *Theoretical Production Ecology: Reflection and Prospects. Simulation Monographs*, Paddock, Wageningen.

- Sharma, P.S. and M.V.K. Sivakumar. 1991. Penetrometer soil resistance, pod number and yield of peanuts as influenced by drought stress. *Indian Journal of Plant Physiology* 34: 147-152.
- Sharp, R.E. and W.L. Davies. 1979. Solute regulation and growth by roots and shoots of water stressed maize plants. *Planta* 147: 43-49.
- Sheshshayee, M.S., H. Bindumadhava, N.R. Rachaputi, T.G. Prasad, M. Udayakumar, G. C. Wright, and S.N. Nigam. 2006. Leaf chlorophyll concentration relates to transpiration efficiency in peanut. *Annals of Applied Biology* 148: 7-15.
- Siddique, M.R.B., A. Hamid, and M.S. Islam. 2000. Drought stress effects on water relations of wheat. *Botanical Bulletin of Academia Sinica* 41: 35-39.
- Sinclair, T.R. and N.G. Seligman. 1996. Crop modeling: From infancy to maturity. *Agronomy Journal* 88: 698-704.
- Sinclair, T.R. and N.G. Seligman. 2000. Criteria for publishing papers on crop modeling. *Field Crops Research* 68: 165-172.
- Singh, P., K.J. Boote, A.Y. Rao, M.R. Iruthayaraj, A.M. Sheikh, S.S. Hundal, R.S. Narang, and P. Singh. 1994. Evaluation of the groundnut model PNUTGRO for crop response to water availability, sowing dates, and seasons. *Field Crops Research* 39: 147-162.
- Singh, S. and M.B. Russel. 1981. Water use by maize/pigeonpea intercrop on a deep Vertisol, pp. 271-282. *In* Proceedings of International Workshop on pigeonpeas. 15-19 December 1980. ICRISAT Center Patancheru, India.
- Sobardo, M.A. and N.C. Turner. 1986. Photosynthesis, dry matter accumulation and distribution in the wild sunflower *Helianthus petiolaris* and the cultivate sunflower *Helianthus annuus* as influenced by water deficits. *Oecologia* 69: 181-187.
- Soler, C.M.T., P.C. Sentelhas, and G. Hoogenboom. 2007. Application of the CSM-CERES-Maize model for planting date evaluation and yield forecasting for maize grown off-season in a subtropical environment. *European Journal of Agronomy* 27: 165-177.
- Songsri, P., S. Jogloy, N. Vorasoot, C. Akkasaeng, A. Patanothai, and C.C. Holbrook. 2008a. Root distribution of drought-resistant peanut genotypes in response to drought. *Journal of Agronomy and Crop Science* 19: 92-103.

- Songsri, P., S. Jogloy, T. Kesmala, N. Vorasoot, C. Akkasaeng, A. Patanothai, and C.C. Holbrook. 2008b. Response of reproductive characters of drought resistant peanut genotypes to drought. *Asian Journal of Plant Science* 7: 427-439.
- Suriharn, B., A. Patanothai, K. Pannangpetch, S. Jogloy, and G. Hoogenboom. 2007. Determination of cultivar coefficients of peanut lines for breeding applications of the CSM-CROPGRO-Peanut model. *Crop Science* 47: 607-619.
- Suriharn, B., A. Patanothai, K. Pannangpetch, S. Jogloy, and G. Hoogenboom. 2008. Applicability of the CSM-CROPGRO-Peanut model for yield performance and stability evaluation of peanut breeding lines. *Crop Science* 48: 1365-1372.
- Taiz, L. and E. Zeiger. 2006. *Plant Physiology*. Sinauer Associates, Inc., Sunderland, Massachusetts.
- Teare, I.D., N. Sionit, and P.J. Kramer. 1982. Change in water status during water stress at different stages of development in wheat. *Physiologia Plantarum* 55: 296-300.
- Timsina, J., D. Godwin, E. Humphreys, Y. Singh, B. Singh, S.S. Kural, and D. Smitl. 2008. Evaluation of options for increasing yield and water productivity of wheat in Punjab, India using the DSSAT-CSM-CERES-Wheat model. *Agricultural Water Management* 95: 1099-1110.
- Tripathy, J.N., J. Zhang, S. Robin, and H.T. Nguyen. 2000. QTLs for cell-membrane stability mapped in rice (*Oryza sativa* L.) under drought stress. *Theoretical and Applied Genetics* 100: 1197-1202.
- Turner, N.C. 1979. Drought resistance and adaptation to water deficits in crop plants, pp 343-372. *In* Crop plants. John Wiley and sons, United state of America.
- Turner, N. C. 1986. Adaptation to water deficits: A changing perspective. *Australian Journal of Plant Physiology* 13: 175-190.
- Turner, N. C., J.E. Begg, and M.L. Tonnet. 1978. Osmotic adjustment of sorghum and sunflower crops in response to water deficit and its influence on the water potential at which stomata close. *Australian Journal of Plant Physiology* 5: 597-608.
- Tsuji, G.Y., G. Uehara, and S. Balas. 1994. DSSAT Version 3, vols. 1-3. University of Hawaii, Honolulu, Hawaii.

- Tsuji, G.Y., G. Hoogenboom, and P.K. Thornton. 1998. Understanding Options for Agricultural Production. Kluwer Academic Publishers, Dordrecht, the Netherlands.
- Upadhyaya, H. D. 2005. Variability for drought resistance related traits in the mini core collection of peanut. *Crop Science* 45: 1432–1440.
- Venkateswarlu, B., N. Saharan, and M. Maheswari. 1990. Nodulation and N_2 (C_2H_2) fixation in cowpea and groundnut during water stress and recovery. *Field Crops Research* 25: 223–232.
- Vogt, K.A., D.J. Vogt, and J. Bloomfield. 1998. Analysis of some direct and indirect methods for estimating root biomass and production of forests at an ecosystem level. *Plant and Soil* 200: 71–89.
- Vogt, K.A. and H. Persson. 1991. Measuring growth and development of roots, pp. 477–501. *In* Lassoie, J.P. and T.M. Hinckley (Eds.), *Techniques and Approaches in Forest Tree Ecophysiology*. CRS Press, Boca Raton, Florida.
- Vorasoot, N., P. Songsri, C. Akkasaeng, S. Jogloy, and A. Patanothai. 2003. Effect of water stress on yield and agronomic characters of peanut (*Arachis hypogaea* L.). *Songklanakarin Journal of Science and Technology* 25: 283–288.
- Wallach, D. and B. Goffinet. 1987. Mean squared error of prediction in models for studying ecological and agronomic systems. *Biometrics* 43: 561–573.
- Welbank, P. J., M. J. Gibb, P. J. Taylor, and E. D. Williams. 1974. Root growth of cereal crops, pp. 26–66. *In* Rothamsted Experimental Station Annual Report 1973, Rothamsted Experimental Station, Harpenden, United Kingdom.
- White, J.W. 1998. Modeling and crop improvement, pp. 179–188. *In* Tsuji, G.Y., G. Hoogenboom, P.K. Thornton (Eds.), *Understanding Options for Agricultural Production*. Kluwer Academic Publishers, Dordrecht, the Netherlands.
- Williams, J.H. and K.J. Boote. 1995. Physiology and modeling-predicting the unpredictable legume, pp. 302–353. *In* Patte, H. E. and H.T. Stalker (Eds.), *Advanced in legume science*. American Peanut Research Association. Oklahoma.
- Willmott, C.J. 1982. Some comments on the evaluation of model performance. *Bulletin of the American Meteorological Society* 63:1309–1313.

- Wright, G.C. and R.C. Nageswara Rao. 1994. Groundnut water relations, pp. 281–325. *In* Smartt, J. (Eds.), *The Groundnut Crop: A Scientific Basis for Improvement*. Chapman and Hall, London, United Kingdom.
- Wright, G.C., R.C. Nageswara Rao, and G.D. Farquhar. 1994. Water use efficiency and carbon isotope discrimination in peanut under water deficit conditions. *Crop Science* 34: 92–97.
- Wunna, H., S. Jogloy, B. Toomsan, and J. Sanitchon. 2009. Response to early drought for traits related to nitrogen fixation and their correlation to yield and drought tolerance traits in peanut (*Arachis hypogaea* L.). *Asian Journal of Plant Science* 8: 138-145.
- Xiong, L., R. Wang, G. Mao, and J.M. Koczan. 2006. Identification of drought tolerance determinants by genetic analysis of root response to drought stress and abscisic acid. *Plant Physiology* 142: 1065–1074.
- Zhang, J., H.T. Nguyen, and A. Blum. 1999. Genetic analysis of osmotic adjustment in crop plants. *Journal of Experimental Botany* 50: 291-302.



