

TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	i
LIST OF TABLES	ii
LIST OF FIGURES	iv
LIST OF ABBREVIATIONS	x
INTRODUCTION	1
OBJECTIVES	4
LITERATURE REVIEW	5
MATERIALS AND METHODS	17
RESULTS AND DISCUSSION	28
CONCLUSION	133
LITERATURE CITED	135
APPENDICES	150
Appendix A	151
Appendix B	192
CURRICULUM VITAE	211

LIST OF TABLES

Table	Page
1 Ninety four accessions of <i>Solanum</i> spp. conserved at GRSU, AVRDC- The World Vegetable Center, Tainan, Taiwan	21
2 Five species with 13 accessions of <i>Solanum</i> used for interspecific hybridization	25
3 Identification of 89 accessions of <i>Solanum</i> spp.	35
4 Identification of 43 accessions of <i>Solanum</i> spp.	36
5 Re-identification of 5 accessions of <i>Solanum</i> spp.	38
6 Species outliers identified for each ratio scale trait	41
7 Correlation coefficients scale calculated between 19 ratio scale traits of 89 accessions belonging to <i>Solanum</i> spp.	44
8 The Shapiro-Wilk test of normality values for the highly correlated traits among the accessions of <i>Solanum</i> spp.	47
9 Accessions number of <i>Solanum</i> spp. per cluster and subcluster based on ratio scale traits	54
10 The morphological characters of 69 accessions of <i>Solanum</i> spp. per cluster and subcluster based on quantitative traits	57
11 Most frequent traits in the 69 accessions of <i>Solanum</i> spp. based on qualitative traits	65
12 Accessions number of <i>Solanum</i> spp. per cluster and subcluster based on nominal traits	73
13 Intra- and interspecific crossability of <i>Solanum melongena</i> accessions (S00022, S00388, S00625 and S00809) with <i>S. torvum</i> (S00429)	85
14 Interspecific crossability of <i>Solanum melongena</i> accessions with <i>S. americanum</i> (S00269, S00859, S00861 and S00865)	86
15 Interspecific crossability of <i>Solanum melongena</i> accessions with <i>S. villosum</i> (S00854, S00860 and TS02600)	88

LIST OF TABLES (Continued)

Table	Page
16 Interspecific crossability of <i>Solanum melongena</i> accessions with <i>S. nigrum</i> (TS02930)	89
17 Intra- and interspecific crossability of <i>Solanum torvum</i> (S00429) with <i>S. americanum</i> , <i>S. villosum</i> and <i>S. nigrum</i>	90
18 Intra- and interspecific crossability between leafy <i>Solanum</i> (<i>S. americanum</i> , <i>S. villosum</i> and <i>S. nigrum</i>)	91
19 The pollen fertility of F ₁ hybrids within <i>S. melongena</i> and F ₁ hybrids between its wild relatives and their respective parents	102
20 The pollen fertility of F ₁ hybrids between <i>S. torvum</i> and <i>S. americanum</i> and their respective parents	103
21 The pollen fertility of F ₁ hybrids between <i>S. americanum</i> , <i>S. villosum</i> and <i>S. nigrum</i> and their respective parents	103
 Appendix Table	
A1 Characterization of 89 accessions of <i>Solanum</i> spp. based on quantitative data in the morphological analysis	160
A2 Characterization of 89 accessions of <i>Solanum</i> spp. based on qualitative data in the morphological analysis	175
A3 Identification of 11 accessions of <i>Solanum</i> spp.	185
A4 List of morphological characters used for the cluster analysis of the 89 accessions belonging to <i>Solanum</i> spp.	186

LIST OF FIGURES

Figure		Page
1	Selected items from PROC UNIVARIATE output for germination period with the analysis of the <i>Solanum</i> spp. dataset	42
2	Dendrogram corresponding to the PROC VARCLUS output on the S110 = germination period, S120 = cotyledonous leaf length, S130 = cotyledonous leaf width, S150 = cotyledon length/width ratio, S220 = plant height, S230 = plant breadth, S240 = plant branching, S260 = petiole length, S270 = leaf blade length, S280 = leaf blade width, S410 = no. of flowers per inflorescence, S420 = flowering time, S510 = fruit length, S520 = fruit breadth, S550 = fruit stalk length, S560 = fruit stalk thickness, S640 = fruit calyx length, S700 = no. of fruits per infructescence, S840 = 100 seeds weight	46
3	Plot of Pseudo <i>F</i> the clustered accessions of <i>Solanum</i> spp.	50
4	Plot of Pseudo <i>F</i> the clustered accessions of <i>Solanum</i> spp.	51
5	Plot of cubic clustering criterion in the clustered accessions of <i>Solanum</i> spp.	52
6	Cluster analysis of the 69 accessions, belonging to <i>Solanum</i> spp. based on the 14 ratio scale traits using UPGMA clustering method. SAC = <i>S. aculeatissimum</i> , SAE = <i>S. aethiopicum</i> , SF = <i>S. ferox</i> , SI = <i>S. indicum</i> , SM = <i>S. melongena</i> , SMA = <i>S. mammosum</i> , SS = <i>S. sanitwongsei</i> , ST = <i>S. torvum</i> , STR = <i>S. trilobatum</i> , SV = <i>S. viarum</i> , SX = <i>S. xanthocarpum</i>	53
7	Cluster analysis of the 69 accessions, belonging to <i>Solanum</i> spp. based on the 11 nominal traits using UPGMA clustering method. SAC = <i>S. aculeatissimum</i> , SAE = <i>S. aethiopicum</i> , SF = <i>S. ferox</i> , SI = <i>S. indicum</i> , SM = <i>S. melongena</i> , SMA = <i>S. mammosum</i> , SS = <i>S. sanitwongsei</i> , ST = <i>S. torvum</i> , STR = <i>S. trilobatum</i> , SV = <i>S. viarum</i> , SX = <i>S. xanthocarpum</i>	72

LIST OF FIGURES (Continued)

Figure	Page
8 The hybrid fruit between <i>S. melongena</i> x <i>S. torvum</i> ; S00022 x S00429 (66 DAP)(A), S00625 x S00429 (66 DAP) (B) and S00809 x S00429 (66 DAP) (C), <i>S. melongena</i> x <i>S. americanum</i> (S00809 x S00269: 73 DAP) (D), <i>S. melongena</i> x <i>S. nigrum</i> (S00809 x TS02930: 81 DAP) (E), <i>S. americanum</i> x <i>S. villosum</i> (S00269 x S00860: 47 DAP) (G) and <i>S. villosum</i> x <i>S. americanum</i> (S00853 x S00861: 44 DAP) (H), TS02600 x S00860 (55 DAP)	94
9 Abortive in seeds crosses between <i>S. villosum</i> x <i>S. villosum</i> (A), <i>S. villosum</i> x <i>S. americanum</i> (B and C), <i>S. villosum</i> x <i>S. nigrum</i> (D), <i>S. nigrum</i> x <i>S. americanum</i> (E), <i>S. villosum</i> x <i>S. torvum</i> (F) and <i>S. villosum</i> x <i>S. melongena</i> (G and H)	95
10 F ₁ hybrid plant from <i>S. melongena</i> x <i>S. torvum</i> , 66 days after pollination by embryo rescued	96
11 F ₁ hybrid seeds from interspecific hybridization between <i>S. melongena</i> and its wild relative were not germinate by embryo rescued (A) and the abnormal seedling of F ₁ hybrid between <i>S. melongena</i> (S00022) x <i>S. torvum</i> (S00429) by embryo rescued (B to J)	97
12 Pollen viability of F ₁ hybrid plants. Pollen stainability with acetocarmine was identified as pollen viable (A) and pollen not stainability with acetocarmine was identified as pollen sterile (B)	101
13 Histogram of F ₁ hybrids between <i>S. melongena</i> x <i>S. torvum</i> and <i>S. melongena</i> x <i>S. villosum</i> and their parents	109
14 Histogram of F ₁ hybrids within <i>S. americanum</i> and their parents	110
15 Histogram of F ₁ hybrids between <i>S. americanum</i> and <i>S. nigrum</i> and their parents	111
16 Histogram of F ₁ hybrids within <i>S. villosum</i> (S00854) and <i>S. americanum</i> and their parents	112

LIST OF FIGURES (Continued)

Figure		Page
17	Histogram of F ₁ hybrids within <i>S. villosum</i> (TS02600) and <i>S. villosum</i> and their parents	113
18	Histogram of F ₁ hybrids between <i>S. villosum</i> (S00860) x <i>S. americanum</i> , <i>S. americanum</i> x <i>S. villosum</i> and <i>S. villosum</i> x <i>S. nigrum</i> and their parents	114
19	Morphological characters of F ₁ hybrid crosses within <i>S. melongena</i> and their parents	117
20	Morphological characters of F ₁ hybrid plant obtained from embryo	118
21	Morphological characters of F ₁ hybrid between <i>S. melongena</i> with <i>S. americanaum</i> and their parents	119
22	Morphological characters of F ₁ hybrid between <i>S. melongena</i> with <i>S. villosum</i> and their parents	120
23	Morphological characters of F ₁ hybrid between <i>S. melongena</i> with <i>S. nigrum</i> and their parents	121
24	Morphological characters of F ₁ hybrid within <i>S. americanum</i> and their parents	122
25	Morphological characters of F ₁ hybrid between <i>S. americanum</i> with <i>S. villosum</i> and their parents	123
26	Morphological characters of F ₁ hybrid between <i>S. americanum</i> with <i>S. nigrum</i> and their parents	124
27	Morphological characters of F ₁ hybrid between <i>S. americanum</i> with <i>S. torvum</i> and their parents	125
28	Morphological characters of F ₁ hybrid within <i>S. villosum</i> and their parents	126
29	Morphological characters of F ₁ hybrid between <i>S. villosum</i> with <i>S. americanum</i> and their parents	127

LIST OF FIGURES (Continued)

Figure		Page
30	Morphological characters of F ₁ hybrid between <i>S. villosum</i> with <i>S. americanum</i> and their parents	128
31	Morphological characters of F ₁ hybrid between <i>S. villosum</i> with <i>S. nigrum</i> and their parents	129
32	Morphological characters of F ₁ hybrid between <i>S. nigrum</i> with <i>S. americanum</i> and their parents	130
33	Genetic relationship among cultivated <i>S. melongena</i> and other species Arrow heads point towards female parents	131
 Appendix Figure		
A1	Morphological characters of <i>Solanum melongena</i>	187
A2	Morphological characters of <i>Solanum aculeatissimum</i>	188
A3	Morphological characters of <i>Solanum aethiopicum</i>	188
A4	Morphological characters of <i>Solanum ferox</i>	188
A5	Morphological characters of <i>Solanum indicum</i>	189
A6	Morphological characters of <i>Solanum mammosum</i>	189
A7	Morphological characters of <i>Solanum sanitwongsei</i>	189
A8	Morphological characters of <i>Solanum torvum</i>	190
A9	Morphological characters of <i>Solanum trilobatum</i>	190
A10	Morphological characters of <i>Solanum viarum</i>	190
A11	Morphological characters of <i>Solanum xanthocarpum</i>	191
B1	Selected items from PROC UNIVARIATE output for cotyledonous leaf length with the analysis of the <i>Solanum</i> spp. dataset	193
B2	Selected items from PROC UNIVARIATE output for cotyledonous leaf width with the analysis of the <i>Solanum</i> spp. dataset	194

LIST OF FIGURES (Continued)

Appendix Figure	Page
B3 Selected items from PROC UNIVARIATE output for cotyledon leaf length/width ratio with the analysis of the <i>Solanum</i> spp. dataset	195
B4 Selected items from PROC UNIVARIATE output for plant height with the analysis of the <i>Solanum</i> spp. dataset	196
B5 Selected items from PROC UNIVARIATE output for plant breadth with the analysis of the <i>Solanum</i> spp. dataset	197
B6 Selected items from PROC UNIVARIATE output for plant branching with the analysis of the <i>Solanum</i> spp. dataset	198
B7 Selected items from PROC UNIVARIATE output for petiole length with the analysis of the <i>Solanum</i> spp. dataset	199
B8 Selected items from PROC UNIVARIATE output for leaf blade length with the analysis of the <i>Solanum</i> spp. dataset	200
B9 Selected items from PROC UNIVARIATE output for leaf blade width with the analysis of the <i>Solanum</i> spp. dataset	201
B10 Selected items from PROC UNIVARIATE output for No. of flowers per inflorescence with the analysis of the <i>Solanum</i> spp. dataset	202
B11 Selected items from PROC UNIVARIATE output for flowering time with the analysis of the <i>Solanum</i> spp. dataset	203
B12 Selected items from PROC UNIVARIATE output for fruit length with the analysis of the <i>Solanum</i> spp. dataset	204
B13 Selected items from PROC UNIVARIATE output for fruit breadth with the analysis of the <i>Solanum</i> spp. dataset	205
B14 Selected items from PROC UNIVARIATE output for fruit stalk length with the analysis of the <i>Solanum</i> spp. dataset	206
B15 Selected items from PROC UNIVARIATE output for fruit stalk thickness with the analysis of the <i>Solanum</i> spp. dataset	207

LIST OF FIGURES (Continued)

Appendix Figure	Page
B16 Selected items from PROC UNIVARIATE output for fruit calyx length with the analysis of the <i>Solanum</i> spp. dataset	208
B17 Selected items from PROC UNIVARIATE output for number of fruits per infructescence with the analysis of the <i>Solanum</i> spp. dataset	209
B18 Selected items from PROC UNIVARIATE output for 100 seeds weight with the analysis of the <i>Solanum</i> spp. dataset	210