

REFERENCES

Aalde, H., Gonzalez, P., Gytarsky, M., Krug, T., Kurz, W.A., Lasco, R.D., Martino, D.L., McConkey, B.G., Ogle, S., Paustian, K., Raison, J., Ravindranath, N.H., Schoene, D., Smith, P., Somogyi, Z., van Amstel, A. and Verchot, L. (2006). *IPCC Guidelines for National Greenhouse Gas Inventories*. IPCC.

Abd Karim, Y., 2006. "The Use of Model in the Rubber Agroforestry System - A Testing for WaNuLCAS". IRRDB Meeting and Annual Conference.

Alexander, S. (posted by) (2011). *Tropical Biodiversity - Santarém - Pará - Brasil. Rubber Trees* [Online]. Available: http://bosque-santa.blogspot.de/2011_02_01_archive.html [2012, May 13].

Anonymous (No date). *Hevea brasiliensis*, In *Wikipedia online* [Online]. Available: http://en.wikipedia.org/wiki/Hevea_brasiliensis [2012, May 13].

Anonymous (No date). Jinghong, In *Wikipedia online* [Online]. Available: <http://en.wikipedia.org/wiki/Jinghong> [2012, May 28].

Anonymous. (2010). Naban River Watershed National Nature Reserve (NRWNNR), Yunnan, PR China. Presentation 13, *Sustainable Land Use and Rural Development in Mountainous Regions of Southeast Asia Symposium* [Online], The Uplands Program, Hanoi. Available: https://www.uni-hohenheim.de/sfb564/uplands2010/summerschool/presentations/13_Biodiversity_Case_Study_02.pdf [2012, may 24].

Bao, Y., Li, Z., Ma, Y., Dong, Y., Song, G. and Wang, H. (2008). Effects of Rubber Plantation on Tropic Rainforest Ecosystem in Nabanhe River Basin. *Ecology and Environment* 17(2):734-739.

Berkhoff, K. and Herrmann, S., 2009, Abstracts "Understanding Land Use Change with the Aid of an Integrated Modeling Framework - A Case Study on Rural

South-West China". Integrated Assessment of Agriculture and Sustainable Development: Setting the Agenda for Science and Policy (AgSAP). Wageningen: Wageningen University Plant Production Systems, AgSAP Office, p. 558.

Bernstein, L., Bosch, P., Canziani, O., Chen, Z., Christ, R., Davidson, O., Hare, W., Huq, S., Karoly, D., Kattsov, V., Kundzewicz, Z., Liu, J., Lohmann, U., Manning, M., Matsuno, T., Menne, B., Metz, B., Mirza, M., Nicholls, N., Nurse, L., Pachauri, R., Palutikof, J., Parry, M., Qin, D., Ravindranath, N., Reisinger, A., Ren, J., Riahi, K., Rosenzweig, C., Rusticucci, M., Schneider, S., Sokona, Y., Solomon, S., Stott, P., Stouffer, R., Sugiyama, T., Swart, R., Tirpak, D., Vogel, C. and Yohe, G. (2007). *Climate Change 2007: Synthesis Report* (IPCC Fourth Assessment Report). Geneva.

Black, M., Bewley, J.D. and Halmer, P. (Eds.) (2006). *The Encyclopedia of Seeds. Science Technology and Uses*. London: CABI.

Blagodatskiy, S. (2012). Hohenheim University, personal communication.

Bockel, L., Smith, G., Bromhead, M., Bernoux, M., Tinlot, M., Matieu, H. and Branca, G. (2011). Mainstreaming Carbon Balance Appraisal in Agriculture. EX-ACT: A Tool to Measure the Carbon-Balance. FAO EASYPol Module 099, pp. 24.

Cao, M., Zou, X., Warren, M. and Zhu, H. (2006). Tropical Forests of Xishuangbanna, China. *Biotropica* 38(3):306-309.

Cheng, C., Wang, R. and Jiang, J. (2007). Variation of Soil Fertility and Carbon Sequestration by Planting *Hevea brasiliensis* in Hainan Island, China. *Journal of Environmental Sciences* 19:348-352.

Conservation International (No date). Indo-Burma [Online]. Available: http://www.conservation.org/where/priority_areas/hotspots/asia-pacific/Indo-Burma/Pages/default.aspx [2012, May 4].

Cotter, M. (2011). *Developing a Biodiversity Evaluation Tool and Scenario Design Method for the Greater Mekong Subregion*. Doctoral thesis. University of Hohenheim, Stuttgart.

Cotter, M. (2012). Hohenheim University, personal communication.

Cotter, M., Martin, K. and Sauerborn, J. (2009). How Do “Renewable Products” Impact Biodiversity and Ecosystem Services – The Example of Natural Rubber in China. *Journal of Agriculture and Rural Development in the Tropics and Subtropics* 110(1):10-23.

Cuco, S.M. and Bandel, G. (1994). Hermaphroditism in the Rubber Tree *Hevea brasiliensis* (Willd. ex A.D. Juss.) Müell. Arg. *Rev. Brasil. Genet.* 17(4):413-415.

Cuco, S.M. and Bandel, G. (1998). Hermaphroditism in the Rubber Tree *Hevea brasiliensis* (Willd. ex A.D. Juss.) Muell. Arg. – II. *Genet. Mol. Biol.* 21(4) [Online]. Available: http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1415-47571998000400019&lng=en&nrm=iso [2012, May 2].

Deng, Z. and Janssens, M. 2004. Introduction “Shaping the Future through Pruning the Mango Tree?”, Integrated Water Resource Management of Tropical River Basins. IMPETUS International Conference. Cotonou.

Devêvre, O.C. and Horwáth, W.R. (2000). Decomposition of Rice Straw and Microbial Carbon Use Efficiency under Different Soil Temperatures and Moistures. *Soil Biology & Biochemistry* 32:1773-1785.

Duke, J.A. (1983). “*Hevea brasiliensis* (Willd.) Muell.-Arg.”. In *Handbook of Energy Crops*. Lafayette: Purdue University, Center for New Crops & Plant Products.

Fang, J.Y., Wang, G.G., Liu, G.H. and Xu, S.L. (1998). Forest Biomass of China: An Estimate Based on the Biomass–Volume Relationship. *Ecol. Appl.* 8(4):1084-1091.

FAO. (2010a). *Global Forest Resources Assessment 2010. Main Report* (FAO Forestry Paper 163). Rome.

FAO. (2010b). Challenges and Opportunities for Carbon Sequestration in Grassland Systems. A Technical Report on Grassland Management and Climate Change Mitigation. *Integrated Crop Management* Vol. 9. Rome.

FAOSTAT (No date). *Producer Prices. Prices Archive. Natural Rubber* [Online]. Available:
<http://faostat.fao.org/site/634/DesktopDefault.aspx?PageID=634#ancor> [2012, May 2].

Feng, Z., Zheng, Z., Zhang, J., Cao, M., Sha, L. and Deng, J. (1998). Biomass and its Allocation of a Tropical Wet Seasonal Rain Forest in Xishuangbanna. *Acta Phytocologica Sinica* 22(6):481-488.

Fox, J., Fujita, Y., Ngidang, D., Peluso, N., Potter, L., Sakuntaladewi, N., Sturgeon, J. and Davis, T. (2009). Policies, Political-Economy, and Swidden in Southeast Asia. *Hum Ecol Interdiscip J.* 37(3):305-322.

Golbon, R. (2012). Hohenheim University, personal communication.

Grötz, P.A., Tang, L., Aenis, T., Nagel, U.J. and Hoffmann, V., 2008, “Rubber Contra Biodiversity? An Analysis of the Adoption Processes of Selected Innovations in Xishuangbanna, Southwest-China”, Biophysical and Socio-Economic Frame Conditions for the Sustainable Management of Natural Resources. University of Hamburg, Hamburg.

Guardiola Claramonte, M., Fox, J., Giambelluca, T.W. and Troch, P.A. (2010). "Changing Land Use in the Golden Triangle: Where the Rubber Meets the Road". In Roumasset, J., Burnett, K.M. and Molina Balisacan, A. (Eds.), *Sustainability Science for Watershed Landscapes*, Singapore: ISEAS Publishing.

Hairiah, K., Sitompul, S.M., van Noordwijk, M. and Palm, C. (2001). *Methods for Sampling Carbon Stocks Above and Below Ground. ASB Lecture Note 4B*. Bogor: International Center for Research in Agroforestry. Southeast Asian Regional Research Programme.

Index Mundi. *Historical Commodity Prices. Singapore Commodity Exchange, No. 3 Rubber Smoked Sheets, 1st Contract, Euro per Pound* [Online]. Available: <http://www.indexmundi.com/commodities/?commodity=rubber&months=180¤cy=eur> [2012, July 16].

Information Center for Natural Rubber (No date). No title available [Online]. Available: <http://www.rubber-foundation.org/docu/2575natural.pdf> [2012, May 3].

Janssens, M., Denich, M and Pohlan, J. (2003). *Allometric Relations in Tropical Agroforestry* (Student Seminar Work to the Winter Semester 2002/03: Tropical Agroforestry Systems (PTS151) – ARTS B.IV-3.). Bonn: Universität Bonn.

Jia, K. (2006). *Study on Growth Change of the Rubber Plantation Along an Altitudinal Gradient in Xishuangbanna, Southwest China*. Dissertation.

Jiang, A. (1981). Temperature Inversion and Vegetation Inversion in Xishuangbanna, Southwestern Yunnan, People's Republic of China. *Mountain Research and Development* 1(3):275-280.

Judd, W.S., Campbell, C.S., Kellogg, E., Stevens, P.F. and Donahue, M.J. (2008). *Plant Systematics. A Phylogenetic Approach* (2nd Ed.). Sunderland: Sinauer Associates.

Ketterings, Q.M., Coe, R., van Noordwijk, M., Ambagau, Y. and Palm, C.A. (2001). Reducing Uncertainty in the Use of Allometric Biomass Equations for Predicting Above-ground Tree Biomass in Mixed Secondary Forests. *Forest Ecology and Management* 120:199-209.

Kimberly R&E Center - University of Idaho. *Ref ET0 version 3.1*. Computer Software, 2012 (last update).

Kottek, M., Grieser, J., Beck, C., Rudolf, B. and Rubel, F. (2006). World Map of the Köppen-Geiger Climate Classification Updated. *Meteorologische Zeitschrift*, 15(3):259-263.

Langenberger, G., Wolff, M. and Zhang, L. (2010). *Soil Classification in the Naban River Watershed National Nature Reserve. LILAC Publications. Band 1*. Norderstedt: GRIN Verlag.

Larsen, K. (1998). PROSEA. Plant Resources of South-east Asia 5 (1-3). Soerianegara, I. and Lemmens, R. H. M. J. (Eds.). Timber Trees: Major Commercial Timbers. *Nordic Journal of Botany*, 18(2):129-255.

Leggett, J.A., Logan, J. and Mackey, A. (2008). *China's Greenhouse Gas Emissions and Mitigation Policies* (CRS Report for Congress). Washington, DC: U.S. Government Printing Office.

Leshem, A., Aenis, T. and Grötz, P., 2010. "Can Intercropping Innovations Bring Ecological and Economic Goals Together? The Case of Nabanhe Nature Reserve, China", 9th European IFSA Symposium, Vienna, pp. 1103-1108.

Li, D. (2006). *Study on Carbon Storage and Allocation of the Monsoonal Evergreen Broadleaf Forest in Xishuangbanna*. Master's thesis, Xishuangbanna Tropical Botanical Garden, Xishuangbanna.

Li, H., Ma, Y., Aide, T.M. and Liu, W. (2008). Past, Present and Future Land-use in Xishuangbanna, China and the Implications for Carbon Dynamics. *Forest Ecology and Management* 255:16-24.

Li, Z. and Fox, J.M. (2012). Mapping Rubber Tree Growth in Mainland Southeast Asia Using Time-series MODIS 250 m NDVI and Statistical Data. *Applied Geography* 32:420-432.

Lim, T.K. (2012). “*Hevea brasiliensis*”. In *Edible Medicinal and Non-medicinal Plants: Volume 2, Fruits* (pp. 476-483). Dordrecht, Heidelberg, London, New York: Springer.

Liu, W., Liu, W., Li, P., Duan, W. and Li, H. (2010). Dry Season Water Uptake by Two Dominant Canopy Tree Species in a Tropical Seasonal Rainforest of Xishuangbanna, SW China. *Agricultural and Forest Meteorology* 150:380-388.

Living Landscapes China (No date). *Project* [Online]. Available: <http://lilac.uni-hohenheim.de/en/project/vision.php> [2012, May 24].

Living Landscapes China (No date). *Project: Investigation Area* [Online]. Available: <http://lilac.uni-hohenheim.de/en/project/vision.php> [2012, May 24].

Lock, R.H. (1913). *Rubber and Rubber Planting*. Cambridge: Cambridge University Press.

Lu, X. and Lin, S., 2010. Discussion Paper for Roundtable Session “Rubber Expansion in Xishuangbanna”, Expansion of Rubber in Montane Mainland Southeast Asia: What are the Prospects for Small Holders? Revisiting Agrarian Transformation in Southeast Asia: Empirical, Theoretical, and Applied Perspectives. RCSD/ChATSEA International Conference. Chiang Mai.

Lü, X., Tang, J., Feng, Z. and Li, M. (2009). Diversity and Aboveground Biomass of Lianas in the Tropical Seasonal Rain Forests of Xishuangbanna, SW China. *Rev. Biol. Trop.* 57 (1-2):211-222.

Lu, X., Tang, J., Yu, G., Zhang, Y. (2006). Carbon Storage and Distribution of Tropical Seasonal Rain Forest in Xishuangbanna, Yunnan. *J. Mount. Sci.* 24:277-283.

Lü, X., Yin, J., Jepsen, M.R. and Tang, J. (2010). Ecosystem Carbon Storage and Partitioning in a Tropical Seasonal Forest in Southwestern China. *Forest Ecology and Management* 260:1798-1803.

Marohn, C. (2012). Hohenheim University, personal communication.

Marohn, C. *Land Use Change Impact Assessment (LUCIA)*. Computer Software, 2008.

Mo, X., Zhu, H., Zhang, Y., Ferry Slik, J.W. and Liu, J. (2011). Traditional Forest Management has Limited Impact on Plant Diversity and Composition in a Tropical Seasonal Rainforest in SW China. *Biological Conservation* 144:1832-1840.

Nair, K.P. (2010). *The Agronomy and Economy of Important Tree Crops of the Developing World*. London: Elsevier Inc.

Orwa et al. (2009). *Hevea brasiliensis*. *Agroforestry Database* [Online] 4.0:1-5. Available: http://www.worldagroforestry.org/treedb2/AFTPDFS/Hevea_brasiliensis.pdf [2012, May 20].

Plantwise (No date). *Rubber (Hevea brasiliensis)* [Online]. Available: <http://www.plantwise.org/?dsid=27999&loadmodule=plantwisedatasheet&page=4270&site=234> [2012, May 20].

Pohris, C. (2004). *Hevea brasiliensis* (H.B.K.) Muell. Arg. (Euphorbiaceae). Available: http://online-media.uni-marburg.de/biologie/nutzpflanzen/carina/hevea_brasiliensis.htm [2012, May 21].

Priyadarshan, P.M. (2011). *Biology of Hevea Rubber*. London: CABI.

Qiu, J. (2009). Where the Rubber Meets the Garden. Special Report. *Nature* 457:246-247.

Rao, P.S., Saraswathyamma, C.K. and Sethuraj, M.R. (1998). Studies on the Relationship Between Yield and Meteorological Parameters of Para Rubber Tree (*Hevea brasiliensis*). *Agricultural and Forest Meteorology* 90:235-245.

Rubber Asia (No date). *Global Rubber Industry: The Asian Dominance* [Online]. Available:
http://rubberasia.com/v2/index.php?option=com_content&view=article&id=555&catid=5 [2012, July 22].

Rubber Board – India (No date). *Rubber Cultivation. Tapping and Stimulation. Tapping Systems* [Online]. Available:
<http://rubberboard.org.in/ManageCultivation.asp?Id=116> [2012, July 22].

Schaffert, A. (2012). *Agrobiodiversity and its Importance in Homegardens of Hill Tribes in Xishuangbanna, SW China*. Master's thesis, University of Hohenheim, Stuttgart.

Smartt, J. and Simmonds, N.W. (Eds.) (1995). *Crop Plants: Evolution* (2nd ed.). John Wiley & Sons.

Song, Q.H. and Zhang, Y.P. (2010). Biomass, Carbon Sequestration and its Potential of Rubber Plantations in Xishuangbanna, Southwest China. *Chinese Journal of Ecology* 29:1887-1891.

Sturgeon, J. (2011). The Rough Side of Rubber. *China Dialogue* [Online]. Available:
<http://www.chinadialogue.net/article/show/single/en/4109> [2012, July 16].

Tan, Z., Zhang, Y., Song, Q., Liu, W., Deng, X., Tantg, J., Deng, Y., Zhou, W., Yang, L., Yu, G., Sun, X. and Liang, N. (2011). Rubber Plantations Act as Water Pumps in Tropical China. *Geophysical Research Letters* 38:1-3.

Tang, J., Pang, J., Chen, M., Guo, X. and Zeng, R. (2009). Biomass and Its Estimation Model of Rubber Plantations in Xishuangbanna, Southwest China. *Chinese Journal of Ecology* 28(10):1942-1948.

Tang, J., Zhang, J., Song, Q., Cao, M. and Feng, Z. (1998). A Preliminary Study on the Biomass of Secondary Tropical Forest in Xishuangbanna. *Acta Phytocologica Sinica* 22(6):489-498.

Tang, L., Grötz, P.A., Aenis, T., Nagel, U.J. and Hoffmann, V., 2009. "Land Use History and Recent Development in the Naban Watershed: The Case of Rubber", Sustainable Land Use and Ecosystem Conservation. ERSEC International Conference Proceedings. Beijing.

Tropical Biology Association (No date). *Hevea brasiliensis* [Online]. Available: <http://www.tropical-biology.org/research/dip/species/Hevea%20brasiliensis.htm> [2012, May 4].

Tu Tiempo. *Climate Jinghong* [Online]. Available: <http://www.tutiempo.net/en/Climate/> [2012, August 1].

UNESCO (No date). *Man and the Biosphere Programme* [Online]. Available: <http://www.unesco.org/new/en/natural-sciences/environment/ecological-sciences/man-and-biosphere-programme/> [2012, May 3].

UNFCCC/CDM Executive Board. (2011). *Demonstrating Appropriateness of Allometric Equations for Estimation of Aboveground Tree Biomass* (A/R CDM Project Activities, Version 01.0.0, EB 65 Report, Annex 28).

Vijayakumar, K.R., Dey, S.K., Chandrasekhar, T.R., Devakumar, A.S., Mohankrishna, T., Rao, P.S. and Sethuraj, M.R. (1998). Irrigation Requirement of Rubber Trees (*Hevea brasiliensis*) in the Subhumid Tropics. *Agricultural Water Management* 35:245-259.

Wauters, J.B., Coudert, S., Grallien, E., Jonard, M. and Ponette, Q. (2008). Carbon Stock in Rubber Tree Plantations in Western Ghana and Mato Grosso (Brazil). *Forest Ecology and Management* 255:2347-2361.

Weather Quality Reporter (No date). *Synop Information for 56959 in Jinghong, 53, China* [Online]. Available: <http://weather.gladstonefamily.net/site/56959> [2012, August 24].

Wehner, S. (2007). *Villages in the Naban River Watershed National Nature Reserve, Xishuangbanna, China. Background Data on Land-Use and the Socio-Economic Situation* (Working Paper No. 13). Passau: Lehrstuhl für Südostasienkunde, Universität Passau.

Werner, C., Zheng, Z., Tang, J., Xie, B, Liu, C., Riese, R. and Butterbach-Bahl, K. (2006). N₂O, CH₄ and CO₂ Emissions from Seasonal Tropical Rainforests and a Rubber Plantation in Southwest China. *Plant Soil* 289:335-353.

World Agroforestry Centre (No date). *A Tree Species Reference and Selection Guide. Hevea brasiliensis* [Online]. *AgroForestree Database*. Available: <http://www.worldagroforestrycentre.org/sea/products/afdbases/af/asp/SpeciesInfo.asp?SpID=17> [2012, May 12].

WWF (2009). *Empowering Girls and Young Women Leaders in the Nabanhe Nature Reserve in the Upper Mekong*, In WWF online [Online]. Available: http://wwf.panda.org/who_we_are/wwf_offices/china/index.cfm?uProjectID=CN0917 [2012, May 4].

XE (2012). *Universal Currency Converter* [Online]. Available: <http://www.xe.com/> [2012, September 25].

Xishuangbanna Tropical Botanical Garden (2008). *Naban River Watershed National Nature Reserve Administration Bureau inaugurated* [Online]. Available: http://english.xtbgi.cas.cn/ns/es/200810/t20081007_29700.html [2012, August 14].

Xu, J. (2006). The Political, Social, and Ecological Transformation of a Landscape. *Mountain Research and Development* 26(3):254-262.

Xu, J., Grumbine, R.E. and Chen, H. *Tracking Landscape Transformation through the Use of Ecological and Socioeconomic Indicators in Xishuangbanna, Southwest China, Mekong Region*. Submitted for publication.

Yang, J., Huang, J., Tang, J., Pan, Q. and Han, X. (2005). Carbon Sequestration in Rubber Tree Plantations Established on Former Arable Lands in Xishuangbanna, SW China. *Acta Phytocologica Sinica* 29(2):296-303.

Yang, K., 2012. Personal communication.

Yeang, H.Y. (2007). Synchronous Flowering of the Rubber Tree (*Hevea brasiliensis*) Induced by High Solar Radiation Intensity. *New Phytologist* 175:283-289.

Yin, X., Goudriaan, J., Lantinga, E.A., Vos, J. and Spiertz, H.J. (2003). A Flexible Sigmoid Function of Determinate Growth. *Annals of Botany* 91:361-371.

Zhang, J. and Cao, M. (1995). Tropical Forest Vegetation of Xishuangbanna, SW China and its Secondary Changes, with Special Reference to Some Problems in Local Nature Conservation. *Biological Conservation* 73:229-238.

Zheng, Z., Feng, Z., Cao, M., Li, Z. and Zhang, J. (2006). Forest Structure and Biomass of a Tropical Seasonal Rain Forest in Xishuangbanna, Southwest China. *Biotropica* 38(3):318-327.

Zhu, H., Cao, M. and Hu, H. (2006). Geological History, Flora and Vegetation of Xishuangbanna, Southern Yunnan, China. *Biotropica* 38:310-317.

Ziegler, A.D., Fox, J.M. and Xu, J. (2009). The Rubber Juggernaut. *Science* 324:1024-1025.

References for LUCIA Model Parameterization of Rubber

- Allen, R.G., Pereira, L.S., Raes, D. and Smith, M. (1998). E_t – Single Crop Coefficient (K_c). In Crop Evapotranspiration: Guidelines for Computing Crop Water Requirements - FAO Irrigation and Drainage Paper 56. FAO.
- Box, E.O., Fujiwara, K and Qiu, X.Z. (1991). Diversity and Dissimilarity of Three Forest Types in Xishuangbanna, Tropical Southern China. *Bull. Inst. Environ. Sci. Technol. Yokohama Natn. Univ.* 17:85-105.
- Chantuma, P., Thanisawanyangkura, S., Kasemsap, P., Thaler, P. and Goheh, E. (2007). Increase in Carbohydrate Status in the Wood and Bark Tissues of *Hevea brasiliensis* by Double-cut Alternative Tapping System. *Kasetsart J. (Nat. Sci.)* 41:442-450.
- de Cássia Conforto, E., Bittencourt, N.S.J., Scaloppi, E.J.J., Biagi Moreno, R.M. (2011). Comparação entre Folhas Sombreadas de Sete Clones Adultos de Seringueira. *Rev. Ceres, Viçosa* 58(1):29-34.
- Feng, Z., Zheng, Z., Zhang, J., Cao, M., Sha, L. and Deng, J. (1998). Biomass and its Allocation of a Tropical Wet Seasonal Rain Forest in Xishuangbanna. *Acta Phytocologica Sinica* 22(6):481-488.
- Geiger, J.P., Rio, B., Nicole, M. And Nandris, D. (1986). Biodegradation of *Hevea brasiliensis* Wood by *Rigidoporus lignosus* and *Phellinus noxius*. *Eur. J. For. Path.* 16:147-159.
- Gréggio, T.C., Assis, L.C. And Nahas, E. (2008). Decomposition of the Rubber Tree *Hevea brasiliensis* at two Depths. *Chilean Journal of Agricultural Research* 68:128-135.
- Jia, K. (2006). *Study on Growth Change of the Rubber Plantation Along an Altitudinal Gradient in Xishuangbanna, Southwest China*. Disseration.

Li, H., Ma, Y., Aide, T.M. and Liu, W. (2008). Past, Present and Future Land-use in Xishuangbanna, China and the Implications for Carbon Dynamics. *Forest Ecology and Management* 255:16-24.

Lu, X., Tang, J., Yu, G. and Zhang, Y. (2006). Carbon Storage and Distribution of Tropical Seasonal Rain Forest in Xishuangbanna, Yunnan. *J. Mount. Sci.* 24:277-283.

Lü, X., Yin, J., Jepsen, M.R. and Tang, J. (2010). Ecosystem Carbon Storage and Partitioning in a Tropical Seasonal Forest in Southwestern China. *Forest Ecology and Management* 260:1798-1803.

Murbach, M.R., Boaretto, A.E., Muraoka, T. and de Souza, E.C.A. (2003). Nutrient Cycling in a RRIM 600 Clone Rubber Plantation. *Scientia Agricola* 60(2):353-357.

Nandris, D., Nicole, M. and Geiger, J.P. (1988). Root-rot Diseases in the Ivory Coast. 1. Severity, Dynamics, and Characterization of Epidemics. *Can. J. For. Res.* 18:1248-1254.

Nugawela, A. and Aluthhewage, R.K. (1990). The Effect of Tapping on the CO₂ Assimilation Rates of *Hevea brasiliensis* Muell. Arg. Leaves. *Jl. Rubb. Res. Inst. Sri Lanka* 70:45-51.

Orwa et al. (2009). *Hevea brasiliensis*. *Agroforestry Database* [Online] 4.0:1-5. Available:

http://www.worldagroforestry.org/treedb2/AFTPDFS/Hevea_brasiliensis.pdf
[2012, May 20].

Reghu, C.P. (2012). Early Detection of Wood Quality in *Hevea brasiliensis* (Rubber wood) Using Cinnamyl Alcohol Dehydrogenase (CAD) Activity and Lignification. *J Indian Acad Wood Sci* 8(2):177-183.

Samarappuli, L. and Yogaratnam, N. (1998). Tolerance of Rubber Plantations to Drought and Atmospheric Warming: A Review. *Journal of the Rubber Research Institute of Sri Lanka*, 81:51-67.

Samarappuli, L., Yogaratnam, N., Karunadasa, P. and Mitrasena, U. (1996). Root Development in *Hevea brasiliensis* in Relation to Management Practices. *Journal of the Rubber Research Institute of Sri Lanka*, 77:93-111.

Silpi, U., Chantuma, P., Kasemsap, P., Thaler, P., Thanisawanyangkura, S., Lacoite, A., Ameglio, T. and Gohet, E. (2004). Spatial Distribution of Sucrose and Metabolic Activity in the Laticiferous Tissue of Three *Hevea brasiliensis* Clones: Effects of Tapping and Ethephon Stimulation at Trunk Scale. The International IRRDB Conference.

Tan, K.T. (1975). Proceedings “Seasonal Changes in the Concentration of Nutrients in Mature *Hevea*” International Rubber Conference. Rubber Research Institute of Malaysia, Kuala Lumpur, pp. 73-83.

Tang, J., Pang, J., Chen, M., Guo, X. and Zeng, R. (2009). Biomass and Its Estimation Model of Rubber Plantations in Xishuangbanna, Southwest China. *Chinese Journal of Ecology* 28(10):1942-1948.

Thaler, P., Chantuma, P., Silpi, U., Lacoite, A., Clement-Vidal, A., Kasempap, P., Thanysawanyangkura, S., Gohet, E. and Guilliot, A. (2002). Proceedings “Carbon Storage in Coconut, Oil Palm, Rubber and Mango: Origins, Dynamics and Consequences for Plantations Management. Dynamics of Carbohydrate Reserves as Related to Tapping in Rubber Tree”, Final Meeting of ATP Reserves 11:11-24.

Tropical Soil Biology and Fertility Programme and Wye College, University of London (No date). Organic Resource Database: *Croton marcostachyus* (Euphorbiaceae).

Wang, Y.F., Owen, S.M., Li, Q.J. and Peñuelas, J. (2007). Monoterpene Emissions from Rubber Trees (*Hevea brasiliensis*) in a Changing Landscape and Climate: Chemical Speciation and Environmental Control. *Global Change Biology* 13:2270-2282.

WaNuLCAS (No date). WaNuLCAS Database: *Hevea brasiliensis*.

WOFOST. "Soil Water Balance". In WOFOST 6.0 Reference Manual. Available: <http://www.wofost.wur.nl/UK/documentation/> [2012, August 8].

Yang, J., Huang, J., Tang, J., Pan, Q. and Han, X. (2005). Carbon Sequestration in Rubber Tree Plantations Established on Former Arable Lands in Xishuangbanna, SW China. *Acta Phytoecologica Sinica* 29(2):296-303.

Zhang, Y. and Xiao, D. (2006). Nutrition of Rubber Tree and the Soil in Jinghong Branch. *Tropical Agricultural Science & Technology* 29(2):1-11.

Zhang, Z., Zhu, J., Zhang, Q. and Cai, Y. (2009). Molecular Characterization of an Ethephon-induced Hsp70 involved in High and Low-temperature Responses in *Hevea brasiliensis*. *Plant Physiology and Biochemistry* 47:954-959.

Zheng, Z., Feng, Z., Cao, M., Li, Z. and Zhang, J. (2006). Forest Structure and Biomass of a Tropical Seasonal Rain Forest in Xishuangbanna, Southwest China. *Biotropica* 38(3):318-327.

Zheng, Z., Feng, Z., Cao, M., Li, Z. and Zhang, J. (2006). Forest Structure and Biomass of a Tropical Seasonal Rain Forest in Xishuangbanna, Southwest China. *Biotropica* 38(3):318-327.