

REFERENCES

- Alsalameh, S., R. Amin, *et al.* (2004). "Identification of mesenchymal progenitor cells in normal and osteoarthritic human articular cartilage." *Arthritis Rheum* 50(5): 1522-32.
- Alviano, F., V. Fossati, *et al.* (2007). "Term Amniotic membrane is a high throughput source for multipotent Mesenchymal Stem Cells with the ability to differentiate into endothelial cells in vitro." *BMC Dev Biol* 7: 11.
- Antonitsis, P., E. Ioannidou-Papagiannaki, *et al.* (2007). "In vitro cardiomyogenic differentiation of adult human bone marrow mesenchymal stem cells. The role of 5-azacytidine." *Interact Cardiovasc Thorac Surg* 6(5): 593-7.
- Arora, M., S. Nagaraj, *et al.* (2009). "New classification of chronic GVHD: added clarity from the consensus diagnoses." *Bone Marrow Transplant* 43(2): 149-53.
- Baddoo, M., K. Hill, *et al.* (2003). "Characterization of mesenchymal stem cells isolated from murine bone marrow by negative selection." *J Cell Biochem* 89(6): 1235-49.
- Barrilleaux, B., D. G. Phinney, *et al.* (2006). "Review: ex vivo engineering of living tissues with adult stem cells." *Tissue Eng* 12(11): 3007-19.
- Bhattacharya, A., M. Slatter, *et al.* (2003). "Successful umbilical cord blood stem cell transplantation for chronic granulomatous disease." *Bone Marrow Transplant* 31(5): 403-5.
- Bian, Z. Y., G. Li, *et al.* (2009). "Increased number of mesenchymal stem cell-like cells in peripheral blood of patients with bone sarcomas." *Arch Med Res* 40(3): 163-8.
- Bianchi, G., A. Muraglia, *et al.* (2001). "Microenvironment and stem properties of bone marrow-derived mesenchymal cells." *Wound Repair Regen* 9(6): 460-6.
- Boiret, N., C. Rapatel, *et al.* (2005). "Characterization of nonexpanded mesenchymal progenitor cells from normal adult human bone marrow." *Exp Hemato* 133(2): 219-25.

- Bartholomew, A., Sturgeon, C., Siatskas, M., Ferrer, K., McIntosh, K., Patil, S., Hardy, W. *et al.* (2002). "Mesenchymal stem cells suppress lymphocyte proliferation in vitro and prolong skin graft survival in vivo." *Exp. Hematol.*30: 42–48.
- Campagnoli, C., I. Roberts, *et al.* (2001). "Clonal culture of fetal cells from maternal blood." *Lancet* 357(9260): 962.
- Cheng, H., W. Jiang, *et al.* (2003). "Osteogenic activity of the fourteen types of human bone morphogenetic proteins (BMPs)." *J Bone Joint Surg Am* 85-A(8): 1544-52.
- Cognet, J. A., C. Pakleza, *et al.* (1999). "Static curvature and flexibility measurements of DNA with microscopy. A simple renormalization method, its assessment by experiment and simulation." *J Mol Biol* 285(3): 997-1009.
- Colter, D. C., R. Class, *et al.* (2000). "Rapid expansion of recycling stem cells in cultures of plastic-adherent cells from human bone marrow." *Proc Natl Acad Sci U S A* 97(7): 3213-8.
- Colter, D. C., I. Sekiya, *et al.* (2001). "Identification of a subpopulation of rapidly self-renewing and multipotential adult stem cells in colonies of human marrow stromal cells." *Proc Natl Acad Sci U S A* 98(14): 7841-5.
- Dazzi, F., R. Ramasamy, *et al.* (2006). "The role of mesenchymal stem cells in haemopoiesis." *Blood Rev* 20(3): 161-71.
- De Girolamo, L., M. F. Sartori, *et al.* (2008). "Human adipose-derived stem cells as future tools in tissue regeneration: osteogenic differentiation and cell-scaffold interaction." *Int J Artif Organs* 31(6): 467-79.
- Dennis, C. (2002). "Stem-cell reverse angers Australian biologists." *Nature* 416(6876): 4.
- Dennis, J. E. and P. Charbord (2002). "Origin and differentiation of human and murine stroma." *Stem Cells* 20(3): 205-14.
- Devine, S. M. and R. Hoffman (2000). "Role of mesenchymal stem cells in hematopoietic stem cell transplantation." *Curr Opin Hematol* 7(6): 358-63.

- Di Nicola, M., Carlo-Stella, C., Magni, M., Milanesi, M., Longoni, P. D., Matteucci *et al.* (2002) "Human bone marrow stromal cells suppress T-lymphocyte proliferation induced by cellular or nonspecific mitogenic stimuli. *Blood*. 99: 3838–3843.
- Douay, L., H. Lapillonne, *et al.* (2009). "Stem cells--a source of adult red blood cells for transfusion purposes: present and future." *Crit Care Clin* 25(2): 383-98.
- Egusa, H., F. E. Schweizer, *et al.* (2005). "Neuronal differentiation of bone marrow-derived stromal stem cells involves suppression of discordant phenotypes through gene silencing." *J Biol Chem* 280(25): 23691-7.
- Fibbe, W. E., J. Mark, *et al.* (1996). "Stem cells with short-term and long-term repopulating ability in the mouse." *Ann Oncol* 7 Suppl 2: 15-8.
- Fibbe, W. E. and W. A. Noort (2003). "Mesenchymal stem cells and hematopoietic stem cell transplantation." *Ann N Y Acad Sci* 996: 235-44.
- Filip, S., J. Mokry, *et al.* (2003). "Adult stem cells and their importance in cell therapy." *Folia Biol (Praha)* 49(1): 9-14.
- Friedenstein, A. J. (1976). "Precursor cells of mechanocytes." *Int Rev Cytol* 47: 327-59.
- Fukuchi, Y., H. Nakajima, *et al.* (2004). "Human placenta-derived cells have mesenchymal stem/progenitor cell potential." *Stem Cells* 22(5): 649-58.
- Gaetani, P., M. L. Torre, *et al.* (2008). "Adipose-derived stem cell therapy for intervertebral disc regeneration: an in vitro reconstructed tissue in alginate capsules." *Tissue Eng Part A* 14(8): 1415-23.
- Gao, J., J. E. Dennis, *et al.* (2001). "The dynamic in vivo distribution of bone marrow-derived mesenchymal stem cells after infusion." *Cells Tissues Organs* 169(1): 12-20.
- Gardner, R. L. (2002). "Stem cells: potency, plasticity and public perception." *J Anat* 200(Pt 3): 277-82.
- Gimble, J. M., A. J. Katz, *et al.* (2007). "Adipose-derived stem cells for regenerative medicine." *Circ Res* 100(9): 1249-60.
- Glennie, S., I. Soeiro, *et al.* (2005). "Bone marrow mesenchymal stem cells induce division arrest anergy of activated T cells." *Blood* 105(7): 2821-7.

- Gronthos, S., A. C. Zannettino, *et al.* (2003). "Molecular and cellular characterisation of highly purified stromal stem cells derived from human bone marrow." *J Cell Sci* 116(Pt 9): 1827-35.
- Han, K., J. E. Lee, *et al.* (2008). "Human amnion-derived mesenchymal stem cells are a potential source for uterine stem cell therapy." *Cell Prolif* 41(5): 709-25.
- Hari, P., J. Carreras, *et al.* (2008). "Allogeneic transplants in follicular lymphoma: higher risk of disease progression after reduced-intensity compared to myeloablative conditioning." *Biol Blood Marrow Transplant* 14(2): 236-45.
- Hayashi, N., K. Takahashi, *et al.* (2009). "Placental/umbilical cord blood-derived mesenchymal stem cell-like stromal cells support hematopoietic recovery of X-irradiated human CD34+ cells." *Life Sci* 84(17-18): 598-605.
- Heng, B. C., H. Haider, *et al.* (2004). "Strategies for directing the differentiation of stem cells into the cardiomyogenic lineage in vitro." *Cardiovasc Res* 62(1): 34-42.
- Heydarkhan-Hagvall, S., K. Schenke-Layland, *et al.* (2008). "Human adipose stem cells: a potential cell source for cardiovascular tissue engineering." *Cells Tissues Organs* 187(4): 263-74.
- Henningson, C. T., Jr., M. A. Stanislaus, *et al.* (2003). "28. Embryonic and adult stem cell therapy." *J Allergy Clin Immunol* 111(2 Suppl): S745-53.
- Herrera, M. B., B. Bussolati, *et al.* (2004). "Mesenchymal stem cells contribute to the renal repair of acute tubular epithelial injury." *Int J Mol Med* 14(6): 1035-41.
- Hill, A. J., I. Zwart, *et al.* (2009). "Human umbilical cord blood-derived mesenchymal stem cells do not differentiate into neural cell types or integrate into the retina after intravitreal grafting in neonatal rats." *Stem Cells Dev* 18(3): 399-409.
- Hoffmann, A., S. Czichos, *et al.* (2002). "The T-box transcription factor Brachyury mediates cartilage development in mesenchymal stem cell line C3H10T1/2." *J Cell Sci* 115(Pt 4): 769-81.

- Honczarenko, M., Y. Le, *et al.* (2006). "Human bone marrow stromal cells express a distinct set of biologically functional chemokine receptors." *Stem Cells* 24(4): 1030-41.
- Horwitz, E. M., D. J. Prockop, *et al.* (2001). "Clinical responses to bone marrow transplantation in children with severe osteogenesis imperfecta." *Blood* 97(5): 1227-31.
- Huppertz, B. (2008). "The anatomy of the normal placenta." *J Clin Pathol* 61(12): 1296-302.
- Hwang, S. G., J. H. Ryu, *et al.* (2004). "Wnt-7a causes loss of differentiated phenotype and inhibits apoptosis of articular chondrocytes via different mechanisms." *J Biol Chem* 279(25): 26597-604.
- Ichim, T. E., F. Solano, *et al.* (2008). "Placental mesenchymal and cord blood stem cell therapy for dilated cardiomyopathy." *Reprod Biomed Online* 16(6): 898-905.
- Igura, K., X. Zhang, *et al.* (2004). "Isolation and characterization of mesenchymal progenitor cells from chorionic villi of human placenta." *Cytotherapy* 6(6): 543-53.
- Jaiswal, R. K., N. Jaiswal, *et al.* (2000). "Adult human mesenchymal stem cell differentiation to the osteogenic or adipogenic lineage is regulated by mitogen-activated protein kinase." *J Biol Chem* 275(13): 9645-52.
- Jiang, Y., Z. Zeng, *et al.* (2005). "Adhesion of monocyte-derived dendritic cells to human umbilical vein endothelial cells in flow field decreases upon maturation." *Clin Hemorheol Microcirc* 32(4): 261-8.
- Khoo, C. P., P. Pozzilli, *et al.* (2008). "Endothelial progenitor cells and their potential therapeutic applications." *Regen Med* 3(6): 863-76.
- Kim, S. J., W. I. Lee, *et al.* (2007). "Stable gene expression by self-complementary adeno-associated viruses in human MSCs." *Biochem Biophys Res Commun* 360(3): 573-9.
- Kosmacheva, S. M., M. V. Volk, *et al.* (2008). "In vitro growth of human umbilical blood mesenchymal stem cells and their differentiation into chondrocytes and osteoblasts." *Bull Exp Biol Med* 145(1): 141-5.

- Krampera, M., S. Glennie, *et al.* (2003). "Bone marrow mesenchymal stem cells inhibit the response of naive and memory antigen-specific T cells to their cognate peptide." *Blood* 101(9): 3722-9.
- Krampera, M., A. Pasini, *et al.* (2005). "HB-EGF/HER-1 signaling in bone marrow mesenchymal stem cells: inducing cell expansion and reversibly preventing multilineage differentiation." *Blood* 106(1): 59-66.
- Lane, J. M., A. W. Yasko, *et al.* (1999). "Bone marrow and recombinant human bone morphogenetic protein-2 in osseous repair." *Clin Orthop Relat Res*(361): 216-27.
- Lazarus, H. M., Koc, O. N., Devine, S. M., Curtin, P., Maziarz, R. T., Holland, H. K., Shpall, E. J. *et al.* (2005). "Cotransplantation of HLA-identical sibling culture-expanded mesenchymal stem cells and hematopoietic stem cells in hematologic malignancy patients." *Biol. Blood Marrow Transplant.* 11: 389–398.
- Le Blanc, K., Rasmusson, I., Sundberg, B., Gotherstrom, C., Hassan, M., Uzunel, M. and Ringden, O (2004) "Treatment of severe acute graft-versus-host disease with third party haploidentical mesenchymal stem cells." *Lancet* 363: 1439–1441.
- Lecka-Czernik, B., I. Gubrij, *et al.* (1999). "Inhibition of *Osf2/Cbfa1* expression and terminal osteoblast differentiation by *PPARgamma2*." *J Cell Biochem* 74(3): 357-71.
- Lou, J., F. Xu, *et al.* (1999). "Gene therapy: adenovirus-mediated human bone morphogenetic protein-2 gene transfer induces mesenchymal progenitor cell proliferation and differentiation in vitro and bone formation in vivo." *J Orthop Res* 17(1): 43-50.
- Lu, L. L., Y. J. Liu, *et al.* (2006). "Isolation and characterization of human umbilical cord mesenchymal stem cells with hematopoiesis-supportive function and other potentials." *Haematologica* 91(8): 1017-26.
- Ma, L., X. Y. Feng, *et al.* (2005). "Human umbilical cord Wharton's Jelly-derived mesenchymal stem cells differentiation into nerve-like cells." *Chin Med J (Engl)* 118(23): 1987-93.

- Miao, Z., J. Jin, *et al.* (2006). "Isolation of mesenchymal stem cells from human placenta: comparison with human bone marrow mesenchymal stem cells." *Cell Biol Int* 30(9): 681-7.
- Min, C. K., B. G. Kim, *et al.* (2007). "IL-10-transduced bone marrow mesenchymal stem cells can attenuate the severity of acute graft-versus-host disease after experimental allogeneic stem cell transplantation." *Bone Marrow Transplant* 39(10): 637-45.
- Mitchell, K. E., M. L. Weiss, *et al.* (2003). "Matrix cells from Wharton's jelly form neurons and glia." *Stem Cells* 21(1): 50-60.
- Mueller, S. M. and J. Glowacki (2001). "Age-related decline in the osteogenic potential of human bone marrow cells cultured in three-dimensional collagen sponges." *J Cell Biochem* 82(4): 583-90.
- Muguruma, Y., T. Yahata, *et al.* (2006). "Reconstitution of the functional human hematopoietic microenvironment derived from human mesenchymal stem cells in the murine bone marrow compartment." *Blood* 107(5): 1878-87.
- Muller-Sieburg, C. E., R. H. Cho, *et al.* (2002). "Deterministic regulation of hematopoietic stem cell self-renewal and differentiation." *Blood* 100(4): 1302-9.
- Nishida, S., N. Endo, *et al.* (1999). "Number of osteoprogenitor cells in human bone marrow markedly decreases after skeletal maturation." *J Bone Miner Metab* 17(3): 171-7.
- Niyibizi, C., S. Wang, *et al.* (2004). "The fate of mesenchymal stem cells transplanted into immunocompetent neonatal mice: implications for skeletal gene therapy via stem cells." *Mol Ther* 9(6): 955-63.
- Noel, D., D. Gazit, *et al.* (2004). "Short-term BMP-2 expression is sufficient for in vivo osteochondral differentiation of mesenchymal stem cells." *Stem Cells* 22(1):74-85.
- Panaroni, C., R. Gioia, *et al.* (2009). "In utero transplantation of adult bone marrow decreases perinatal lethality and rescues the bone phenotype in the knock-in murine model for classical, dominant osteogenesis imperfecta." *Blood*. 101(5): 2312-20.

- Perin, E. C., Y. J. Geng, *et al.* (2003). "Adult stem cell therapy in perspective." *Circulation* 107(7): 935-8.
- Phinney, D. G., G. Kopen, *et al.* (1999). "Donor variation in the growth properties and osteogenic potential of human marrow stromal cells." *J Cell Biochem* 75(3): 424-36.
- Pittenger, M., P. Vanguri, *et al.* (2002). "Adult mesenchymal stem cells: potential for muscle and tendon regeneration and use in gene therapy." *J Musculoskelet Neuronal Interact* 2(4): 309-20.
- Pittenger, M. F., A. M. Mackay, *et al.* (1999). "Multilineage potential of adult human mesenchymal stem cells." *Science* 284(5411): 143-7.
- Polchert, D., Sobinsky, J., Douglas, G. W., Kidd, M., Moadsiri, A., Reina, E., Genrich, K. *et al.* (2008) "IFN- γ Activation of Mesenchymal Stem Cells For Treatment and Prevention of Graft versus Host Disease." *Eur. J. Immunol.* 38 (10): 1002-29.
- Priluckiene, J., I. Kriukelyte, *et al.* (2007). "[Chronic graft-versus-host disease presenting as nephrotic syndrome after allogeneic hematopoietic stem cell transplantation]." *Medicina (Kaunas)* 43 Suppl 1: 148-52.
- Prochazka, V., J. Gumulec, *et al.* (2009). "Autologous bone marrow stem cell transplantation in patients with end-stage chronic critical limb ischemia and diabetic foot." *Vnitr Lek* 55(3): 173-8.
- Prockop, D. J. (2003). "Further proof of the plasticity of adult stem cells and their role in tissue repair." *J Cell Biol* 160(6): 807-9.
- Raff, M. (2003). "Adult stem cell plasticity: fact or artifact?" *Annu Rev Cell Dev Biol* 19: 1-22.
- Ranger, A. M., L. C. Gerstenfeld, *et al.* (2000). "The nuclear factor of activated T cells (NFAT) transcription factor NFATp (NFATc2) is a repressor of chondrogenesis." *J Exp Med* 191(1): 9-22.
- Ratajczak, M. Z., M. Kucia, *et al.* (2004). "Stem cell plasticity revisited: CXCR4-positive cells expressing mRNA for early muscle, liver and neural cells 'hide out' in the bone marrow." *Leukemia* 18(1): 29-40.
- Ross, S. E., N. Hemati, *et al.* (2000). "Inhibition of adipogenesis by Wnt signaling." *Science* 289(5481): 950-3.

- Sakai, D., J. Mochida, *et al.* (2003). "Transplantation of mesenchymal stem cells embedded in Atelocollagen gel to the intervertebral disc: a potential therapeutic model for disc degeneration." *Biomaterials* 24(20): 3531-41.
- Sandhu, J. S., P. M. Petkov, *et al.* (2001). "Stem cell properties and repopulation of the rat liver by fetal liver epithelial progenitor cells." *Am J Pathol* 159(4): 1323-34.
- Sekiya, I., J. T. Vuoristo, *et al.* (2002). "In vitro cartilage formation by human adult stem cells from bone marrow stroma defines the sequence of cellular and molecular events during chondrogenesis." *Proc Natl Acad Sci U S A* 99(7): 4397-402.
- Sieburg, H. B., R. H. Cho, *et al.* (2006). "The hematopoietic stem compartment consists of a limited number of discrete stem cell subsets." *Blood* 107(6): 2311-6.
- Skutella, T. (2009). "Induced pluripotent stem cells from adult testis: a new source of stem cells?" *Regen Med* 4(1): 3-5.
- Sordi, V., Malosio, M. L., Marchesi, F., Mercalli, A., Melzi, R., Giordano, T., Belmonte, N. *et al.* (2005). "Bone marrow mesenchymal stem cells express a restricted set of functionally active chemokine receptors capable of promoting migration to pancreatic islets." *Blood* 106: 419-427.
- Spaggiari, G. M., Capobianco, A., Becchetti, S., Mingari, M. C. and Moretta, L (2006). "Mesenchymal stemcell-natural killer cell interactions: evidence that activated NK cells are capable of killing MSCs, whereas MSCs can inhibit IL-2-induced NK-cell proliferation." *Blood* 107: 1484-1490.
- Stamm, C., B. Westphal, *et al.* (2003). "Autologous bone-marrow stem-cell transplantation for myocardial regeneration." *Lancet* 361(9351): 45-6.
- Stenderup, K., J. Justesen, *et al.* (2003). "Aging is associated with decreased maximal life span and accelerated senescence of bone marrow stromal cells." *Bone* 33(6): 919-26.
- Sugimoto, K., M. Murata, *et al.* (2008). "Decreased risk of acute graft-versus-host disease following allogeneic hematopoietic stem cell transplantation in patients with the 5,10-methylenetetrahydrofolate reductase 677TT genotype." *Int J Hematol* 87(5): 451-8.

- Takagi, M., T. Kitabayashi, *et al.* (2008). "Correlation between cell morphology and aggrecan gene expression level during differentiation from mesenchymal stem cells to chondrocytes." *Biotechnol Lett* 30(7): 1189-95.
- Thomson, J. A., J. Itskovitz-Eldor, *et al.* (1998). "Embryonic stem cell lines derived from human blastocysts." *Science* 282(5391): 1145-7.
- Tropel, P., D. Noel, *et al.* (2004). "Isolation and characterisation of mesenchymal stem cells from adult mouse bone marrow." *Exp Cell Res* 295(2): 395-406.
- Troyer, D. L. and M. L. Weiss (2008). "Wharton's jelly-derived cells are a primitive stromal cell population." *Stem Cells* 26(3): 591-9.
- Tsai, M. S., J. L. Lee, *et al.* (2004). "Isolation of human multipotent mesenchymal stem cells from second-trimester amniotic fluid using a novel two-stage culture protocol." *Hum Reprod* 19(6): 1450-6.
- Tsirigotis, P., R. O. Bitan, *et al.* (2006). "A non-myeloablative conditioning regimen in allogeneic stem cell transplantation from related and unrelated donors in elderly patients." *Haematologica* 91(6): 852-5.
- Tuan, R. S., G. Boland, *et al.* (2003). "Adult mesenchymal stem cells and cell-based tissue engineering." *Arthritis Res Ther* 5(1): 32-45.
- Uccelli, A., Moretta, L. and Pistoia (2006). "Immunoregulatory function of mesenchymal stem cells." *Eur. J. Immunol.* 36: 2566–2573.
- von Bonin, M., F. Stolzel, *et al.* (2009). "Treatment of refractory acute GVHD with third-party MSC expanded in platelet lysate-containing medium." *Bone Marrow Transplant* 43(3): 245-51.
- Wakitani, S., T. Goto, *et al.* (1994). "Mesenchymal cell-based repair of large, full-thickness defects of articular cartilage." *J Bone Joint Surg Am* 76(4): 579-92.
- Wang, B., W. Huang, *et al.* (2000). "Bone Marrow Endothelial Cell-Derived Factors Inhibit the Growth of Marrow CFU-F." *Chin Med J (Engl)* 8(1): 20-23.
- Wang, Y., K. Y. Liu, *et al.* (2007). "[Allogeneic hematopoietic stem cell transplantation for high-risk acute leukemia]." *Chin Med J (Engl)* 46(11): 903-6.

- Weissman, I. L., D. J. Anderson, et al. (2001). "Stem and progenitor cells: origins, phenotypes, lineage commitments, and transdifferentiations." *Annu Rev Cell Dev Biol* 17: 387-403.
- Yamaguchi, A., T. Komori, et al. (2000). "Regulation of osteoblast differentiation mediated by bone morphogenetic proteins, hedgehogs, and Cbfa1." *Endocr Rev* 21(4): 393-411.
- Zalom, M., M. Lill, et al. (2009). "Autologous graft-versus-host disease after denileukin diftitox and autologous stem cell transplantation for refractory T-cell lymphoma." *Leuk Lymphoma* 50(1): 124-6.
- Zelzer, E. and B. R. Olsen (2003). "The genetic basis for skeletal diseases." *Nature* 423(6937): 343-8.
- Zvaifler, N. J., L. Marinova-Mutafchieva, et al. (2000). "Mesenchymal precursor cells in the blood of normal individuals." *Arthritis Res* 2(6): 477-88.