

REFERENCES

BOOKS

- American Heart Association. (1996). *American heart association: heart stroke facts*. Dallas.
- American Physical Therapy Association. (1999). *Guide to Physical Therapist Practice*. American Physical Therapy Association: Alexandria, VA.
- Bach-y-Rita, P. (1980). *Recovery of function: theoretical considerations for brain injury rehabilitation*. New York.
- Bauby, J. (1997). *The Diving bell and the butterfly*. Alfred A. Knopf. New York.
- Bech-y-Rita, P. (1972). *Brain mechanisms in sensory substitution*. New York: Academic Press.
- Black, P., Markowitz, R. S., & Cianci, S. N. (1975). *Recovery of motor function after lesions in motor cortex of monkey. In outcome of severe damage to central nervous system*. Amsterdam Elsevier: CIBA Fndt.
- Brooks, R., Rabin, R., & Charro de, F. (2005). *The measurement and valuation of health status using EQ-5D: A European perspective (Evidence from the EuroQol BIOMED research programme)*. London: Kluwer academic publishers.
- Brunnstrom, S. (1970). *Movement therapy in hemiplegia*: New York, Harper and Row.
- Carr, J., & Shepherd, R. (1987). *A motor relearning programme for stroke*. Aspen, Rockville, MD.
- Clemente, C. (1976). *Changes in afferent connections following brain injury*. Dallas, Texas: Professional Information Library.
- Stroke Unit Trial. (2004). Organised inpatient (stroke unit) care for stroke (Cochrane Review). In: The Cochrane Library, Issue 2. Chichester, UK: John Wiley & Sons, Ltd.

- Curtis, S., & Porth, C. (1998). *Disorders of brain function*. In Porth C: *Pathophysiology*. Lippincott, Philadelphia.
- Dobkin, B. (1996). *Neurologic rehabilitation*. FA Davis, Philadelphia.
- Guberman, A. (1994). *An introduction to clinical neurology*. Little, Brown and Co., Boston.
- Hachinski, V., & Norris, J. (1985). *The acute stroke*. FA Davis, Philadelphia.
- Konorski, J. (1961). *The physiological approach to the problem of recent memory*. Brain Mechanisms and Learning. Oxford, Blackwell.
- Luria, A. R. (1963). *Restoration of function after brain injury*. New York: MacMillan Co.
- MacMahon, B., & Pugh, T. F. (1970). *Epidemiology: principles and methods*. Little, Brown, Boston.
- Moore, J. (1980). *Neuroanatomical considerations relating to recovery of function following brain injury*. Baltimore, Univ. Park Press.
- National Health Security Office (2005). *Progress and achievement annual report 2005: universal coverage of health care implementation in fiscal year 2005*. Nonthaburi: National Health Security Office.
- World Health Organization. (1989). *Recommendations on stroke prevention, diagnosis, and therapy: Report of the WHO Task Force on Stroke and Other Cerebrovascular Disorders*.
- World Health Organization. (2001). *International Classification of Functioning, Disability and Health: ICF.*: Geneva, World Health Organization.
- Post Stroke Rehabilitation Guideline. (1996). *Post-Stroke Rehabilitation Clinical Practice Guideline*: Aspen, Gaithersburg, MD.
- Saladin, L. (1996). *Cerebrovascular Disease: Stroke*. In Fredericks CM, Saladin LK: *Pathophysiology of motor systems*. Philadelphia.

- Shafer, D. W., Van der Loos, M., & Szotak, M. (1995). *Individualized video and computerized functional assessment. Proceeding RESNA'95*, . Vancouver, BC, Canada.
- Wall, P. D. (1980). *Mechanisms of plasticity of connection following damage in adult mammalian nervous system*. Park Press, Baltimore: Univ. Park Press.
- Zulch, K. J., & Olfrid, F. (1969). *Physician and Naturalist*. Berlin: Springer.

JOURNALS

- Anderson, C., Rubenach, S., Mhurchu, C. N., Clark, M., Spencer, C., & Winsor, A. (2000). Home or hospital for stroke rehabilitation? Results of a randomized controlled trial: I: Health outcomes at 6 months. *Stroke*, *31*, 1024-1031.
- Anderson, C. S., Jamrozik, K. D., & Stewart-Wynne, E. G. (1994). Patterns of acute hospital care, rehabilitation, and discharge disposition after acute stroke: the Perth Community Stroke study 1989-1990. *Cerebrovasc Dis*, *4*, 344-353.
- Bach-y-Rita, P. (1981). Central nervous system lesions: Sprouting and unmasking in rehabilitation. *Arch Phys Rehabil*, *62*, 41-417.
- Barba, R., Martinez-Espinosa, S., Rodriguez-Garcia, E., Pondal, M., Vivancos, J., & Del Ser, T. (2000). Poststroke dementia: Clinical features and risk factors. *Stroke*, *31*, 1494-1501.
- Barnes, M. P. (2003). Principles of neuroogical rehabilitation. *J Neurol Neurosurg Psychiatry*, *74 Suppl 4*, iv3-iv7.
- Bethe, A. (1930). Plastizitat und zentrenlehre. *Handb Norm Path Physiol*, *15(11)*, 1175-1220.
- Bourgeois, J. A., Hilty, D. M., Chang, C. H., Wineinger, M. A., & Servis, M. E. (2004). Post-stroke neuropsychiatric illness: and integrated approach to diagnosis and management. *Curr Treat Options Neurol*, *6*, 403-420.

- Brandstater, M. E. (1990). An overview of stroke rehabilitation. *Stroke, 21 (suppl.II)*, 1140-1142.
- Brodal, A. (1973). Self-observations and neuroanatomical considerations after stroke. *Brain, 96*, 675-694.
- Bryan, W. L., & Harter, N. (1899). Studies in the telegraphic language: the acquisition of a hierarchy of habit. *Psychol Rev, 6*, 345-375.
- Buccio, G., Solodkin, A., & Small, S.L. Function of the mirror system: Implications for neurorehabilitation. (2006). *Cog Behav Neurol, 19(1)*, 55-63.
- Buell, S., & Coleman, P. (1979). Dendritic growth in aged human brain and failure of growth in senile dementia. *Science, 206*, 854-856.
- Buell S, Coleman P. Dendritic growth in aged human brain and failure of growth in senile dementia (1979). *Science, 206*, 854-856.
- Carlen, S. R. (1978). Reversible cerebral atrophy in recently abstinent chronic alcoholics measures by computed tomography scans. *Science, 200*, 1076-1078.
- Cragg, B. G. (1968). Are there structural alterations in synapses related to functioning? *Pro R Soc, Set, 171*, 319-323.
- Dam, M., Tonin, P., & Casson, S. (1993). The effects of long-term rehabilitation therapy on poststroke hemiplegic patients. *Stroke, 24*, 1186-1191.
- Dobkin, B. H. (1989). Focused stroke rehabilitation programs do not improve outcomes. *Arch Neurol, 46*, 701-703.
- Dombovy, M., & Bach-y-Rita, P. (1988). Clinical observations on recovery from stroke. *Adv Neurol, 47*, 265.
- Duncan, P., Richards, L., Wallace, D., Stoker-Yates, J., & Pohl, P. (1998). A randomized, controlled pilot study of a home-based exercise program for individuals with mild and moderate stroke. *Stroke, 29*, 2055-2060.

- Duncan, P. W., Goldstein, L. B., Matchar, D., Divine, G. W., & Feussner, J. (1998). Measurement of motor recovery after stroke: outcome assessment and sample size requirements. *Stroke*, 29, 1084-1089.
- Duncan, P. W., Samsa, G. P., Weinberger, M., Goldstein, L., & Bonito, A. (1997). Health status of individuals with mild strokes. *Stroke*, 28, 740-745.
- Duncan, P. W., Studenski, S., Richards, L., Gollub, S., & Lai, S. M. (2003). Randomized clinical trial of therapeutic exercise in subacute stroke. *Stroke*, 34, 2173-2180.
- Evers SM, Ament AJ, Blaauw G. (2000). Economic evaluation in stroke research : a systematic review. *Stroke*, 31(5):1046-53.
- Evers, S.M., Struijs, J.N., Ament, A.J., Van Genugten, M.L., Jager, J.H., Van den Bos, G.A. (2004). International comparison of stroke cost studies. *Stroke*, 35(5):1209-15.
- Fey, H. M., De Weerd, W. J., & Selz, B. E. (1998). Effect of the therapeutic intervention for the hemiplegic upper in the acute phase after stroke. A single blind, randomized, controlled multicenter trial. *Stroke*, 29, 785-792.
- Goldstein, L. B., & Samsa, G. P. (1997). Reliability of the National Institute of Health Stroke Scale: extension to nonneurologists in the context of clinical trial. *Stroke*, 28, 307-310.
- Granger, C., & Hamilton, B. (1993). The uniform data system for medical rehabilitation report of first admission for 1991. *Am J Phys Med Rehabil*, 72, 34-38.
- Heinemann, A. W., Roth, E. J., Cichowski, K., & Betts, H. B. (1987). Multivariate analysis of improvement and outcome following stroke rehabilitation. *Arch Neurol*, 44, 1167-1172.
- Heyes, S., & Corroll, S. (1986). Early intervention care in the acute stroke patient. *Arch Phys Med Rehabil*, 67, 319.

- Hofgren, C., Bjorkdahl, A., Esbjornsson, E., & Sunnerhagen, K. S. (2007). Recovery after stroke: cognition, ADL function and return to work. *Acta Neurol Scand*, 115, 73-80.
- Holmqvist, L. W., Koch, L., Kostualas, V., Holm, M., & Widsell, G. (1998). A randomized controlled trial of rehabilitatin at home after stroke in southwest stockholm. *Stroke*, 29, 591-597.
- Johnston, M., & Keister, M. (1984). Early rehabilitation for stroke patients: A new look. *Arch Phys Med Rehabil*, 65, 437.
- Johnston, M., Kirshblum, S., Zorawitz, R., & Walker, J. (1993). Prediction of outcomes following rehabilitation of stroke patients. *Neurorehabilitation*, 2, 51-76.
- Kalra L, Evans A, Perez I, Knapp M, Swift, N D. (2005). A randomised controlled comparison of alternative strategies in stroke care *Health Technol Assess*, 9(18).
- Kulkantrakorn, K., & Jirapramukpitak, T. (2007). A prospective study in one year cumulative incidence of depression after ischemic stroke and Parkinson's disease: A preliminary study. *Journal of the Neurological Sciences*, 263(1-2), 165-168.
- Kwakkel, G., Kollen, B. J., & Wagenaar, R. C. (1999). Therapy impact on functional recovery in stroke rehabilitation: a critical review of the literature. *Physiotherapy*, 13, 457-470.
- Lafferty, G. (1996). Community-based alternatives to hospital rehabilitation services: a review of the evidence and suggestions for approaching future evaluations. *Rev Clin Gerontol*, 183-194.
- Langhorne, P. (1993). Do stroke units save lives? *Lancet*, 342, 395.
- Legg, L., & Langhorne, P. (2004). Rehabilitation therapy services for stroke patients living at home: systematie review of randomised trials. *Lancet*, 363, 352-356.

- Lehmann, J. F., Delatour, B. J., Fowler, R.-S., Warren, C.-G., & Arnhold, R. (1975).
Stroke: Does rehabilitation affect outcome? *Arch Phys Med Rehabil*, *56*, 375-382.
- Lipert, J. H., Bauder, H., Wolfgang, H. R., Milner, W. H., Taub, E., & Weiller, C. (2003).
Treatment-induced cortical reorganization after stroke in humans. *Stroke*, *31*,
1210-1216.
- Mill, V., & DiGenio, M. (1983). Functional differences in patients with left or right
cerebrovascular accidents. *Phys Ther*, *63*, 481.
- Miller, G. A. (1956). The magical number seven, plus or minus two: Some limits on our
capacity for processing information. *Psychol Rev*, *63*, 81-97.
- Myo, N. E. (2000). There's no place like home: An evaluation of early supported
discharge for stroke. *Stroke*, *31*, 1016-1023.
- Novack, T., Satterfield, W., & Connor, M. (1984). Stroke onset and rehabilitation: Time lag
as a factor in treatment outcome. *Arch Phys Med Rehabil*, *65*, 316.
- Page, S. J., Levine, P., Sisto, S. A., Johnston, M. V., & . (2001). Mental practice
combined with physical practice for upper-limb motor deficit in subacute stroke.
Phys Ther, *81*, 1455-1462.
- Pollock, A., Baer, G., Pomeroy, V., & Langhorne, P. (2003). Physiotherapy treatment
approaches for the recovery of postural control and lower limb function following
stroke. *Cochrane Database Syst Rev*, *2003*(CD001920).
- Robinson-Smith, G., Johnston, M. V., & Allen, J. (2000). Self-care self-efficacy, quality of
life, and depression after stroke. *Arch Phys Med Rehabil*, *81*, 460-464.
- Rodriguez, A. A., Black, P. O., & Kile, K. A. (1996). Gait training efficacy using a home-
based practice model in chronic hemiplegia. *Archives of Physical Medicine and
Rehabilitation*, *77*, 801-805.
- Sachdev, P. S., Brodaty, H., Valenzuela, M. J., Lorentz, L. M., & Koschera, A. (2004).
Progression of cognitive impairment in stroke patients. *Neurology*, *63*, 1618-
1623.

- Saunders, D. H., Greig, C. A., Young, A., & Mead, G. E. (2004). Physical fitness training for stroke patients. *Cochrane Database Syst Rev*(CD003316).
- Shah, M. V. (2006). Rehabilitation of the older adult with stroke. *Clin Geriatr Med*, 22, 469-489.
- Stein, D. (1995). *Brain repair: Oxford Univ Pr*. New York.
- Studenski, S., Duncan, P. W., Perera, S., Reker, D., & Lai, S. M. (2005). Daily functioning and quality of life in randomized controlled trial of therapeutic exercise for subacute stroke survivors. *Stroke*, 36, 1764-1770.
- Sulter, G., Steen, C., & Keyser De, J. (1999). Use of the Barthel index and Modified Rankin Scale in acute stroke trials. *Stroke*, 30, 1538-1541.
- Tamm, M. (1999). What does a home mean and when does it cease to be home? Home as a setting for rehabilitation and care. *Disability and Rehabilitation*, 21(2), 49-55.
- Tham, W., Auchus, A. P., Thong, M., Goh, M. L., Chang, H. M., Wong, M. C., et al. (2002). Progression of cognitive impairment after stroke: one year results from a longitudinal study of Singaporean stroke patients. *J Neurol Sci*, 203-204, 49-52.
- Trialists., O. S. (2004). Rehabilitation therapy services for stroke patients living at home: systematic review of randomised trials. *The Lancet*, 363(9406), 352-356.
- Twitchell, T. E. (1951). The restoration of motor function following hemiplegia in man. *Brain*, 74, 443-480.
- Uyttenboogaart, M., Stewart, R. E., Vroomen, P. C., Keyser De, J., & Luijckx, G. J. (2005). Optimizing cutoff scores for the Barthel Index and the Modified Rankin Scale for defining outcome in acute stroke trials. *Stroke*, 36(1984-7).
- Veazey, C., Aki, S. O., Cook, K. F., Lai, E. C., & Kunik, M. E. (2005). Prevalence and treatment of depression in Parkinson's disease. *J Neuropsychiatry Clin Neurosci*, 17, 10-23.

- Venkatasubramanian, N. (1998). The epidemiology of stroke in ASEAN countries-A review. *Neurol J Southeast Asia*, 3, 9-14.
- Viriyavejakul, A. (1990). Stroke in Asia: an epidemiological consideration. *Clin Neuropharmacol*, 13 (suppl 3), S26-33.
- Viriyavejakul, A., Senanarong, V., Prayoonwiwat, N., Praditsuwan, R., Chaisevikul, R., & Pongvarin, N. (1998). Epidemiology of stroke in the elderly in Thailand. *J Med Assoc Thai*, 81, 497-505.
- Wade, D. T., & Hower, L. (1987). Functional abilities after stroke: measurement, natural history and prognosis. *J Neurol Neurosurg Psychiatry*, 50, 177-182.
- Weiss, P. A., & Brown, P. (1941). Electromyographic studies on recoordination of leg movements in poliomyelitis patients with transposed tendons. *Proc Soc Exper Biol*, 48, 284-287.
- Yongkong S, Riewpaiboon A, Towanabut S & Riewpaiboon W. (2002). Cost of cerebral infarction in societal perspective. *Srinakarinwirot Journal of Pharmaceutical Science*, 7(1), 95-105.
- Young, J. (1994). Is stroke better managed in the community? *BMJ*, 309, 1356-1358.
- Young, J., & Forster, A. (1993). Day hospital and home physiotherapy for stroke patients: a comparative cost-effectiveness study. *J R Coll Physicians Lond*, 27, 252-258.